



**Your experts for
safety, facility
and equipment
identification**

Product Catalog

Facility Marking Tape

BradyID.com/s36



Aisle Marking Tapes

- Long-wearing B-726 vinyl tape
- Applies quickly and sticks tightly
- Not compatible with Universal Line Applicator

Color	2 in. x 36 yd.	3 in. x 36 yd.	4 in. x 36 yd.
Yellow	58200	58250	102838
Red	58201	58251	102836
Orange	102825	102829	102835
White	58203	58253	102837
Green	58202	58252	102834
Blue	58220	58221	102833
Black	58222	58223	102839
Brown	102828	102832	102840
Purple	102827	102831	-
Grey	102826	102830	-



L-Shaped Corner Markings

- Use corner marks to quickly define storage locations on workbenches, desktops and shelves

Catalog #	Color	Size	Qty.
121415	Yellow	1 in. x 1 in.	750/roll
121413	Red	1 in. x 1 in.	750/roll
121416	Green	1 in. x 1 in.	750/roll
121414	Blue	1 in. x 1 in.	750/roll
121417	Black	1 in. x 1 in.	750/roll



Border Marking Tape

- Ideal for solid borders, dividing lines
- Place color-coded bands on tools for easy identification

Catalog #	Color	Size
121124	Yellow	0.25 in. x 50 ft.
121129	Yellow	0.50 in. x 50 ft.
121122	Red	0.25 in. x 50 ft.
121127	Red	0.50 in. x 50 ft.
121125	Green	0.25 in. x 50 ft.
121130	Green	0.50 in. x 50 ft.
121128	Blue	0.25 in. x 50 ft.
121123	Blue	0.50 in. x 50 ft.
121126	Black	0.25 in. x 50 ft.
121131	Black	0.50 in. x 50 ft.



Warning Tape

- B-950 vinyl with permanent adhesive stands up to tough indoor conditions
- Colors sealed beneath protective layer of abrasion resistant clear vinyl

Color	1 in. x 18 yd.	1.5 in. x 18 yd.	2 in. x 18 yd.	3 in. x 18 yd.
Striped Tape				
Blk/Ylw	55300	55301	55302	55303
Rd/Wht	55294	55295	55296	55297
Blk/Wht	55290	55291	55292	55293
Mag/Ylw	-	55312	55313	55314
Grn/Wht	-	-	90019	90020
Checked Tape				
Blk/Ylw	-	-	76317	76319
Blk/Wht	-	-	76316	76318



T-Shaped Corner Markings

- Use corner marks to quickly define storage locations on workbenches, desktops and shelves

Catalog #	Color	Size	Qty.
121420	Yellow	1.5 in. x 1 in.	545/roll
121418	Red	1.5 in. x 1 in.	545/roll
121421	Green	1.5 in. x 1 in.	545/roll
121419	Blue	1.5 in. x 1 in.	545/roll
121422	Black	1.5 in. x 1 in.	545/roll



Shadow Vinyl Rolls

- Quickly and easily create tool shadows to exact size and shape
- Simply place tool on vinyl, trace outline with pen and cut out with scissors

Catalog #	Color	Size
121119	Yellow	12 in. x 12 ft.
121117	Red	12 in. x 12 ft.
121120	Green	12 in. x 12 ft.
121118	Blue	12 in. x 12 ft.
121121	Black	12 in. x 12 ft.



Reflective Tape

- Made of B-957 reflective tape
- Gives an extra margin of safety in low light conditions

Color	2 in. x 15 ft.	2 in. x 30 ft.	3 in. x 15 ft.	3 in. x 30 ft.
Solid Tape				
Yellow	78986	78141	78988	78144
Orange	78989	78142	78990	78145
White	78985	78140	78987	78143
Striped Tape				
Blk/Ylw	76308	78130	76312	78133
Rd/Wht	76309	78131	76313	78134
Blk/Wht	76310	78132	-	78135
Checked Tape				
Blk/Ylw	76321	78137	-	78139
Blk/Wht	-	78136	-	78138



Organize tools and equipment




Designate storage locations



Inventory and reorder levels



Warn of safety hazards



Footprints

- Single footprints made of vinyl and designed for easy hand application


Catalog #		Color	Size	Qty.
Left Foot	Right Foot			
121405	121406	Yellow	12 in.	1 ea.
121402	121401	Orange	12 in.	1 ea.
121409	121410	Red	12 in.	1 ea.
121411	121412	White	12 in.	1 ea.
121407	121408	Green	12 in.	1 ea.
121400	121399	Blue	12 in.	1 ea.
121404	121403	Black	12 in.	1 ea.



Vinyl Aisle Marking Dots

- B-7569 aisle marking vinyl dots are designed for easy hand application

Catalog #	Color	Size	Qty.
121033	Yellow	2 in. dia.	500
121034	Yellow	3 in. dia.	500
121035	Yellow	4 in. dia.	500
121036	Yellow	5 in. dia.	500
121039	Red	2 in. dia.	500
121139	Red	3 in. dia.	500
121040	Green	2 in. dia.	500
121041	Green	3 in. dia.	500
121042	White	2 in. dia.	500
121043	White	3 in. dia.	500



Vinyl Aisle Marking Arrows

- B-7569 vinyl is ideal for floor application
- Aisle marking arrows are designed for easy hand application

Catalog #	Color	Size	Qty.
121046	Yellow	2 in.	100
121047	Yellow	3 in.	100
121048	Yellow	4 in.	100
121049	Yellow	5 in.	100
121051	Red	3 in.	100



Removable Footprints

- Durable, skid-resistant footprints with removable back
- Standard package: 5 left and 5 right

Catalog #	Color	Size	Qty.
31550	Yellow	11.875 in. x 3.75 in.	5 sets
31553	Red	11.875 in. x 3.75 in.	5 sets
31551	Green	11.875 in. x 3.75 in.	5 sets
31552	Blue	11.875 in. x 3.75 in.	5 sets



Roll Mounted Dots

- B-7569 vinyl dots are designed for machine application

Catalog #	Color	Size	Qty.
121037	Yellow	2 in. dia.	1,000/roll
121038	Yellow	3 in. dia.	1,000/roll
121044	White	2 in. dia.	1,000/roll
121045	White	3 in. dia.	1,000/roll
121050	Green	3 in. dia.	1,000/roll



Glow-In-The-Dark Arrows

- Photoluminescent arrows designed to direct safe exit during power outages and emergency situations
- 10+ hour glow life

Catalog #	Description	Size	Qty.
93275	Glow Arrows	3 in.	100



Glow-In-The-Dark Footprints

- Photoluminescent footprints designed to direct safe exit during power outages and emergency situations
- 10+ hour glow life

Catalog #	Description	Size	Qty.
55358	Left Footprint	12 in.	1 ea.
55359	Right Footprint	12 in.	1 ea.



Color-Coded Dots

- Pressure-sensitive paper labels are ideal creating a visual workplace

Catalog #	Color	Size	Qty.
30664	Yellow	1.5 in. dia.	500
30668	Yellow	3 in. dia.	500
30662	Red	1.5 in. dia.	500
30666	Red	3 in. dia.	500
30663	Green	1.5 in. dia.	500
30667	Green	3 in. dia.	500
30661	Blue	1.5 in. dia.	500
30665	Blue	3 in. dia.	500

* Dispensers not included



Write-On Magnetic Labels

- Reuseable labels with a water-soluble pen that wipes off with a wet cloth

Catalog #	Color	Size
56962	Yellow	1 in. x 50 ft.
56959	Orange	1 in. x 50 ft.
56960	Red	1 in. x 50 ft.
56961	White	1 in. x 50 ft.
56958	Green	1 in. x 50 ft.
56957	Blue	1 in. x 50 ft.

Facility Marking Tape

BradyID.com/s36



Warning Message Tapes

- B-950 vinyl with permanent adhesive
- Colors sealed beneath protective layer of abrasion resistant clear vinyl

Catalog #	Legend	Size
58255	Caution w/ Stripes	3 in. x 60 ft.
58257	Stripes Only	3 in. x 60 ft.



Anti-Slip Striped Tape

- Rugged B-916 adhesive-backed polyester tape coated with durable aluminum oxide grit is ideal for indoor and outdoor use

Catalog #	Size	Qty
78146	1 in. x 60 ft.	1 roll
78147	2 in. x 60 ft.	1 roll
78148	3 in. x 60 ft.	1 roll
78149	4 in. x 60 ft.	1 roll
78150	6 in. x 60 ft.	1 roll



Anti-Slip Floor Tape

- B-916 adhesive-backed polyester tape coated with aluminum oxide grit
- Bonds permanently to clean, dry floors both indoors and outdoors

Color	1 in. x 60 ft.	2 in. x 60 ft.	4 in. x 60 ft.	6 in. x 60 ft.	12 in. x 60 ft.
Blk	78189	78190	78191	78193	78194
Rd	78197	78198	78199	-	-
Ylw	-	78091	78092	-	-
Wht	-	78187	-	-	-
Clear	-	78188	-	-	-



Heavy Duty Anti-Slip Tapes

- Aggressive adhesive withstands harsh elements such as oil, fuel and grease
- High slip resistance with deeply textured silicon carbide grit
- Ideal on loading docks and ramps

Catalog #	Size	Qty
110020	2 in. x 60 ft.	1 roll
110019	4 in. x 60 ft.	1 roll
110018	6 in. x 60 ft.	1 roll
110017	12 in. x 60 ft.	1 roll



Anti-Slip Hazard Marking

- Made of B-819 matte anti-slip overlamine

Catalog #	Legend	Size
92414	Caution	3 in. x 54 ft.
92415	Caution / Do Not Enter	3 in. x 54 ft.
92416	Caution / Watch Your Step	3 in. x 54 ft.
92417	Stripes Only	3 in. x 54 ft.



Anti-Slip Hazard Cleats

- Durable grit-coated polyester die-cuts
- Ideal for use on steps and in entryways

Catalog #	Legend	Size	Qty.
78160	Caution	6 in. x 24 in.	24
78163	Watch Your Step	6 in. x 24 in.	24



Safety Track® Resilient Tape

- Kinder, gentler product without sacrificing performance
- Easily cleaned through mopping

Catalog #	Size	Color	Qty.
98455	4 in. x 60 ft.	Black	1 roll
98459	4 in. x 60 ft.	Gray	1 roll
98457	6 in. x 24 in.	Black	50 cleats



Anti-Slip Die-Cut Cleats

- Durable grit-coated polyester die-cuts

Catalog #	Legend	Size	Qty.
78161	Reflective Stripe	6 in. x 24 in.	24
78162	Photo-lum Stripe	6 in. x 24 in.	24
78195	Black	6 in. x 24 in.	50
78196	Black	5.5 in. x 5.5 in.	50

Egress Marking

The 2015 versions of the International Building Code (IBC), International Fire Code (IFC) and the National Fire Protection Agency's (NFPA) 101 Life Safety Code contain new provisions for the means of egress in most new and pre-existing buildings with five or more stories.

Luminous (glow-in-the-dark) egress path markings are now required for the full width of every stair and handrail, among other markings. Brady offers a complete line of egress marking products that meet the current requirements for the 2015 means of egress regulations.



BradyGlo™ Floor Tapes

- B-324 phosphorescent surface printed polyester
- Designed to safely mark egress pathways during power outages and emergencies
- 10+ hours of glow life

Catalog #	Size	Color
76430	Striped Tape	2 in. x 15 ft.
76431	Striped Tape	3 in. x 15 ft.
76432	Solid Tape	2 in. x 15 ft.
76433	Solid Tape	3 in. x 15 ft.



High Intensity Marking Tape

- Self-sticking polyester in NYC approved styles
- Ideal for marking steps and landings, door frames and handrails
- 10+ hours of glow life

Catalog #	Size	Color
81873	NYC Approved Marking Tape	1 in. x 50 ft.
81729	NYC Approved Anti-Slip Tape	1 in. x 50 ft.



High Intensity Obstacle Tape

- Self-sticking polyester in NYC approved styles
- Clearly marks obstacles that protrude into the egress path
- 10+ hours of glow life

Catalog #	Style	Size
81869	NYC Approved Obstacle Tape	1 in. x 50 ft.



BradyGlo™ Arrow Tape

- Exceeds ASTM E 2072-00 standard
- Designed to safely mark egress pathways during power outages and emergencies
- 10+ hours of glow life

Catalog #	Style	Size
90971	V-Arrow Tape	2 in. x 15 ft.
90972	V-Arrow Tape	3 in. x 15 ft.
90973	Arrow Tape	2 in. x 15 ft.
90974	Arrow Tape	3 in. x 15 ft.
76430	Striped Arrow	2 in. x 15 ft.

Regulations

OSHA 29 CFR 1910.1030 Bloodborne Pathogens:

Labels required for containers and shipments. Employers to post biohazard signs at the entrance to work areas.

DOT 49 CFR 172.400(b):

Labeling is required for infectious substances which meets one or more hazard classifications.

UN2814 Infectious Substances:

Ebola virus defined as Category A infectious substance.

Biohazard Identification

An essential step towards safety is the clear and instantly-readable identification of all biohazard areas and waste products.



Biohazard Labels

- Labels effectively identify and warn of biohazard materials

Catalog #	Size	Qty
LH625E	4 in. x 2.875 in.	25/pk.



Biohazard Waste Disposal Bags

- 3-mil polyethylene bags to package and dispose of biohazardous waste

Catalog #	Size	Qty
145586	16 x 14 x 36 in.	100/pk
145587	30 x 14 x 39 in.	100/pk



Biohazard Tape

- Self-sticking vinyl tape is ideal for clearly identifying biohazard areas

Catalog #	Size	Qty
88051	2 in. x 108 ft.	1 roll



Clearly identify hazardous areas with Brady Biohazard Signs available on page 445.

Barricade Tape

BradyID.com/s36



Woven Barricade Tape

- Made of B-903 polypropylene
- Contains ultraviolet inhibitors for permanent outdoor marking

Catalog #	Size	Color
91172	0.75 in. x 150 ft.	Black/Yellow
91173	0.75 in. x 150 ft.	Magenta/Yellow
91175	0.75 in. x 150 ft.	Black/Red
91176	2 in. x 200 ft.	Black/Yellow
91179	2 in. x 200 ft.	Black/Red



Reinforced Barricade Tape

- Provides fast, on-the-spot warning
- 250-lbs. tensile strength
- Standard package: one roll

Catalog #	Legend	Size
91100	Caution/Cuidado	3 in. x 500 ft.
91101	Caution Construction Area	3 in. x 500 ft.
91102	Caution Do Not Enter	3 in. x 500 ft.
91103	Caution Men Working	3 in. x 500 ft.
91104	Striped	3 in. x 500 ft.



Re-Pulpable Barricade Tape

- Made of 100% strong woven, biodegradable cotton material
- Tape will break down if accidentally introduced into the system

2 in. x 150 ft.	3 in. x 150 ft.	Legend	Color
91082	91083	Caution	Blk/Ylw
91086	91084	Danger	Blk/Red
-	91087	Danger Do Not Enter	Blk/Ylw
-	91085	Danger Do Not Enter	Blk/Red



Economy Barricade Tape

- Made of lightweight non-adhesive polyethylene
- Ideal for temporary use outdoors or permanent indoor warning

Catalog #	Size	Qty.
91228	1 in. x 100 ft.	1 roll
91237	1 in. x 500 ft.	1 roll
91229	2 in. x 200 ft.	1 roll
91238	3 in. x 500 ft.	1 roll

Regulations

Safety Color Code for Marking Physical Hazards 1910.144(a):

Use yellow and black for physical hazards, red and white for fire protection equipment, black and white for traffic and housekeeping markings, magenta and yellow for radiation hazards.



Tape sold separately

Tape Tender

- Dispenses any 2 in. or 3 in. plastic tape rolls up to 1,000 ft.
- Tape advances as needed using thumb
- Steel cutting blade cuts fast and smooth

Catalog #	Legend	Qty.
72412	Tape Tender	1

Facility Marking Tape



Barricade Tape

- Non-adhesive B-912 Polyethylene tapes provide fast, on-the-spot warning
- Use for temporary outdoor or permanent indoor use
- Lightweight tape can be tied, stapled or nailed to posts, fences or metal barricades
- Custom legends also available

3 in. x 200 ft.	3 in. x 1000 ft.	Legend	Color
91468	91462	Authorized Personnel Only	Blk/Ylw
91214	91454	(Blank - Blk/Yellow Stripes Only)	Blk/Ylw
91212	-	Caution	Blk/Ylw
91447	91448	Caution Biohazard	Blk/Org
91469	91463	Caution Chemical Hazard	Blk/Ylw
91217	91453	Caution Construction Area	Blk/Ylw
91224	91451	Caution Do Not Enter	Blk/Ylw
91220	91458	Caution High Voltage	Blk/Ylw
91215	91452	Caution Men Working	Blk/Ylw
91227	91457	Caution Open Trench	Blk/Ylw
91470	91464	Caution Radiation Hazard	Mag/Ylw
91256	91257	Confined Space Do Not Enter	Blk/Ylw
91200	91201	Danger	Blk/Red
91213	91455	Danger	Blk/Ylw
91255	91456	Danger Asbestos Dust Hazard	Blk/Ylw
-	102823	Danger Asbestos Dust Hazard (w/Stripes)	Blk/Red/Wht
-	102822	Danger Confined Space (w/Stripes)	Blk/Red/Wht
-	101349	Danger Keep Out	Blk/Red
102821	-	Do Not Enter (w/Stripes)	Blk/Red
102824	-	Do Not Enter	Blk/Red



Pennant Barricade Tape

- Tough and durable flag barricade can be used repeatedly
- Pennants are 18 in. x 18 in. and spaced evenly across tape

Catalog #	Description
58388	83 ft. with 15 Pennants
58389	113 ft. with 25 Pennants



Biodegradable Flagging Tape

- Made of 70% wood fiber
- Non-toxic; will not harm wildlife, livestock or the environment
- Complete degradation will occur in 6-12 months

Catalog #	Legend	Size	Color
91090	Caution	3 in. x 150 ft.	Blk/Ylw
91091	Caution Do Not Enter	3 in. x 150 ft.	Blk/Ylw
91092	Caution Men Working Overhead	3 in. x 150 ft.	Blk/Ylw
91088	Danger	3 in. x 150 ft.	Blk/Rd
91089	Danger Do Not Enter	3 in. x 150 ft.	Blk/Rd



Flagging Tape

- Flag boundary stakes, trees and hazardous areas
- Non-adhesive

Catalog #	Size	Color
58347	1.187 in. x 300 ft.	Yellow
58342	1.187 in. x 300 ft.	White
58343	1.187 in. x 300 ft.	Green
58344	1.187 in. x 300 ft.	Orange
58345	1.187 in. x 300 ft.	Blue
58346	1.187 in. x 300 ft.	Red
58348	1.187 in. x 150 ft.	Fluor. Yellow
58349	1.187 in. x 150 ft.	Fluor. Red
58351	1.187 in. x 150 ft.	Fluor. Blue
58352	1.187 in. x 150 ft.	Fluor. Orange
58353	1.187 in. x 150 ft.	Fluor. Green
58354	1.187 in. x 150 ft.	Fluor. Pink



Identoline® Underground Warning Tape

- Made of heavy-duty B-720 polyethylene
- Tape is 4.0-mil. thick with a tough tensile strength of 1750 psi
- Uses American Public Works Association (APWA) color coding
- Overcoated graphics provide long-lasting legibility and hold color values

Catalog #	Utility Class	Size	APWA Color
63009	Cable T.V.	6 in. x 1,000 ft.	Orange
91295	Electric*	3 in. x 1,000 ft.	Red
91296	Electric	6 in. x 1,000 ft.	Red
91294	Gas	6 in. x 1,000 ft.	Yellow
91299	Sewer	6 in. x 1,000 ft.	Green
91297	Telephone	6 in. x 1,000 ft.	Orange
63050	Reclaimed Water	6 in. x 1,000 ft.	Purple
91298	Water	6 in. x 1,000 ft.	Blue

*Legend appears on one line



Detectable Identoline® Warning Tape

- B-721 metal detectable polyester; foil is 4.5-mils
- Subsurface graphics seal the legend from acids, alkalis and soil substances
- Uses American Public Works Association (APWA) color coding
- Meets OSHA regulation covering location or underground utility lines
- Manual or automatic installation 4 in. to 6 in. below surface for detectability

Catalog #	Utility Class	Size	APWA Color
91601	Electric	2 in. x 1,000 ft.	Red
91606	Fiber Optic	2 in. x 1,000 ft.	Orange
91600	Gas	2 in. x 1,000 ft.	Yellow
91604	Sewer	2 in. x 1,000 ft.	Green
91603	Water	2 in. x 1,000 ft.	Blue



Utility Marking Flags

- Ideal for identifying possible hazards buried underground
- 4 in. x 5 in. flags attached to 30 in. steel rod

Catalog #	Legend	Color	Qty.
98165	Buried Sewer Line	Blk/Grn	100
98166	Buried Cable	Blk/Rd	100
98167	Buried Water Line	Whit/Blu	100
98168	Buried Electric Line	Blk/Rd	100
98169	Buried Fiber Optic Cable	Blk/Org	100
98170	Buried Pipeline	Whit/Blu	100
98171	Buried Gas Line	Blk/Ylw	100
98172	(Blank)	Orange	100
98173	(Blank)	Red	100
98174	(Blank)	Yellow	100
98175	(Blank)	Blue	100
98176	(Blank)	White	100
98177	(Blank)	Green	100
98178	(Blank)	Fluor. Red	100

BradyLink® Warning Post System

- Portable, non-rusting posts and chain for designating restricted areas or to guide foot and forklift traffic pathways
- Made of colorful polystyrene and polyethylene and are a decorative alternative to metal posts
- Non-conductive so can be safely used in electrically hazardous areas. Hollow base can be filled for a more stable application
- Not intended to support heavy weight



Small posts with flat base

Large with dome base

BradyLink Posts

Includes base, top and c-hook for each post

Color	Color	1 pack	6 pack
Small post with flat base			
Black	40 in. tall; 2.5 in. dia. post; 14 in. dia. flat base	80937	80943
Yellow	40 in. tall; 2.5 in. dia. post; 14 in. dia. flat base	80938	80944
Large post with dome base			
Black	41 in. tall; 3 in. dia. post; 16 in. dia. dome base	92116	92119
White	41 in. tall; 3 in. dia. post; 16 in. dia. dome base	92117	92120
Yellow	41 in. tall; 3 in. dia. post; 16 in. dia. dome base	92118	92121
Blk/Ylw Striped	41 in. tall; 3 in. dia. post; 16 in. dia. dome base	92122	92123



BradyLink Chain

- Polyethylene chain for indoor use only
- Link design prevents kinking

Catalog #	1.5 in. x 100 ft.	2 in. x 100 ft.	3 in. x 100 ft.
Yellow	78234	78238	37860
Black/Yellow	-	78254	37864
White	78235	78239	37861
Black	-	78268	-
Orange	-	78241	-
Yellow/Magenta	-	-	37865



S-Hook

C-Hook

Links, C-Hooks and S-Hooks

- S-hooks temporarily attach lengths of chain together
- C-hooks are installed on the post to allow chain or s-hook to attach to post

Catalog #	Description	Color	Qty.
C-hooks for post tops			
92011	C-hook	Black	36
92010	C-hook	White	36
S-hooks for chain			
78259	2 in. S-hook	Black	36
78257	2 in. S-hook	Yellow	36
78258	2 in. S-hook	White	36
Individual chain links			
78248	2 in. links	Black	36
78246	2 in. links	Yellow	36
78247	2 in. links	White	36



Post Sign Adapter

- Adaptor locks in place on top of BradyLink Warning Posts

Color	Size	1 pack	6 pack
Black	5 in. x 1.75 in.	80958	80960
Black	6 in. x 2 in.	92135	92137
Yellow	5 in. 1.75 in.	80959	80961
Yellow	6 in. x 2 in.	92134	92136



Bradycone™ Warning Cones System

- Designed to communicate temporary slip, trip and fall hazards indoors or outdoors
- Cones are light weight, portable and stackable
- Hazard message is on all four-sides of the cone, so your message can't be missed
- Enhance your message with the Lock-in Sign Frame with pictogram labels



Chain attaches into notch



Apply label to the 8.25 in. x 8.25 in. frame face

Bradycone Warning Cones

- Stackable for easy storage
- High impact, weather-resistant cones
- Includes notch at top of cone to attach Bradycone chain (sold separately)

Catalog #	Description	Size
77204	Blank Orange	35 in.
77198	Blank Yellow	25 in.
77205	Blank Yellow	35 in.
103681	Do Not Enter Yellow	35 in.
103682	Icy Areas Yellow	35 in.
103683	No Parking Yellow	35 in.
77201	Safety First Yellow	25 in.
77203	Safety First Yellow	35 in.
77200	Wet Floor Yellow	25 in.
77202	Wet Floor Yellow	35 in.
103680	Wet Floor/ Piso Mojado Yellow	35 in.

Bradycone Accessories

- Accessories to complete your Bradycone Warning System
- Chain can be hooked into cone notch at any position along the chain

Catalog #	Description	Size
77207	Lock-in-Chain	20 in.
77208	Weight Ring	9 lbs.

Bradycone Picto Labels

- Lock-in frame easily fits to the top of the cone
- Self-sticking labels can be applied to the front of the frame

Catalog #	Legend	Size
94917	Falling Ice	8.25 in. x 8.25 in.
77221	Electrical Hazard	8.25 in. x 8.25 in.
77224	No Entry Construction	8.25 in. x 8.25 in.
77217	No Smoking	8.25 in. x 8.25 in.
77219	Out Of Service	8.25 in. x 8.25 in.
77216	Slippery	8.25 in. x 8.25 in.
77226	Watch Your Step	8.25 in. x 8.25 in.
77210	Lock-in-Frame	10 in. x 10 in.



Traffic Cones

- Vinyl construction assures flexible, yet rugged durability

Catalog #	Description	Size	Qty.
80111	Traffic Cone	18 in.	1
80112	Traffic Cone	24 in.	1



Traffic Cone Signs

- Easy to install plastic sign fits any standard traffic cone or delineator
- Legend on one side only

Catalog #	Legend	Size	Qty.
80117	Do Not Enter	10.5 in. x 12.75 in.	1
80118	Wet Floor	10.5 in. x 12.75 in.	1



Construction Barricades on page 581

Barricades / Security

BradyID.com/s36

Reversible Floor Stands

- Reversible signs contain two legends; to change legend simply detach at the bottom and flip over
- Lightweight corrugated material makes it portable and easy to handle
- 12 in. x 20 in. when closed



SIDE A SIDE B
92280



SIDE A SIDE B
92281



SIDE A SIDE B
92285



SIDE A SIDE B
92286



SIDE A SIDE B
92284



Side A Side B
92283



SIDE A SIDE B
92282



SIDE A SIDE B
92288



SIDE A SIDE B
92289

Facility Marking Tape



Floor Stands

- Made of durable polystyrene plastic
- Printing appears on both panels

Catalog #	Legend	Size
47243	Caution Tripping Hazard	12 in. x 20 in.
47239	Danger Persons Working Above	12 in. x 20 in.
47251	Notice Restroom Closed For Cleaning	12 in. x 20 in.



Heavy Duty Floor Stands

- Alert employees and visitors of potential floor hazards
- Made of heavy-duty polypropylene
- Wording appears on both panels

Catalog #	Legend	Height
104808	Blank	24.5 in.
104810	Caution	24.5 in.
104811	Closed	24.5 in.
104809	Wet Floor	24.5 in.





Bradystake™ Warning Stakes

- Bradystake Warning Stakes are ideal for outdoor marking applications
- Rugged and flexible stakes bend, not break, if accidentally run over with a vehicle
- Stakes are available in highly visible standard APWA colors and reflective stripes so they are easy to see. Their durable graphics are ideal for harsh environments and because they are flat on both sides you get two-way readability
- Stakes are six times lighter than conventional signs and posts, so installation is easy and shipping costs are greatly reduced



Bradystake Warning Stakes

- Rugged and flexible reinforced polymer
- Stakes available with pointed end to help drive stake into ground
- Blank stakes with no sign assembly


Catalog #	Description	Color	Size
Stakes with pointed end			
96950	Pointed end	Orange	3.75 in. x 66 in.
96951	Pointed end	Yellow	3.75 in. x 66 in.
96952	Pointed end	Blue	3.75 in. x 66 in.
96953	Pointed end	Green	3.75 in. x 66 in.
96954	Pointed end	White	3.75 in. x 66 in.
96955	Pointed end	Red	3.75 in. x 66 in.
Stakes with square end			
96920	Square end	Orange	3.75 in. x 66 in.
96921	Square end	Yellow	3.75 in. x 66 in.
Striped reflective stakes			
96922	Reflective	Org/Whit	3.75 in. x 66 in.
96923	Reflective	Blk/Ylw	3.75 in. x 66 in.



Bradystake Labels

- B-302 self-sticking polyester suitable for outdoor use
- 1 in. blank area at bottom accommodates a company label
- Labels can also be custom ordered with your own legend

Catalog #	Legend	Size
85406	Caution Gas Pipeline	14 in. x 3 in.
85551	Warning Natural Gas Pipeline	14 in. x 3 in.



Bradystake Anchors

- Anchors catch soil around the stake adding extra stability when used in loose or sandy soil
- Resilient, long-lasting spring steel withstands outdoor conditions
- Can be custom ordered to be applied to stakes at the factory allowing for quick field installation

Catalog #	Description	Qty
97084	Bradystake Anchors	1



TensabARRIER™ Barricades

- 40 in. post with 14 in. dia. (26 lb.) base
- Pull-out belt is 7.5 ft. long

Catalog #	Legend
80125	Post with Black / White Stripe Belt
80127	Post with Black / Yellow Caution - Do Not Enter Belt
58413	Wall-Mount End



TensabARRIER Signs

- Made of durable plexiglass
- 11 in. x 7 in. sign feature white letters on black background

Catalog #	Legend
80129	Please Wait Here For Next Available Teller
80130	Please Wait Here For Next Available Clerk
80131	Please Wait Here For Next Available Agent



Convex

Half Dome

Safety Mirrors

- Impact-resistant plastic mirrors improve visibility and safety by providing a wide or field of vision
- Mounting hardware included

Catalog #	Description	Size
86341	Indoor Convex	18 in.
86340	Indoor Convex	26 in.
86344	Full Dome 360°	48 in.
86342	Half Dome 180°	18 in.
86343	Quarter Dome 90°	18 in.

Security Seals


BradyID.com/s36



Metal Ball Seals

- Supplied with embossed consecutive numbering (factory specified) and the word SEALED
- Available with or without rolled edges to help prevent accidental cuts


Catalog #	Description	Qty.
95197	Metal Ball Seals	100
95198	Rolled Edge Metal Ball Seals	100



Lead Seals and Press

- 12 in. wire with pre-fitted lead seals fit easily around pipes or valves
- Quickly and permanently crimp your lead seals with Brady's own hand sealer.

Catalog #	Material	Size	Qty.
23301	Copper	12 in. length 31 gauge 7/16 in. dia.	250
23302	Monel Lead	12 in. length 31 gauge 7/16 in. dia.	250
23300	Hand Sealing Press		1



Cable Lock Seals

- Heavy steel seals have a steel head with 6 serialized numbers for inventory or tracking
- Factory chooses the starting number

Catalog #	Description	Tensile Strength	Qty.
95166	12 in. x 1/16 in.	727 lbs.	100
95167	12 in. x 3/32 in.	727 lbs.	100



Bradylock™ Fastener

- Self-locking heavy duty plastic fastener for Strap-On Markers
- Excellent chemical resistance

Catalog #	Description	Size
41772	Bradylock Fastener	0.5 in. x 150 ft.



Plastic Truck Seals

- Deters entry, yet easily removed
- Tamper-resistant truck seals are embossed with the word SEAL and are consecutively numbered
- Ships in mats of ten for convenience and accountability; 100 seals total

Catalog #	Size	Color	Qty.
95193	7.5 in.	Blue	100
95195	7.5 in.	Red	100
95196	7.5 in.	Yellow	100
133487	7.5 in.	Green	100
133488	7.5 in.	Orange	100



Padlock Plastic Seals

- Made of durable polypropylene with galvanized wire hasps
- Seal body will blush if tampered with
- Heat stamped with SEAL and a 7-digit sequence number (factory specified)

Catalog #	Color	Qty.
95168	Black	100/pk*
95174	White	100/pk*
95173	Red	100/pk*
95172	Orange	100/pk*
95170	Gray	100/pk*
95171	Green	100/pk*
95169	Blue	100/pk*
95175	Yellow	100/pk*

* Minimum order: 5pks

Facility Security



Colored Nylon Ties

- Easily secure valve tags

Catalog #	Description	Length	Qty.
98848	Black	8 in.	100
98850	Green	8 in.	100
98853	Purple	8 in.	100
98851	Natural	8 in.	100
98854	Red	8 in.	100
98855	Yellow	8 in.	100
98849	Blue	8 in.	100



Quik-Applied™ Nylon Straps

- Can be used with a variety of tags including valve and lockout tags

Catalog #	Strap Length	Qty
91165	6 in.	10/pk
91166	7 in.	10/pk



Nylon Fasteners

- Nylon fastener styles available to meet every application

Catalog #	Description	Qty.
81761	8 in. Reusable Beaded Ties	100/pk
81762	7 in. Nylon Fasteners	100/pk



Stainless Steel Wire

- 32 mil stainless steel safety wire
- Recommend to be used with wire twister pliers

Catalog #	Description	Length
15424	Stainless Steel Safety Wire	1,800 ft



Stainless Steel Strapping

- Type 316 Stainless Steel Strapping is highly corrosion and heat resistant


Catalog #	Description	Qty
42331	0.25 in. Stainless Steel Strapping	100 ft.
42332	0.25 in. Stainless Steel Strapping	250 ft.



Banding Heads

- Use with 0.25 in. continuous stainless steel strapping to create secure closures


Catalog #	Description	Qty.
90910	Stainless Steel Banding Heads	100



Pull-Tite Seals

- One of the few security seals approved for use by Underwriter's Laboratories (UL) for fire extinguishers and safety doors
- Ideal for use with courier pouches, canisters or cabinets that contain valuables or sensitive documents
- Pull-Tite Seals are embossed SEALED DO NOT REMOVE
- Breaking strength of 10-14 pounds

Catalog #	Size	Color	Qty.
UL approved for fire extinguishers and safety doors			
95150	9 in.	Red	100
95155	9 in.	Yellow	100
95143	9 in.	Light Blue	100
95144	9 in.	Green	100
95141	9 in.	Black	100
Non-UL approved			
133485	9 in.	Orange	100
133482	9 in.	Red	100
133483	9 in.	Yellow	100
133484	9 in.	Light Blue	100
133481	9 in.	Green	100
133486	9 in.	White	100



Ring-Loc Drum™ Seals

- Specifically designed to ensure fiber drum integrity
- Available in two materials:
Nylon which affords greater strength
Polypropylene will blush if tampered
- Hand applied seals can be removed with a simple cutting tool

Catalog #	Description	Color	Qty.
Nylon			
95158	Nylon w/ Shroud	Blue	100
95159	Nylon w/o Shroud	Blue	100
95161	Nylon w/ Shroud	Red	100
95160	Nylon w/o Shroud	Red	100
Polypropylene			
95162	Polypropylene w/ Shroud	Blue	100
95163	Polypropylene w/o Shroud	Blue	100
95164	Polypropylene w/ Shroud	Red	100
95165	Polypropylene w/o Shroud	Red	100

Security Badges

BradyID.com/s36



SecurAlert™ Clip-On Badges

- Low cost clip-on alternative to self-adhesive badges
- 3 in. x 3 in. slotted cards
- 500 front and back sets per pack

	Visitor	Contractor	Temporary
Badge expires after 1 day			
Red	95643	95653	95663
Blue	95644	95654	95664
Yellow	95645	95655	95665
Green	95646	95656	95666
White	95647	95657	95667
Badge expires after 1 week			
Red	95648	95658	95668
Blue	95649	95659	95669
Yellow	95650	95660	95670
Green	95651	95661	95671
White	95652	95662	95672




Prior to activation After expiration

One Step SecurAlert™ Badges

- Pre-assembled for your convenience
- Activated by removing the liner between the front and back of badge
- Badges expire after 24 hours
- 500 front and back sets per pack

Catalog #	Legend	Size	Qty.
95635	Visitor	2 in. x 3 in.	500



Prior to activation After expiration

SecurAlert™ Adhesive Badges

- Activate expiration by applying the front badge to the back badge
- Badges expire after 24 hours
- 500 front and back sets per pack

Catalog #	Legend	Expires In	Qty.
95689	Contractor	24 hours	500
95674	Contractor	1 week	500
95690	Temporary	24 hours	500
95675	Temporary	1 week	500
95688	Visitor	24 hours	500
95673	Visitor	1 week	500

Facility Security



Retractable Badge Holder

- Clip attaches to belt or pocket while the heavy-duty nylon cable with fastener attaches to badge
- An ideal alternative to bull dog clips which may damage clothing

Catalog #	Description	Color	Qty.
95071	Retractable Holder	Blue	1
95072	Retractable Holder	Red	1
95073	Retractable Holder	White	1
95074	Retractable Holder	Gray	1
95075	Retractable Holder	Black	1



Lanyards

- Reuseable 19 in. cloth lanyard
- Includes a snap-swivel hook and adjustable bead for securing lanyard

Catalog #	Color	Size	Qty.
95090	Blue	19 in.	1
95091	Green	19 in.	1
95092	Orange	19 in.	1
95093	Red	19 in.	1
95094	White	19 in.	1




Security Tyvek® Wristbands

- An economical way to keep track of personnel, patients or visitors
- Will not tear or stretch
- Adhesive closure cannot be reused
- All wristbands are consecutively numbered (factory specified)

Tyvek® is a registered trademark of Dupont

Catalog #	Color	Size	Qty
95097	Red	1 in.	500
95101	Pink	1 in.	500
95099	Yellow	1 in.	500
95102	Orange	1 in.	500
95098	Purple	1 in.	500
95100	Blue	1 in.	500
95103	Green	1 in.	500



Self-Expiring Permits

- Temporary parking permits expire during the day by progressively revealing the letters E-X-P-I-R-E-D.
- Expiration process starts once the self-adhesive cover is applied

Catalog #	Legend	Color	Qty.
Red for Hot Weather Over 80°F (25°C)			
95677	Visitor	5 in. x 3 in.	500
95680	Temporary	5 in. x 3 in.	500
Blue for Moderate Weather 50–80°F (10–25°C)			
95678	Visitor	5 in. x 3 in.	500
95681	Temporary	5 in. x 3 in.	500
Purple for Cold Weather under 50°F (10°C)			
95679	Visitor	5 in. x 3 in.	500
95682	Temporary	5 in. x 3 in.	500

Contact Brady for custom permits with your own logo, color and custom text.



Self-Adhesive Vinyl Windshield Decals

Catalog #	Color	Sequence	Size	Qty.
95199	Blue	001-100	3 in. x 3 in.	100
96230	Blue	101-200	3 in. x 3 in.	100
96231	Blue	201-300	3 in. x 3 in.	100
96232	Blue	301-400	3 in. x 3 in.	100
96233	Blue	401-500	3 in. x 3 in.	100
95200	Red	001-100	3 in. x 3 in.	100
96234	Red	101-200	3 in. x 3 in.	100
96235	Red	201-300	3 in. x 3 in.	100
96236	Red	301-400	3 in. x 3 in.	100
96237	Red	401-500	3 in. x 3 in.	100



Self-Adhesive Vinyl Bumper Decals

Catalog #	Color	Sequence	Size	Qty.
95207	Blue	001-100	4.75 in. x 2.74 in.	100
96246	Blue	101-200	4.75 in. x 2.74 in.	100
96247	Blue	201-300	4.75 in. x 2.74 in.	100
96248	Blue	301-400	4.75 in. x 2.74 in.	100
96249	Blue	401-500	4.75 in. x 2.74 in.	100
95208	Red	001-100	4.75 in. x 2.74 in.	100
96250	Red	101-200	4.75 in. x 2.74 in.	100
96251	Red	201-300	4.75 in. x 2.74 in.	100
96252	Red	301-400	4.75 in. x 2.74 in.	100
96253	Red	401-500	4.75 in. x 2.74 in.	100



Rearview Mirror Hanging Tags

Catalog #	Color	Sequence	Size	Qty.
95201	Blue	001-100	2.75 in. x 4.75 in.	100
96262	Blue	101-200	2.75 in. x 4.75 in.	100
96263	Blue	201-300	2.75 in. x 4.75 in.	100
96264	Blue	301-400	2.75 in. x 4.75 in.	100
96265	Blue	401-500	2.75 in. x 4.75 in.	100
96266	Blue	501-600	2.75 in. x 4.75 in.	100
96267	Blue	601-700	2.75 in. x 4.75 in.	100
96268	Blue	701-800	2.75 in. x 4.75 in.	100
96269	Blue	801-900	2.75 in. x 4.75 in.	100
96270	Blue	901-1000	2.75 in. x 4.75 in.	100
95202	Red	001-100	2.75 in. x 4.75 in.	100
96271	Red	101-200	2.75 in. x 4.75 in.	100
96272	Red	201-300	2.75 in. x 4.75 in.	100
96273	Red	301-400	2.75 in. x 4.75 in.	100
96274	Red	401-500	2.75 in. x 4.75 in.	100
96275	Red	501-600	2.75 in. x 4.75 in.	100
96276	Red	601-700	2.75 in. x 4.75 in.	100
96277	Red	701-800	2.75 in. x 4.75 in.	100
96278	Red	801-900	2.75 in. x 4.75 in.	100
96279	Red	901-1000	2.75 in. x 4.75 in.	100



Rearview Mirror Hanging Tags

Catalog #	Color	Sequence	Size	Qty.
95205	Blue	001-100	4.75 in. x 2 in.	100
96280	Blue	101-200	4.75 in. x 2 in.	100
96281	Blue	201-300	4.75 in. x 2 in.	100
96282	Blue	301-400	4.75 in. x 2 in.	100
96283	Blue	401-500	4.75 in. x 2 in.	100
96284	Blue	501-600	4.75 in. x 2 in.	100
96285	Blue	601-700	4.75 in. x 2 in.	100
96286	Blue	701-800	4.75 in. x 2 in.	100
96287	Blue	801-900	4.75 in. x 2 in.	100
96288	Blue	901-1000	4.75 in. x 2 in.	100
95206	Red	001-100	4.75 in. x 2 in.	100
96289	Red	101-200	4.75 in. x 2 in.	100
96290	Red	201-300	4.75 in. x 2 in.	100
96291	Red	301-400	4.75 in. x 2 in.	100
96292	Red	401-500	4.75 in. x 2 in.	100
96293	Red	501-600	4.75 in. x 2 in.	100
96294	Red	601-700	4.75 in. x 2 in.	100
96295	Red	701-800	4.75 in. x 2 in.	100
96296	Red	801-900	4.75 in. x 2 in.	100
96297	Red	901-1000	4.75 in. x 2 in.	100

Facility Security

PPE Dispensers

BradyID.com/s36



Large Capacity Eye Protection Dispenser

- Clear acrylic unit can be wall or table mounted
- Holds approximately 35 pairs

Catalog #	Description	Size
PD701E	Dispenser	12.25 in. x 18 in. x 9.25 in.



Safety Glasses Holder

- Compact unit holds 4-6 pairs of glasses
- Table top or wall mount use

Catalog #	Description	Size
2011L	Holder w/ cover	3 in. x 9 in. x 6 in. with 6 in. high backplate
2011	Holder w/o cover	3 in. x 9 in. x 6 in. with 6 in. high backplate



Divided Eyewear Dispenser

- White table top dispenser with clear dust cover has two sections in order to dispense two different kinds of eyewear
- Holds approx. 20 pairs

Catalog #	Description	Size
PD264E	Divided Eyewear	11.5 in. x 15.375 in. x 9 in.



Eye Wash Station

- Proper usage instructions printed on the door
- Holds 32 oz. bottle (not included)
- Table top or wall mount use

Catalog #	Description	Size
PD997E	Double Bottle Station	10 in. x 10.25 in. x 7 in.
PD995E	Single Bottle Station	10 in. x 6.25 in. x 7 in.



Towelette Dispenser

- Top loading dispenser has an overflow tray at the bottom
- Table top or wall mount use
- Holds approx. 300 towelettes

Catalog #	Description	Size
LCDISP	Towelette Dispenser	9.75 in. x 7.75 in. x 5 in., 12 in. backplate



Economy Visitor Spec Dispenser

- Holds approx. 20 glasses
- Table top or wall mount use

Catalog #	Description	Size
EHMVSD	Economy Dispenser	17.25 in. x 8 in. x 4 in.

PPE Dispensers



Deluxe Visitor Spec Dispenser

- Tough clear acrylic dispensers have a bottom door that keeps glasses in and folds down for easy dispensing
- Wall mount dispenser holds approx. 20-25 glasses

Catalog #	Description	Size	Color
MVSD	Deluxe Visitor Spec	18 in. x 8 in. x 4 in.	Clear
MVSDL	Deluxe Visitor Spec w/cover	18 in. x 8 in. x 4 in.	Clear
MVSDO	Deluxe Visitor Spec	18 in. x 8 in. x 4 in.	Orange
MVSDG	Deluxe Visitor Spec	18 in. x 8 in. x 4 in.	Green
MVSDM	Deluxe Visitor Spec	18 in. x 8 in. x 4 in.	Mirror



Large Capacity Earplug Dispenser

- Removable inner slanted shelf
- Holds 200 disposable earplugs
- Table top or wall mount use

Catalog #	Description	Size
PD439G	Dispenser	13 in. x 12 in. x 8 in.



Earplug Dispenser

- Removable inner slanted shelf
- Holds 100 to 150 pairs
- Table top or wall mount use

Catalog #	Description	Size
EPD	Earplug Tray	13 in. x 6 in. x 8 in.



Earplug Dispenser

- White acrylic dispenser draws attention to the need to wear ear protection
- Holds approx. 100 pairs
- Table top or wall mount use

Catalog #	Size	Size
EPDISP	Earplug Dispenser	9.75 in. x 7.75 in. x 5 in., 12 in. backplate



Compact Earplug Dispenser

- Cushioned foam bottom
- Table top or wall mount use

Catalog #	Description	Size
2019L	Dispenser w/cover	3 in. x 9 in. x 6 in. with a 6 in. high backplate
2019	Dispenser w/o cover	3 in. x 9 in. x 6 in. with a 6 in. high backplate



Divided Hearing Protection Dispenser

- Two sections allow dispensing of two different kinds of hearing protection
- Table top use only

Catalog #	Description	Size
PD265E	Divided Hearing Protection	11.5 in. x 15.375 in. x 9 in.



Triple Earplug Dispenser

- Blue acrylic dispenser tray features three sections
- Each section holds approx. 50 pairs
- Table top or wall mount use

Catalog #	Description	Size
PD244E	Earplug Tray	10 in. x 12.625 in. x 6.75 in.



Safety Stop Stations

- Safety message and the required PPE needed in one convenient location
- Constructed of durable red and clear acrylic for indoor use
- Mount sign to wall or use as a stand-alone sign (post and base sold separately)

Catalog #	Description	Size	Qty
50914	Sign holds 12 pairs of glasses	36 in. x 18 in. sign	1 each

PPE Dispensers

BradyID.com/s36



Headwear Dispenser

- Middle divider for easy separation
- White acrylic with see-through lid
- Table top only

Catalog #	Description	Size
PD240E	Hairnets	7.5 in. x 10 in. x 6 in.



Headwear Dispenser

- Middle divider for easy separation
- White acrylic with see-through lid
- Table top only

Catalog #	Description	Size
PD241E	Dispenser	11.5 in. x 15.375 in. x 9 in.



Bouffant Cap Dispenser

- Features a front hole and hinged cover for easy dispensing and filling
- Table top or wall mount use

Catalog #	Description	Size
PD524E	Bouffant Cap Dispenser	14 in. x 12 in. x 8 in.
PD325E	Beard Cover Dispenser	14 in. x 12 in. x 8 in.



Glove Dispenser

- The single, double and triple units are all vertically mounted on a wall or counter top

Catalog #	Description	Size
GD01	Single	5 in. x 10.93 in. x 4.12 in.
GD02	Double	10 in. x 10.375 in. x 4.12 in.
GD03	Triple	15 in. x 10.375 in. x 4.12 in.



Deluxe Glove Dispenser

- Dispenser mounts horizontally and allows you to change one box without affecting the others

Catalog #	Description	Size
GD03DL	Deluxe Glove Dispenser	11.812 in. x 20 in. x 4 in.



PPE Dispenser

- 4 in. round front opening for dispensing bouffants, gloves, earplugs, etc.
- Table top or wall mount use

Catalog #	Description	Size
DPE	PPE Dispenser	10 in. x 10 in. x 10 in.

PPE Dispensers



Shoe Cover Dispenser

- Holds over 50 pairs of shoe covers
- Table top or wall mount use

Catalog #	Description	Size
PD322E	Shoe Cover Dispenser	14 in. x 12 in. x 8 in.



Dust Mask Dispenser

- Unique cutout design that allows you to reach in the opening to easily remove
- Holds more than 30 masks


Catalog #	Description	Size
M420	Dust Mask Dispenser	12.5 in. x 6 in. x 6 in.



Finger Cot Dispenser

- White and clear acrylic dispenser with lid helps keep your finger cots clean and ready for use
- Table top or wall mount use

Catalog #	Description	Size
FC1	Finger Cot Dispenser	13 in. x 6 in. x 8 in.



PPE Storage Rack

- Black PVC coated steel rack can hold a variety of items
- Includes one SAFETY GLASSES label and one HEARING PROTECTION label
- Table top or wall mount use

Catalog #	Description	Size
PD001E	Storage Rack	4.5 in. x 15.375 in. x 8.75 in.



PPE Foam-lined Dispenser

- Foam bottom
- Table top or wall mount use

Catalog #	Description	Size
MPPE	Dispenser	9.5 in. x 11.5 in. x 9.5 in.



Clear Dispenser Tray

- Table top or wall mount use

Catalog #	Description	Size
PD205A	Dispenser tray	3 in. x 9 in. x 6 in. with a 6 in. high backplate
PD206A	Tray with lid (not shown)	3 in. x 9 in. x 6 in. with a 6 in. high backplate



Earplug Tray

- Clear acrylic dispenser tray holds a box of your preferred PPE supplies
- Front tray catches spills and protects product dispenser or packaging
- Table top or wall mount use

Catalog #	Description	Size
PD228E	Earplug Tray	10.625 in. x 10.625 in. x 10.625 in.



Towelette Tray

- Attention grabbing red fluorescent acrylic tray holds towelette boxes or other miscellaneous small, frequently used dispenser style boxes
- Table top or wall mount use

Catalog #	Description	Size
PD256E	Towelette Tray	4.5 in. x 6.25 in. x 5.25 in.

PPE Safety Signs

Brady's wide variety of PPE specific safety signs should be used to clearly mark where PPE equipment is required.

View page 529 for all PPE safety signs



Inspection Tags

BradyID.com/s36

new

Brady Inspection Timer

There's a lot going on in your facility. Relying on pen and paper alone to keep it all moving leaves room for gaps in safety and efficiency. Add this innovative Inspection Timer and keep track of your inspection needs at a glance.

It's all in the blinking LED lights that change color to visually indicate how much time you have left before the next inspection. After you've finished your inspection, reset it so you're ready for the next one. With a variety of mounting options and a rugged design you've got an inspection reminder for your tough industrial environments. With this timer, you also get:

- **Impactful and colorful reminders** that break through the grime of your facility
- **Varied timing options** for 7 days, 30 days, 90 days, 6 months and a year
- **Performance in harsh conditions** —IP65 rated so it withstands water, dust, extreme temperatures and more
- **Keeps your inspection timing top of mind** so your facility stays safe, efficient and compliant

Ideal for any location that needs an inspection, including AEDs, fire extinguishers, eyewash stations, forklifts and more



Catalog #	Description	Qty.
150740	7 day inspection timer	10/pack
150741	30 day inspection timer	10/pack
150742	90 day inspection timer	10/pack
150743	180 day inspection timer	10/pack
150744	365 day inspection timer	10/pack



Facility Tags


Universal Tag Holder and Inserts

- Designed for the identification and qualification of lifting equipment, industrial plant, valves, calibration equipment and a variety of other applications
- System provides a clear inspection trail giving integrity and control of work carried out



Catalog #	Description	Qty.
UNI-UNH 12 P	Universal Tag Holder Kit w/ 12 in. Plastic Strap	1 kit*
UNI-UNH 6 P STRAP	Universal Tag Holder Kit w/ 6 in. Plastic Strip	1 kit*
UNI-UNH 9 P STRAP	Universal Tag Holder Kit w/ 9 in. Plastic Strip	1 kit*
UNI-UNH PC STRAPS	Universal Tag Plastic Coated Strips	1 kit*
UNI-UNH 9 S	Universal Tag Kit Steel	1 kit*
UNI-UNH S 6 STRAPS	Universal Tag Holder Kit w/ 6 in. Steel Strip	1 kit*

*Kit includes 20 holders, 20 straps and 1 marking pen.



Safe Working Load (SWL)

Catalog #	Size	Color	Qty.
UNI-UNI YELLOW	1.715 in. dia.	Yellow	100/pk
UNI-UNI RED	1.715 in. dia.	Red	100/pk
UNI-UNI BLUE	1.715 in. dia.	Blue	100/pk
UNI-UNI WHITE	1.715 in. dia.	White	100/pk
UNI-UNI GREEN	1.715 in. dia.	Green	100/pk
UNI-UNI ORANGE	1.715 in. dia.	Orange	100/pk
UNI-UNI PURPLE	1.715 in. dia.	Purple	100/pk



Next Inspection Due Date

Catalog #	Size	Color	Qty.
UNI-UNI 503 YELLOW	1.715 in. dia.	Yellow	100/pk
UNI-UNI 503 RED	1.715 in. dia.	Red	100/pk
UNI-UNI 503 B	1.715 in. dia.	Blue	100/pk
UNI-UNI 503 WHITE	1.715 in. dia.	White	100/pk
UNI-UNI 503 GREEN	1.715 in. dia.	Green	100/pk
UNI-UNI 503 ORANGE	1.715 in. dia.	Orange	100/pk
UNI-UNI 503 PURPLE	1.715 in. dia.	Purple	100/pk



Catalog #	Size	Color	Qty.
UNI-UNI 504 YELLOW	1.715 in. dia.	Yellow	100/pk
UNI-UNI BLANK	1.715 in. dia.	Blank	100/pk

NanoTag® Holder and Inserts

- Ideal for the identification and qualification of lifting equipment and is designed to clearly display the Safe Working Load (SWL) or Next Test Date information
- Preprinted empty tag holders alert employees not to use equipment; tag inserts track inspection history and provide other information
- System provides a clear inspection trail giving integrity and control of work carried out




Catalog #	Description	Size	Qty.
NAN-H	Do Not Enter holder	11.25 in x 6 in	1 kit

*Kit includes 20 holders, 40 cable ties and 1 pen.



Safe Working Load (SWL)

Catalog #	Size	Color	Qty.
NAN-NAN YELLOW	1.325 in x 0.7 in	Yellow	100/pk
NAN-NAN RED	1.325 in x 0.7 in	Red	100/pk
NAN-NAN BLUE	1.325 in x 0.7 in	Blue	100/pk
NAN-NAN GREEN	1.325 in x 0.7 in	Green	100/pk
NAN-NAN ORANGE	1.325 in x 0.7 in	Orange	100/pk
NAN-NAN PURPLE	1.325 in x 0.7 in	Purple	100/pk
NAN-NAN WHITE	1.325 in x 0.7 in	Black	100/pk



Next Inspection Due Date

Catalog #	Size	Color	Qty.
NAN-GP Y	1.325 in x 0.7 in	Yellow	100/pk
NAN-GP R	1.325 in x 0.7 in	Red	100/pk
NAN-GP B	1.325 in x 0.7 in	Blue	100/pk
NAN-GP G	1.325 in x 0.7 in	Green	100/pk
NAN-GP O	1.325 in x 0.7 in	Orange	100/pk
NAN-GP P	1.325 in x 0.7 in	Purple	100/pk
NAN-GP W	1.325 in x 0.7 in	Black	100/pk

Inspection Tags

BradyID.com/s36

MicroTag® Holder and Inserts

- Ideal for identifying small plant equipment, lifting gear and safety harnesses
- Color coded and date qualified, the system also has the ability to render equipment in a 'prohibition status' should it be found to be faulty between inspection dates.
- Helps meet OSHA regulations for personal fall arrest systems




Catalog #	Description	Size	Color	Qty.
MIC-MTHSTD04	Microtag Kit*	1.5 in x 3.188 in	White	1 kit
MIC-BLANK -FG	Blank Microtag Kit*	1.5 in x 3.188 in	White	1 kit

*Kit includes 20 holders, 40 cables ties and 1 pen




Date Inspected

Catalog #	Color	Qty.
MIC-MTIUSA Y	Yellow	100/pk
MIC-MTIUSA R	Red	100/pk
MIC-MTIUSA B	Blue	100/pk
MIC-MTIUSA G	Green	100/pk
MIC-MTIUSA O	Orange	100/pk
MIC-MTIUSA P	Purple	100/pk
MIC-MTIUSA W	White	100/pk



Next Inspection Due Date

Catalog #	Color	Qty.
MIC-MTIGPI Y	Yellow	100/pk
MIC-MTIGPI R	Red	100/pk
MIC-MTIGPI B	Blue	100/pk
MIC-MTIGPI G	Green	100/pk
MIC-MTIGPI O	Orange	100/pk
MIC-MTIGPI P	Purple	100/pk
MIC-MTIGPI W	White	100/pk



Next Test Date

Catalog #	Color	Qty.
MIC-MTIGP Y	Yellow	100/pk
MIC-MTIGP R	Red	100/pk
MIC-MTIGP B	Blue	100/pk
MIC-MTIGP G	Green	100/pk
MIC-MTIGP O	Orange	100/pk
MIC-MTIGP P	Purple	100/pk
MIC-MTIGP W	White	100/pk



Catalog #	Color	Qty.
MIC-MTI PLAIN	Blank Tag	100/pk
MIC-MTI 500	Hydraulic Tag	100/pk

Scafftag® Scaffolding Tags

- **Heavy-duty Laminated Polyester (LAM)** - Durable polyester laminate tags exceed OSHA's 50-lb. pull force requirement for lockout tagout and include 3/8 in. heavy-duty brass grommets. Nylon ties included.
- **Economy Polyester (POLY)** - Rigid polyester surface exceeds OSHA's 50-lb. pull force requirement for lockout tagout. Tags include 3/8 in. rolled brass eyelets. Nylon ties included.
- **Cardstock (CARD)** - Cardstock tags provide an economical, yet durable, material option. Attachment strings included.



Tag Holder with clear front pocket

- Accommodates 5.75 in. x 3 in. tags

Catalog #	Description	Qty
48111	Holder Only	12 in. x 4.5 in. 1
48112	Holder Kit (holder and 3 tags)	1 kit

86452	5.75 in. x 3 in.	LAM	10/pk
89017	7 in. x 4 in.	LAM	10/pk
86572	5.75 in. x 3 in.	POLY	10/pk
86627	7 in. x 4 in.	POLY	10/pk
86682	5.75 in. x 3 in.	CARD	100/pk

86453	5.75 in. x 3 in.	LAM	10/pk
89018	7 in. x 4 in.	LAM	10/pk
86573	5.75 in. x 3 in.	POLY	10/pk
86628	7 in. x 4 in.	POLY	10/pk
86683	5.75 in. x 3 in.	CARD	100/pk
86738	7 in. x 4 in.	CARD	100/pk

86454	5.75 in. x 3 in.	LAM	10/pk
86502	7 in. x 4 in.	LAM	10/pk
86574	5.75 in. x 3 in.	POLY	10/pk
86629	7 in. x 4 in.	POLY	10/pk
86684	5.75 in. x 3 in.	CARD	100/pk
86739	7 in. x 4 in.	CARD	100/pk

Scafftag® Scaffolding Tags

- Provides system, procedural and legal compliance for scaffolds on worksites
- Provides a clear inspection trail giving integrity and control of work carried out
- Essential for companies working with ISO9000 clients



Catalog #	Description	Size	Color	Qty.
SCAF-STH 132BLA-FG	Holders - Blank	11.75 in x 3.5 in	White	10/pk
SCAF-STH 146BLA-FG	Holders - Blank	11.75 in x 3.5 in	Red	10/pk
SCAF-STH 153	Holders - Eng. / Sp.	11.75 in x 3.5 in	White	10/pk
SCAF-STH 132 SP	Holders - Spanish	11.75 in x 3.5 in	White	10/pk
SCAF-STH 132 FR	Holders - French	11.75 in x 3.5 in	White	10/pk
SCAF-STH132	Holders - English	11.75 in x 3.5 in	White	10/pk
SCAF-STH146	Holders - English	11.75 in x 3.5 in	Red	10/pk
SCAF-STH132A	Standard Kit*	11.75 in x 3.5 in	White	1 kit

Catalog #	Description	Size	Color	Qty.
SCAF-STSI751	Scafftag II Inserts	7.625 in x 5.75 in	Green	100/pk
SCAF2-STHUSA	Scafftag II Holder	11.5 in x 6 in	White	10/pk
SCAF2-STHUSAA	Scafftag II Kit*	11.5 in x 6 in	White	1 kit

*Kits include 10 holders, 20 inserts and 1 pen

*Kits include 10 holders, 20 inserts and 1 pen



SCAF-STSI 601
7.625 in x 3.25 in 100/pk



SCAF-STSI 640
7.625 in x 3.25 in 100/pk



SCAF-STSI 708
7.625 in x 3.25 in 100/pk



SCAF-STSI 1042
6.75 in x 3.25 in 100/pk



SCAF-STSI 539
6.75 in x 3.25 in 100/pk



SCAF-STSI 694
7.625 in x 3.25 in 100/pk



SCAF-STSI 681
7.625 in x 3.25 in 100/pk



SCAF-STSI 311
7.625 in x 3.25 in 100/pk



SCAF-STSI 639
7.625 in x 3.25 in 100/pk



SCAF-STSI 310 STD
7.625 in x 3.25 in 100/pk



SCAF-STSI 602
6.75 in x 3.25 in 100/pk



SCAF-STSIW 510
7.625 in x 3.25 in 100/pk



SCAF-STSIP 501
7.625 in x 3.25 in 100/pk



SCAF-STSI 629
7.625 in x 3.25 in 100/pk



SCAF-STSI 772
7.625 in x 3.25 in 100/pk

Facility Tags

Inspection Tags

BradyID.com/s36

Forklifttag® Holder and Inserts

- Assists with pre-use preventative maintenance and forklift safety inspections
- Permanently attaches to the cage of the forklift truck and displays the daily or pre-shift inspections be carried out



FLT-ETSI 519



FLT-ETSI 537



FLT-ETSI 51



FLT-ETSI 583

Catalog #	Description	Size	Color	Qty.
FLT-ETSH9	Forklift Holder	11.5 in. x 6.000 in.	White	10/pk
FLT-ETSI 519	Inserts	5.75 in. x 7.625 in.	Green	100/pkg
FLT-ETSI 537	Inserts	5.75 in. x 7.625 in.	Green	100/pkg
FLT-ETSI51	Inserts	5.75 in. x 7.625 in.	Blue	100/pkg
FLT-ETSI 583	Inserts	5.75 in. x 7.625 in.	Blue	100/pkg
FLT-ETSH9A	Forklift Kit*	11.5 in. x 6.000 in.		1 kit

*Kit includes 10 holders, 10 FLT-ETSI51 inserts and 1 pen

LadderTags™ Holder and Inserts

- Supports a complete ladder safety management system
- Assists with meeting OSHA standards which require ladders to be checked for damage, faults and wear before use by an authorized user
- Holder can be attached by hanger holes or included adhesive

Catalog #	Description	Size	Color	Qty.
LAD-EITH12	Holders	8.25 in. x 2.25 in.	White	10/pk
LAD-EITL 500	Inserts	6.5 in x 2 in	Yellow	100/pkg
LAD-EITL 512	Inserts	6.5 in x 2 in	Green	100/pkg
LAD-EITL521	Inserts	6.5 in x 2 in	Yellow	100/pkg
LAD-EITH/L12	Kit*	8.25 in. x 2.25 in.	White	1 kit

*Kit includes 10 holders, 10 LAD-EITL 500 inserts and 1 pen



LAD-EITL 500



LAD-EITL 512



LAD-EITL521

Facility Tags

MultiTag® Holder and Inserts

- Assists with the identification and preventative maintenance requirements of a range of equipment
- Assists with the requirements of CFR 1926.1053 (a) (12), (b) (17) (i) (ii) and CFR 1910.25 (d) (1) (X).

Catalog #	Description	Size	Color	Qty.
MUL-EITHUSA01	Multitag Holder	8.25 in x 2.25 in	White	10/pk
MUL-BLANK - FG	Blank Holder	8.25 in x 2.25 in	White	10/pk
MUL-EITL 540	Multitag Inserts	6.5 in x 2 in	Yellow	100/pkg
MUL-EITL535	Multitag Inserts	6.5 in x 2 in	Green	100/pkg
MUL-EITHUSA01A	Multitag Kit	8.25 in x 2.25 in	White	1 kit

*Kit includes 10 holders, 10 MUL-EITL535 inserts and 1 pen



MUL-EITL 540



MUL-EITL535

EntryTag® Holder and Inserts

- Works in conjunction with existing permit-to-work systems and assists in meeting OSHA confined space standards
- The system states the minimum requirements of entry to the confined space or whether the area is in prohibition and cannot be entered



Catalog #	Description	Size	Qty.
ENT-ETSH157	Do Not Enter holder	11.25 in x 6 in	10/pk
ENT-ETSH 500	Confined Space holder	11.25 in x 6 in	10/pk
ENT-ETSH 505	Do Not Use Equipment holder	11.25 in x 6 in	10/pk
ENT-ETSH 506	Manlift holder	11.25 in x 6 in	10/pk
ENT-ETSH BLANK-FG	Blank holder	11.25 in x 6 in	10/pk
ENT-ETSH157A	Do Not Enter kit*	11.25 in x 6 in	1 kit

*Kit includes 10 holders, 10 status inserts and 1 pen.

 ENT-ETSI532 5.75 in x 7.625 in 100/pk	 ENT-ETSI 549 5.75 in x 7.625 in 100/pk	 ENT-ETSI 594 5.75 in x 7.625 in 100/pk	 ENT-ETSI 567 5.75 in x 7.625 in 100/pk	 MUL-EITL 230 2 in x 6.5 in 100/pk
---	--	--	--	---

Confined Space Tags

- **Heavy-duty Laminated Polyester (LAM)** - Durable polyester laminate completely encapsulates and protects graphics while withstanding moisture, grease, chemicals and extreme temperatures. These tags exceed OSHA's 50-lb. pull force requirement for lockout tagout and include 3/8 in. heavy duty brass grommets. Nylon ties included.
- **Economy Polyester (POLY)** - Rigid polyester surface exceeds OSHA's 50-lb. pull force requirement for lockout tagout. Tags include 3/8 in. rolled brass eyelets. Nylon ties included.
- **Cardstock (CARD)** - Cardstock tags provide an economical, yet durable, material option. Attachment strings included.

 49234 5.75 in. x 3 in. LAM 25/pk 49228 5.75 in. x 3 in. POLY 25/pk	 50275 5.75 in. x 3 in. LAM 25/pk 49227 5.75 in. x 3 in. POLY 25/pk	 66322 5.75 in. x 3 in. LAM 25/pk 66324 5.75 in. x 3 in. POLY 25/pk 65457 5.75 in. x 3 in. CARD 25/pk	
 50248 5.75 in. x 3 in. LAM 25/pk 50282 5.75 in. x 3 in. POLY 25/pk	 50287 5.75 in. x 3 in. LAM 25/pk 50286 5.75 in. x 3 in. POLY 25/pk	 50291 5.75 in. x 3 in. LAM 25/pk 50290 5.75 in. x 3 in. POLY 25/pk	 65299 5.75 in. x 3 in. LAM 25/pk 65270 5.75 in. x 3 in. POLY 25/pk 65456 5.75 in. x 3 in. CARD 25/pk

Facility Tags

Inspection Tags

BradyID.com/s36

ChemTag® Holder and Inserts

- Places first response information at the location where immediate access is needed.
- Identifies and controls hazardous substances and assists with the requirements of CFR 1910.1200 (A) (1)



Catalog #	Description	Size	Qty.
CHEM-CTHUSA01	Holder	11.25 in x 6 in	10/pk
CHEM-CTHBLANK-FG	Blank Holder	11.25 in x 6 in	10/pk
CHEM-CTI500	Insert	5.75 in x 7.625 in	100/pk
CHEM-CTSH	kit		1 kit

*Kit includes 10 holders, 10 CHEM-CTI500 inserts and 1 pen.

Cylinder Status Tags

- Clearly inform user of status of cylinder contents
- Economy Polyester (POLY) includes nylon fasteners
- Cardstock (CARD) includes string fasteners



17926 5.75 in. x 3 in. POLY 10/pk
17925 5.75 in. x 3 in. CARD 100/pk



17928 5.75 in. x 3 in. POLY 10/pk
17927 5.75 in. x 3 in. CARD 100/pk



17924 5.75 in. x 3 in. POLY 10/pk
17923 5.75 in. x 3 in. CARD 100/pk




Facility Tags

Fire Extinguisher Inspection Tags

- Economy Polyester (POLY) meet OSHA's 50-lb. pull force requirement for tagout and have moderate chemical and UV resistance
- Tags meet OSHA Standard 1910.145 for accident prevention
- Withstands moisture, grease and dirt
- Nylon ties included




76222 5.75 x 3 in. POLY 25/pk



65371 5.75 x 3 in. POLY 25/pk

Aluminum Fire Extinguisher Inspection Tags

- Rigid aluminum won't rust, tear or fade when used in harsh outdoor applications
- Use permanent marking pen or hole punch to mark inspection
- Tags begin with current year
- Wire ties included



103632 3 x 2.25 in. ALUM 10/pk

Isolation Blind Tags

- Made from 10-mil polyester and has excellent outdoor weather resistance
- Tag includes 3/8 in. dia. hole with rolled brass eyelet and 25 nylon cable ties
- Exceeds OSHA 50-lb pull strength requirement for tagout



132421 5.75 in. x 3 in. CARD 25/pk



132422 5.75 in. x 3 in. CARD 25/pk



132424 5.75 in. x 3 in. CARD 25/pk



132423 5.75 in. x 3 in. CARD 25/pk



132425 5.75 in. x 3 in. CARD 25/pk

Flag Style Blind Tag

- Made from B-851 polyester (10-mil)
- 3/8 in. diameter hole with rolled brass eyelet
- Excellent outdoor weather resistance and is highly visual for safety warnings
- Exceeds OSHA 50-lb pull strength requirement
- Includes 25 nylon cable ties



Catalog #	Legend	Size	Color	Qty.
132452	Install Blind Here	2 in. x 20 in.	Black on Green	25
132453	Isolation Blind	2 in. x 20 in.	Black on Red	25
132454	Blind Installed	2 in. x 20 in.	Black on Red	25

Customize It

Call Brady Customer Service to customize with text, serialization, and perforation.

Isolation Tags

- To help control mechanical and electrical isolation procedures and prevent inadvertent energizing of the system
- Perforated tag consists of two identical sections which are completed by the person in charge



Catalog # 102-ISO 08 Color 7.625 in x 3.25 in Qty. 100/pk

Flange Joint Tags

- To assist in the inspection, modification and maintenance throughout the flange break inspection process
- Tag is divided into three parts by two perforations and assists the user to clearly identify the various stages of the operation from the initial break to the re-energization of the system



Catalog # 833763 Color 7.625 in x 3.25 in Qty. 10/pk



Catalog # 833764 Color 7.625 in x 3.25 in Qty. 10/pk