

## GD2029, Mechanical Grounding Connector, 2 Cables to Rod or Pipe

By Burndy  
Catalog # [GD2029](#)



Mechanical Grounding Connector, 2 Parallel Cables to Rod or Pipe, 2/0 AWG (Sol.) - 250 kcmil, 3" to 3-1/2" Rod, 3" Pipe

### Features

- Rated for Direct Burial in earth or concrete
- UL467 Listed for the US and Canadian Markets
- One-wrench installation

### Application

For Joining A Range Of Two Parallel Copper Cables To Rod Or Pipe And Burial In Ground Or Concrete

### Specifications

Buy American Compliant	No
Certification - cULus	No
EU RoHS Indicator	Yes
Certification - UL Recognized	No
Industry Standard(s)	UL467
Certification - ETL	No
Standards - Industry Standards Met	UL467
Standards - RoHS Compliance Status	EX
Certification - CSA Approved	No
UL Listed	Yes
Certification - UL Listed Direct Burial	Yes

### Conductor

Conductor - Copper Str Size	<ul style="list-style-type: none"> <li>• 2/0</li> <li>• 3/0</li> <li>• 4/0</li> <li>• 250</li> </ul>
Conductor - Copper Solid Size	<ul style="list-style-type: none"> <li>• 2/0</li> <li>• 3/0</li> <li>• 4/0</li> </ul>
Conductor - Copper Solid Size Range	2/0-4/0
Conductor - Copper Str Size B Range	3
Conductor - Copper Str Size Range	2/0 AWG - 250 kcmil

Conductor - Copper Tube Std Size	3
Conductor - Copper Tube Std Size Range	3

### Dimensions

Dimension - Height fraction	5-5/8 in
Dimension - Height inch	5.63 in
Dimension - Height mm	143 mm
Dimension - Width fraction	4-7/8 in
Dimension - Width inch	4.81 in
Dimension - Width mm	122 mm
Dimension - B Length inch	1.50 in

### Force Related

Installation Torque Recommended in-lb	240 LBS/in
---------------------------------------	------------

### General

Material Type - Screw	DURIUM™ Silicon Bronze
Sub Brand	MECHANICAL CONNECTOR
Plated	N
Type	GD
U Bolt Type	258
UPC 12 Digit	781810260395
UPC 14 Digit GTIN	00781810260395
Material	Copper Alloy, Cast
Plating Type	Unplated
UPC	781810260395

### Logistics

Minimum Pack Quantity	1
Carton Quantity	5
Pallet Quantity	900

### Product Assets

[Catalog \[English\]](#)