



## K2A26U, AL Universal Terminal, 2 Conductor, 1-Hole, #14-2/0 AWG, 1/4" Stud, 2 Screws, Al/Cu Rated

By Burndy  
Catalog # [K2A26U](#)

Aluminum Universal Terminal, 2 Conductor, 1 Hole, 14-2/0 AWG

### Features

- Dual rated panelboard lugs
- Constructed from high strength, extruded aluminum alloy
- Electro tin-plated to provide low contact resistance

### Application

For Aluminum And Copper Conductors

### Specifications

Buy American Compliant	Contact Manufacturer
EU RoHS Indicator	No
Industry Standard(s)	UL 486A-486B
Standards - Industry Standards Met	UL 486A-486B
Standards - RoHS Compliance Status	EX
Certification - CSA Approved	Yes
UL Listed	Yes
Certification - UL Listed Direct Burial	No

### Conductor

Conductor - Copper Str Size	<ul style="list-style-type: none"> <li>• 14 AWG</li> <li>• 12 AWG</li> <li>• 10 AWG</li> <li>• 9 AWG</li> <li>• 8 AWG</li> <li>• 7 AWG</li> <li>• 6 AWG</li> <li>• 5 AWG</li> <li>• 4 AWG</li> <li>• 3 AWG</li> <li>• 2 AWG</li> <li>• 1 AWG</li> <li>• 1/0</li> <li>• 2/0 AWG</li> </ul>
Conductor - AL Str Size	<ul style="list-style-type: none"> <li>• 8 AWG</li> <li>• 6 AWG</li> <li>• 4 AWG</li> <li>• 3 AWG</li> <li>• 2 AWG</li> <li>• 1 AWG</li> <li>• 1/0 AWG</li> <li>• 2/0 AWG</li> </ul>
Conductor - AL Str Size Range	14 Str-2/0 AWG



Number Of Conductors	2
Conductor Size	14-2/0 AWG
Conductor - Copper Str Size Range	14 Str-2/0 AWG
Conductor Type	<ul style="list-style-type: none"> <li>• AL C Str-Size</li> <li>• CU C Str-Size</li> </ul>

### Configuration

Physical Attribute - Number of Holes	1
Connector Type	Parallel Set-Screw

### Dimensions

Dimension - L Length Overall mm	37 mm
Dimension - Pad Width inch	1.27 in
Dimension - Height fraction	4/5 in
Dimension - Height inch	0.80 in
Dimension - Height mm	20.3 mm
Dimension - Hole Size inch	0.27 in
Dimension - Hole Size mm	7 mm
Dimension - Screw Size inch	3/8
Dimension - Stud Size inch	1/4 in
Dimension - Width fraction	1-1/4 in
Dimension - Width inch	1.27 in
Dimension - Width mm	32 mm
Dimension - Bolt Hole Size inch	0.25 in
Dimension - Bolt Size fraction	1/4
Dimension - Length Overall inch	1.47 in
Dimension - D inch	0.81 in
Dimension - N inch	0.44 in

### Force Related

Installation Torque Recommended in-lb	120 LBS/in
---------------------------------------	------------

### General

Material - Hardware	Aluminum
Sub Brand	UNIVERSAL TERM
Physical Attribute - Screw Type Plated	Slot N
Type	Bolted Lugs & Terminals
UPC 12 Digit	781810600054
UPC 14 Digit GTIN	00781810600054

Hardware Type 3/8 UNC Slotted Set Screw  
Material Aluminum  
Plating Type Tin plated  
UPC 781810600054

Pallet Quantity 1

### Operational

Temperature Rating 194

### Logistics

Minimum Pack Quantity 1  
Carton Quantity 432

### Product Assets

[Catalog \[English\]](#)



A Hubbell brand