

KA34U, Aluminum Universal Terminal, 1 Hole, 4 AWG (Str)-500 kcmil, 3/8" Stud, 1 Screw, Al/Cu Rated, Tin Plated.

By Burndy
Catalog # KA34U

Aluminum Universal Terminal, 1 Hole, 4 AWG (Str)-500 kcmil, 3/8" Stud, 1 Screw, Al/Cu Rated, Tin Plated



Features

- Dual Rated Panelboard Lugs
- High strength extruded aluminum alloy
- Electro tin-plated for low contact resistance
- Rated to 35kV

Application

For Aluminum And Copper Conductors

Specifications

Buy American Compliant	Contact Manufacturer
EU RoHS Indicator	Yes
Industry Standard(s)	UL 486A-486B
Standards - Industry Standards Met	UL 486A-486B
Standards - RoHS Compliance Status	EX
Certification - CSA Approved	Yes
UL Listed	Yes
Certification - UL Listed Direct Burial	No

Conductor

Conductor - Copper Str Size	<ul style="list-style-type: none"> • 4 AWG • 3 AWG • 2 AWG • 1 AWG • 1/0 • 2/0 AWG • 3/0 AWG • 4/0 AWG • 250 kcmil • 300 kcmil • 350 kcmil • 400 kcmil • 450 kcmil • 500 kcmil
Conductor - AL Str Size	<ul style="list-style-type: none"> • 4 AWG • 3 AWG • 2 AWG • 1 AWG • 1/0 AWG • 2/0 AWG • 3/0 AWG

- 4/0 AWG
- 250 kcmil
- 266 kcmil
- 300 kcmil
- 336 kcmil
- 350 kcmil
- 397 kcmil
- 400 kcmil
- 450 kcmil
- 477 kcmil
- 500 kcmil

Conductor - AL Str Size Range	4 AWG-500 kcmil
Number Of Conductors	1
Conductor Size	4 AWG-500 KCMIL
Conductor - Copper Str Size Range	4 AWG-500 kcmil
Conductor Type	<ul style="list-style-type: none"> • CU C Str-Size • AL C Str-Size

Configuration

Physical Attribute - Number of Holes	1
Physical Attribute - Number of Screws	1
Connector Type	Terminal

Dimensions

Package Length	10.250 in
Package Width	3.550 in
Package Weight	3.670 lb.
Dimension - L Length Overall mm	71 mm
Dimension - Pad Width inch	1.52 in
Dimension - Height fraction	1.58 in
Dimension - Height inch	1.58 in
Package Height	2.300 in
Dimension - Height mm	40.1 mm
Dimension - Hole Size inch	0.42 in
Dimension - Hole Size mm	11 mm
Dimension - Stud Size inch	3/8
Dimension - Width fraction	1-51/100 in
Dimension - Width inch	1.51 in
Dimension - Width mm	38 mm
Dimension - Bolt Hole Size inch	0.38 in
Dimension - Bolt Size fraction	3/8

Dimension - Length Overall 2.81 in
inch
Dimension - D inch 1.50 in
Dimension - N inch 0.88 in

UPC 14 Digit GTIN 00781810370247
Material Aluminum
Plating Type Tin
UPC 781810370247

Force Related

Installation Torque 450
Recommended in-lb

Logistics

Minimum Pack Quantity 12
Carton Quantity 120
Pallet Quantity 4608

General

Material - Hardware Aluminum
Sub Brand UNIVERSAL TERM
Physical Attribute - Screw Type Allen
Plated Y
Type Bolted Lugs & Terminals

Operational

Temperature Rating 194

Product Assets

[Catalog \[English\]](#)



A Hubbell brand