



**BURNDY Catalog Number**  
**UPC Number**  
**Description**  
**Status**

NAR32A4N  
 7818100038244  
 AL TERM 250-400, 4 HOLE  
 Active

**Web Use**  
 BURNDY Product Line

Dimensional	
Bolt Size as a fraction	1/2
Length (in)	6.31
Height (in)	2.88
Size (Hex) or Size (Bolt)	1/2
Thickness	0.38
Size (Hex) or Size (Bolt) - in	0.50
D - in	3.00
Pad Width (in)	3.00
Pad Alignment	Offset
E - in	1.75
Pad Orientation	0°
Electrical	
KV Rating	230
General	
Number of Conductors	1
Number of Holes	4
Product Description	Cast Al Alloy Bolted Terminal, Al/Cu Cable To Flat, 250 - 400 kcmil Al/Cu, 4/0 AWG - 397.5 kcmil ACSR, 4-NEMA Pad Holes, .56" Hole Dia.
Conductor(s)	
ACSR Size (Range)	4/0 (6/1) Penquin AWG-397.5 (30/7) Larkspur kcmil
Aluminum Size (Range)	250 kcmil-400 kcmil
Physical	
Installation Torque	300
Pad Configuration	3 x 3 - 4 holes
Type of Plating	Unplated
Connector Type	Terminal
Plated (Yes or No)	N
Product Material	Aluminum Alloy
Approvals / Certifications	
UL Listed	N
CSA Certified	N
ROHS Compatible	Compliant
UL Recognized	N
CULUS	N
Documentation	

For further technical assistance, please contact us

**BURNDY LLC - USA**

47 East Industrial Park Drive  
 Manchester NH 03109

**BURNDY Technical Services**

47 East Industrial Park Drive  
 Manchester NH 03109

Hours: 8:00 AM - 5:00 PM  
 Monday - Friday  
 Phone: 800-346-4175