



PENE4, Oxide Inhibitor, 4 Ounce Squeeze Bottle

By Burndy
Catalog # [PENE4](#)



Electrical sealing compound, Squeeze Bottle.

Features

- PENETROX™ Oxide Inhibiting Joint Compounds are available in many types
- PENETROX A is a natural compound recommended for aluminum to aluminum, aluminum to copper connections and aluminum conduit threads, it is not recommended for use with rubber or polyethylene insulated conductors
- PENETROX A13 is a synthetic base compound with evenly suspended zinc particles recommended for aluminum to aluminum, aluminum to copper, and also aluminum conduit threads
- PENETROX E is a synthetic base with evenly suspended copper particles, recommended for copper to copper, copper threads, and all grounding applications

Application

For Copper To Copper

General

Application - For Use On	Copper to Copper
Catalog Number	PENE4
Container Type	Squeeze Bottle
EU RoHS Indicator	Yes
Pour Point	-40 °F
Sub Brand	PENETROX
Temperature - Dropping Point Fahrenheit	350 °F
Trade Name	PENETROX™
Type	E
UPC	781810593141

UPC 14 Digit GTIN 00781810593141
Viscosity at 100 Fahrenheit 250 °F

Certifications And Compliance

Buy America(n) Qualified Contact Manufacturer
Standards - RoHS Compliance CM
Status
UL Listed Yes

Logistics

Carton Quantity 12
Container Size 4 oz
Minimum Pack Quantity 1

Product Assets

[3D Models - PENE4_MODEL-STEP](#)
[3D Models - PENE4_MODEL-IGES](#)
[3D Models - PENE4_MODEL-PDF](#)
[Catalogs - BURNDY Master Catalog - Section F - Accessories](#)
[Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog](#)
[Interactive Catalog - BURNDY Full-Line Digital Catalog](#)
[Product Cross Section Image\(s\) - BUR_PENE8_LineArt](#)
[Sales Drawings - sc087708-01](#)
[SDS - PENETROX E PORTUGUESE SDS](#)
[SDS - PENETROX E GERMAN SDS](#)
[SDS - PENETROX E Polish SDS](#)
[SDS - PENETROX E FRENCH SDS](#)
[SDS - PENETROX E RUSSIAN SDS](#)
[SDS - PENETROX E ESPANOL SDS](#)
[SDS - PENETROX E SDS](#)
[Specifications - PENE4](#)