

SN10, Nylon Splice For 12 - 10 AWG

By Burndy
Catalog # SN10



Copper Butt Splice, 12-10 AWG, 1.64" Splice Length, Nylon Insulated, Tin Plated, 600 Volts Max.

Features

- Seamless tubing, high quality design without seams to split
- Electrolytic copper for maximum conductivity, low resistance and ductility for excellent crimp forming properties
- Tin plating provides durable long-lasting resistance to corrosion
- Positive center wire stop for proper depth of wire insertion
- Nylon is locked into position

Application

For Heavy Duty Application Requirements

General

Catalog Number	SN10
Color Code	Yellow
Connector Type	Seamless Butt Splice
EU RoHS Indicator	Yes
Insulation	Y
Insulation Type	Nylon
Material	Copper
Plated	Y
Plating Type	Unplated
Sub Brand	INSULINK
Temperature Rating	105
Trade Name	INSULINK™
Type	SN
UPC	781810737026
UPC 14 Digit GTIN	00781810737026

Dimensions

Cable Insulation Diameter Maximum	0.22 in
Dimension - Diameter Max Size inch	0.22 in
Dimension - L Length Overall mm	42 mm
Dimension - Length Overall inch	1.64 in

Dimension - Outside Diameter inch 0.22 in

Dimension - Strip Length inch 5/16 in

Electrical Ratings

Voltage - Maximum 600 V

Conductor Related

Conductor - Copper Str Size 12 AWG;10 AWG

Conductor - Copper Str Size Range 12 AWG-10 AWG

Conductor Size 12 - 10 AWG

Conductor Type CU C Str-Size

Certifications And Compliance

Buy America(n) Qualified	Contact Manufacturer
Certification - ETL	No
Certification - UL Recognized	No
Certification - cULus	No
Industry Standard(s)	UL486
Standards - Industry Standards	UL486
Met	
Standards - RoHS Compliance	CM
Status	
UL Listed	Yes

Logistics

Carton Quantity	300
Minimum Pack Quantity	25
Pallet Quantity	72000

Product Assets

[Catalogs - BURNDY Master Catalog - Section B - Small Terminals](#)
[Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog](#)
[Customer Notices - Prop 65 Notice](#)
[Interactive Catalog - BURNDY Full-Line Digital Catalog](#)
[Product Cross Section Image\(s\) - BUR_SN10_LineArt](#)
[Sales Drawings - 50094191](#)
[Specifications - SN10](#)