

TP108FBG25, Vinyl Fork Terminal For 12 - 10 AWG

By Burndy
Catalog # [TP108FBG25](#)



Cu Fork Tongue Terminal, Smooth Entry, 10-12 AWG, 600 V, #8 Spade, 0.98" L, 0.31" W, Vinyl Insul, Tin Plated, Yellow (Insul Color), 25 Pcs./Bag.

Features

- Fork terminals are constructed of pure electrolytic copper
- Long brazed seam barrel with deep V groove inner serrations for optimum conductivity, reliability and holding power after crimping
- Fork tongue design for faster installation - screw only needs to be loosened for termination
- Two or more terminals can be stacked on a common stud
- Provides maximum conductivity, low resistance and ductility for excellent crimp forming properties
- Electro-tin plating for durable, long lasting corrosion resistance
- Inspection hole/skive provides an easy visual check of proper wire insertion
- 600 Volts maximum, 105°C maximum

Application

The Type TP-F is a fork tongue variation of the TP design and makes installation easier

General

Catalog Number	TP108FBG25
EU RoHS Indicator	Yes
Feature - Barrel Style	Shrouded
Insulation	Y
Insulation Type	Vinyl
Material	Copper
Physical Attribute - Number of Holes	1
Sub Brand	HYDENT
Trade Name	HYDENT™
Type	TP-F
UPC	781810486399
UPC 14 Digit GTIN	00781810486399

Dimensions

Dimension - B Length fraction	17/50 in
Dimension - Bolt Size fraction	#6 - #8
Dimension - Hole Size fraction	8/47
Dimension - Hole Size inch	0.17 in
Dimension - Pad Width inch	0.31 in
Dimension - Stud Size inch	#6;#8
Dimension - Z (inch)	0.26 in

Conductor Related

Conductor - Copper Str Size Range	12 AWG-10 AWG
Conductor Type	CU C Str-Size

Certifications And Compliance

Buy America(n) Qualified	Contact Manufacturer
Industry Standard(s)	UL467
Standards - Industry Standards Met	UL486
Standards - RoHS Compliance Status	CM
UL Listed	Yes

Logistics

Carton Quantity	5
Minimum Pack Quantity	5

Product Assets

[Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog](#)
[Interactive Catalog - BURNDY Full-Line Digital Catalog](#)
[Sales Drawings - 10104489](#)
[Specifications - TP108FBG25](#)