


YGIBS286132N Structural Steel Compression Grounding Connector

By Burndy
Catalog # [YGIBS286132N](#)



GROUNDLINK™ Connector for Structural Steel Angled (Type YGIBS) or Parallel Beam (Type YGIBW)

Features

- Irreversible compression ground connector allowing attachment to a structural steel standard (Angled) or wide flange (Parallel) beam
- Made of high conductivity wrought copper and prefilled with PENETROX™ E compound and strip sealed

Application

For Direct Burial Cables

Specifications

Buy American Compliant Certification - cULus	Contact Manufacturer
EU RoHS Indicator	No
Certification - UL Recognized	Yes
Industry Standard(s)	No
Buy America(n) Qualified	UL467
Certification - ETL	Contact Manufacturer
Standards - Industry Standards Met	No
Standards - RoHS Compliance Status	UL467
Certification - CSA Approved	CM
UL Listed	Yes
Certification - UL Listed Direct Burial	Yes

Conductor

Conductor - Copper Str Size	<ul style="list-style-type: none"> • 2 AWG • 1 AWG • 1/0 • 2/0 AWG • 3/0 AWG • 4/0 AWG
Conductor - Copper Str Size Range	2 AWG-4/0 AWG
Conductor Type	CU C Str-Size

Configuration

Physical Attribute - Number of Tapped Holes	2
Connector Type	Tap

Dimensions

Dimension - L Length Overall mm	76 mm
Dimension - Height mm	0 mm
Dimension - I Beam Thickness inch	0.550" - 0.613"
Dimension - B Length fraction	3 in
Dimension - B Length inch	3.00 in
Dimension - I Beam Thickness Range inch	<ul style="list-style-type: none"> • 0.501 • 0.525 • 0.550 • 0.562
Dimension - Length Overall inch	3.00 in

General

Trade Name	GROUNDLINK™
Sub Brand	HYGROUND, GROUNDLINK
Plated	N
Type	Taps
UPC 12 Digit	781810039328
UPC 14 Digit GTIN	00781810039328
Material	Copper
Plating Type	Unplated
I Beam Style	Standard Beam (Flange Angled)
UPC	781810039328

Logistics

Minimum Pack Quantity	1
Carton Quantity	6
Pallet Quantity	1782

Product Assets

[Catalog \[English\]](#)