

YSV14, Uninsulated Splice For 16 - 14 AWG

By Burndy
Catalog # [YSV14](#)



Uninsulated Splice For 16 - 14 AWG.

Features

- Manufactured from seamless tubing
- High quality design with no seams to split
- Electrolytic copper provides maximum conductivity, low resistance and ductility for excellent crimp forming properties
- Electro-tin plating provides durable long lasting resistance to corrosion
- Positive center wire stops for proper dept of wire insertion
- Marked with wire size providing easy wire size identification
- HYLINK splice connectors feature inspection holes providing easy visual inspection of proper wire insertion

Application

For All Heavy Duty Industrial And General Purpose Applications

General

Catalog Number	YSV14
Connector Type	Seamless Butt Splice
Die Index	36
EU RoHS Indicator	Yes
Feature - Barrel Style	<ul style="list-style-type: none"> • Chamfered • Shrouded
Material	Copper
Plated	Y
Plating Type	Tin
Sub Brand	HYLINK
Temperature Rating	90
Trade Name	HYLINK™
Type	Splice
UPC	781810806067
UPC 14 Digit GTIN	00781810806067

Dimensions

Dimension - B Length fraction	1/4 in
Dimension - B Length inch	0.25 in
Dimension - Inside Diameter inch	0.09 in
Dimension - L Length Overall mm	16 mm
Dimension - Length Overall inch	0.64 in
Dimension - Outside Diameter inch	0.16 in

Dimension - Strip Length inch 1/4

Electrical Ratings

Voltage - Maximum 35000 V

Conductor Related

Conductor - Copper Solid Size	12
Conductor - Copper Solid Size Range	12
Conductor - Copper Str Aircraft Size	AN 20;AN 18;AN 16;AN 14
Conductor - Copper Str Aircraft Size Range	AN 20-AN 14
Conductor - Copper Str Navy Size	2 1/2 (1);2 1/2 (19);2 1/2 (26);3 (7);4 (1);4 (7);4 (19);4 (41)
Conductor - Copper Str Navy Size Range	2 1/2 (1)-4 (41)
Conductor - Copper Str Size	20;18;16;14
Conductor - Copper Str Size Range	20 AWG - 14 AWG
Conductor Size	16 - 14 AWG
Conductor Type	<ul style="list-style-type: none"> • CU C Str-Size • CU C Solid-Size • CU C Str Aircraft-Size

Certifications And Compliance

Buy America(n) Qualified	Contact Manufacturer
Certification - ETL	No
Certification - UL Recognized	No
Certification - cULus	No
Standards - Industry Standards	UL486
Met	
Standards - RoHS Compliance	CM
Status	
UL Listed	Yes

Logistics

Carton Quantity	1000
Minimum Pack Quantity	1000

Product Assets

[3D Models - YSV14_MODEL-IGES](#)
[3D Models - YSV14_MODEL-PDF](#)

3D Models - YSV14_MODEL-STEP
Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog
Interactive Catalog - BURNDY Full-Line Digital Catalog

Product Cross Section Image(s) - BUR_YSV_LineArt
Sales Drawings - 50094197
Specifications - YSV14



©2025 Hubbell Incorporated. All rights reserved
BRDY-YSV14-SPEC-EN | REV 7/2025