

Eaton 10CT

Catalog Number: 10CT

Eaton Bussmann series high speed British standard fuse, 10A, 200 kAIC, None, Fuse, Blade end X blade end, Stud - 10CT

General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed British standard fuse	10CT UPC 051712830355
EAN	Product Length/Depth
5027590516327	82 mm
Product Height	Product Width
21 mm	90 mm
Product Weight	Warranty
8.4 g	Not Applicable
Compliances	Certifications
CE Marked RoHS Compliant	IEC Rated UL Recognized Designed and tested to BS88 part 4 IEC 60269-4

Electrical data

Amperage Rating

10 A

Voltage rating

690 V (IEC), 700 V (UL)

Rated voltage AC

690 V

Rated voltage DC

500 V

Interrupt rating

90 kA RMS Sym, 40 kA at 500 Vdc (IEC)
200 kA RMS Sym, 50 kA at 500 Vdc (UL)

Class

Class aR

Pre arc (I2T)

7

Clearing (I2T)

30

Watt losses

3 W

Product specifications

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Fuse indicator

Non Indicating

Compatible Trip indicator/Microswitch

Suitable for

TI700 Fuse indicator
MAI Microswitch/adaptor
MBI Microswitch/adaptor

Resources

Brochures

[eaton-bussmann-series-bs88-high-speed-fuses-product-aid-pa135003en-us.pdf](#)

Catalogs

[IEC high speed fuse links](#)

[Bussmann series complete full line catalog no. 1007](#)

Certification reports

[DA-DC-00004682](#)

[DA-DC-00004685](#)

Compliance information

[UKCA Low voltage fuse-links *AET,*AEET,*AFEE etc](#)

Technical data sheets

[720024 CT, ET, FE, EET, FEE, FM, FMM, MT, MMT fuses](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)