

Specifications



Photo is representative

Eaton 10D16

Eaton Bussmann series low voltage D fuse, 500V, 10A, 50 kAIC, Non Indicating, Class C gL/gG, Time delay, Red, Ceramic body

General specifications

PRODUCT NAME	Eaton Bussmann series low voltage D fuse
CATALOG NUMBER	10D16
UPC	051712830362
EAN	5027590428576
PRODUCT LENGTH/DEPTH	50 mm
PRODUCT HEIGHT	13 mm
PRODUCT WIDTH	13 mm
PRODUCT WEIGHT	13.3 g
COMPLIANCES	CE Marked GoST-R RoHS Compliant
CERTIFICATIONS	VDE IEC 60269 DIN EN 60269-3 (VDE 0636 Part 30) DIN EN 60269-1 (VDE 0636 Part 10) DIN VDE 0636-301
GLOBAL CATALOG	10D16



Powering Business Worldwide

Product specifications

AMPERAGE RATING	10 A
FUSE SIZE	DI
BREAKING CAPACITY	50 kA
CONSTRUCTION SIZE (FUSE INSERTS)	DI
RATED VOLTAGE AC	500 V
CLASS	Class C gL/gG
FUSE TYPE	D16 - Time delay
ACCESSORY/SPARE PART TYPE	10GD16 Red screw cap gauge piece
UTILIZATION CATEGORY	gL/gG (cable protection/equipment protection)
COLOR	Red
INTERRUPT RATING	50 kAIC
FUSE INDICATOR	Non-indicating
CONNECTION	Other
CONSTRUCTION	D1
CONSTRUCTION SIZE	DI
FUSE SHAPE	Bottle
RESPONSE TIME	Time-delay
SUITABLE FOR	E16/DI Fuse base
MATERIAL	White ceramic body
RELEASE CHARACTERISTIC	Time-lag
QUANTITY	20
VOLTAGE RATING	500 V
TYPE	fuse
APPLICATION	For domestic and general industrial applications

Resources

BROCHURES	eaton-bussmann-series-d-and-d0-fuses-product-aid-pa132014en-en-us.pdf
CATALOGS	eaton-bussmann-series-low-voltage-fuses-catalog-ca134002en-en-us.pdf 10D16-Eaton Bussmann series low voltage D fuse Bussmann series complete full line catalog no. 1007
DECLARATIONS OF CONFORMITY	eaton-low-voltage-d-fuse-declaration-of-conformity-eu250533en.pdf
TECHNICAL DATA SHEETS	4124 D and D0 fuses, bases and accessories

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.



© 2025 Eaton. All Rights Reserved.