

Eaton 170L4278

Catalog Number: 170L4278

Fuse-link, high speed, 200 A, AC 660 V, Size 00, 30 x 67 x 100 mm, aR, IEC, single indicator



General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170L4278
	UPC
	051712215503
EAN	Product Length/Depth
5027590439534	233 mm
Product Height	Product Width
66 mm	140 mm
Product Weight	Compliances
260.8333333 g	CE
	RoHS Compliant
	EAC
Certifications	
IEC 60269-4	

defaultTaxonomyAttributeLabel

Type

Fuse

Application

semiconductor protection

Amperage Rating

200 A

Breaking capacity

200 kA

Fuse indicator

Top fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

00

Rated voltage AC

660 V

Center-to-center distance of connections

78 mm

Current type

AC

Mounting dimension

M10

Class

Class aR

Watt losses

35 W

Fuse shape

Square body, slotted offset bolted tags

Color

None

Construction size

Resources

Catalogs

[eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

00

Packaging type

Standard

Voltage rating

660 V

Fuse type

Bolted tag

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)