

Eaton 170M6108

Catalog Number: 170M6108

Fuse-link, high speed, 500 A, AC 690 V, DIN 3, 76 x 92 x 109 mm, aR, DIN, IEC, single indicator

General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M6108
	Model Code
	FUSE 500A 690V 3KN/80 AR UC
UPC	EAN
051712262798	5996516017715
Product Length/Depth	Product Height
168 mm	76 mm
Product Width	Product Weight
95 mm	932 g
Warranty	Compliances
Not Applicable	CE Marked
	RoHS Compliant
Certifications	
UL Recognized	
IEC Rated	



Product specifications

Interrupt rating

200 kAIC

Clearing loss

95

Center-to-center distance of connections

78 mm

Insulated metal gripping lugs (IMGL)

No

Current type

AC

Amperage Rating

500 A

Fuse type

DIN 43653

KN/80 Type K Indicator for Micro

Bolted tag

Fuse system (according to IEC 60269)

Other

Fuse size

3

Voltage rating

690 V (IEC), 700 V (UL)

Fuse indicator

Centre fuse status indicator

Construction size

3

Clearing (I²T)

95000 at 660 V

Rated voltage AC

690 V

Color

None

Connection

Blade end x blade end

Mounting dimension

M10

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

170M6108-Eaton Bussmann series high speed square body fuse

Technical data sheets

720014 DIN 43653 690V

Utilization category

aR (accompanied semiconductor protection)

Watt losses

95 W

Type

Fuse

Fuse shape

Square body, slotted center bolted tags

Breaking capacity

200 kA

Class

Class aR

Pre arc (I2T)

14000

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Voltage type

AC

Packaging type

Standard



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)