

Eaton 25LET

Catalog Number: 25LET

Eaton Bussmann series high speed British standard fuse, 25A, 280 VAC/150 VDC (UL), Class aR, Breaking capacity 200 kA RMS Sym., 50 kA DC at 150 VDC

General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed British standard fuse	25LET UPC 051712833233
EAN	Product Length/Depth
5027590470896	55 mm
Product Height	Product Width
18 mm	18 mm
Product Weight	Warranty
32 g	Not Applicable
Compliances	Certifications
CE Marked RoHS Compliant	IEC Rated UL Recognized Designed and tested to BS88 part 4 IEC 60269-4



Electrical data

Amperage Rating

25 A

Voltage rating

280 V

Rated voltage AC

280 V

Rated voltage DC

150 V

Interrupt rating

200 kA RMS Sym, 50 kA DC at 150 Vdc

Class

Class aR

Pre arc (I2T)

18

Clearing (I2T)

250

Watt losses

4 W

Product specifications

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Fuse indicator

None

Compatible Trip indicator/Microswitch

Suitable for

TI500 Fuse indicator

MAI Microswitch/adaptor

MBI Microswitch/adaptor

Resources

Brochures

[eaton-bussmann-series-bs88-high-speed-fuses-product-aid-pa135003en-us.pdf](#)

Catalogs

[IEC high speed fuse links](#)

[Bussmann series complete full line catalog no. 1007](#)

Certification reports

[DA-DC-00004682](#)

[DA-DC-00004685](#)

Compliance information

[UKCA Low voltage fuse-links *AET,*AEET,*AFEE etc](#)

Specifications and datasheets

[Eaton Specification Sheet - 25LET](#)

Technical data sheets

[720004 LCT, LET, LMMT, LMT](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)