

Specifications

Eaton 5.5CAV15E



Photo is representative

VT fuse-link, medium voltage, 15 A, AC 5.5 kV, 187 x 41.3 mm, back-up, BS, IEC, US, 15E

General specifications

PRODUCT NAME	Eaton Bussmann series medium auxiliary fuse
CATALOG NUMBER	5.5CAV15E
UPC	051712835961
EAN	5027590482622
PRODUCT LENGTH/DEPTH	187 mm
PRODUCT HEIGHT	41.3 mm
PRODUCT WIDTH	41.3 mm
PRODUCT WEIGHT	600 g
WARRANTY	Not Applicable
CERTIFICATIONS	BS IEC
GLOBAL CATALOG	5.5CAV15E

Product specifications

AMPERAGE RATING	15 A
FUSE INDICATOR	Non Indicating
FUSE SIZE	187 x 41.3 mm
RESPONSE TIME	15E
BREAKING CAPACITY	50 kA
INSTALLATION TECHNIQUE	Air
PERFORMANCE CAT ACCORDING TO IEC 60282-1	Back-up
PRODUCT APPLICATION	Auxiliary transformer protection
RELEASE CHARACTERISTIC	E
STANDARD	IEC
UTILIZATION CATEGORY	Other
VOLTAGE TYPE	AC
WITH STRIKER	No
CLASS	Class back-up
BARRELS	1
CONSTRUCTION TYPE	Bolt-on
FUSE SHAPE	Cylindrical
RESISTANCE	0.49 ohms
INTERRUPT RATING	50 kAIC
CONNECTION	Ferrule end x ferrule end
CONSTRUCTION SIZE	187 x 41.3 mm
VOLTAGE RATING	5.5 kV
TYPE	fuse
APPLICATION	Protection of auxiliary transformers
FUSE TYPE	CAV

Resources

BROCHURES

[eaton-bussmann-series-product-range-overview-brochure-br134002en-en-us.pdf](#)

[eaton-bussmann-circuit-protection-brochures-en.pdf](#)

CATALOGS

[5.5CAV15E~Eaton Bussmann series medium auxiliary fuse](#)

[Bussmann series complete full line catalog no. 1007](#)

MCAD MODEL

[eaton-mv-potential-transformer-gen-purp-fuses-mcad-3d-models-5-5cav.stp](#)

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

