

Eaton 6D16Q

Catalog Number: 6D16Q

Eaton Bussmann series low voltage D fuse, Fast-acting, 500V, 6A, 50 kAIC, Non Indicating, fuse, Class gR, Holder, Green



General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage D fuse	6D16Q
	UPC
	051712837064
EAN	Product Length/Depth
5027590486156	50 mm
Product Height	Product Width
13.2 mm	13.2 mm
Product Weight	Warranty
10.5 g	1 year limited
Compliances	Certifications
CE Marked	VDE
RoHS Compliant	IEC 60269
	DIN EN 60269-3 (VDE 0636 Part 30)
	DIN EN 60269-1 (VDE 0636 Part 10)
	DIN VDE 0636-301

Product specifications

Interrupt rating

50 kAIC

Accessory/spare part type

6GD16 Green screw cap gauge piece

Response time

Fast-acting

Suitable for

E16/DI Fuse base

Mounting method

Holder

Release characteristic

Fast (F)

Amperage Rating

6 A

Fuse type

D16Q - Fast acting

Fuse size

DI

Voltage rating

500 V

Fuse indicator

Non-indicating

Special features

Fast-acting

Construction

D1

Construction size

DI

Rated voltage AC

500 V

Construction size (fuse inserts)

DI

Color

Green

Connection

Resources

Brochures

[eaton-bussmann-series-d-and-d0-fuses-product-aid-pa132014en-en-us.pdf](#)

Catalogs

[6D16Q-Eaton Bussmann series low voltage D fuse](#)

[Bussmann series complete full line catalog no. 1007](#)

Compliance information

[UKCA Bottle fuse-links, holders, carriers and accessories](#)

[CE Bottle fuse-links, holders, carriers and accessories](#)

Technical data sheets

[4124 D and D0 fuses, bases and accessories](#)

Other

Material

White ceramic body

Utilization category

gR (general purpose semiconductor protection)

Type

Fuse

Fuse shape

Bottle

Breaking capacity

50 kA

Class

Class gR

Application

For domestic and general industrial applications

Packaging type

Standard



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia