

Eaton BAF-7

Catalog Number: BAF-7

Eaton Bussmann series BAF fuse, Fast acting Midget fuse, 7 A, Non-indicating, Ferrule end x ferrule end, 200 AIC at 250 Vac|10 kAIC at 125 Vac, Nickel-plated brass endcaps, Standard, 250 V

General specifications

| | |
|--------------------------------|----------------|
| Product Name | Catalog Number |
| Eaton Bussmann series BAF fuse | BAF-7 |
| UPC | EAN |
| 051712320078 | 5027590449113 |
| Product Length/Depth | Product Height |
| 0.41 in | 1.5 in |
| Product Width | Product Weight |
| 0.41 in | 0.25 lb |
| Warranty | Compliances |
| Not Applicable | CE Marked |



Electrical rating

Amperage Rating

7 A

Interrupt rating

10 kAIC at 125 Vac

200 AIC at 250 Vac

Voltage rating

250 V

Physical details

Material

Nickel-plated brass endcaps

Packaging type

Standard

General information

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Special features

Replacement for "F15B" fuses

Resources

Catalogs

[Bussmann series complete full line catalog no. 1007](#)

[Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses](#)

Multimedia

[Bussmann series Fuseology](#)

Specifications and datasheets

[Eaton Specification Sheet - BAF-7](#)

Technical data sheets

[BAF-7~BUSS MIDGET FUSE](#)

Technical service bulletins

[Datasheet - FNQ-30](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)