

# Eaton C14G6

Catalog Number: C14G6

Eaton Bussmann series low voltage 14 x 51 mm cylindrical/ferrule fuse, rated at 690 Volts AC, 6 Amps, 80 kA Breaking capacity, class gG/gL, without indicator, compatible with a CH14 Modular fuse holder



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series low voltage cylindrical fuse	C14G6
	<b>UPC</b>
	051712754347
<b>EAN</b>	<b>Product Length/Depth</b>
5027590494151	51 mm
<b>Product Height</b>	<b>Product Width</b>
14.3 mm	14.3 mm
<b>Product Weight</b>	<b>Warranty</b>
20.2 g	1 year limited
<b>Compliances</b>	<b>Certifications</b>
CE Marked	IEC 60269
GoST-R	
RoHS Compliant	

## defaultTaxonomyAttributeLabel

### Type

fuse

### Application

for industrial applications  
for general purpose use

### Amperage Rating

6 A

### Fuse size

14 x 51 mm

### Current type

AC

### Breaking capacity

80 kA

### Frequency rating - max

62 Hz

### Frequency rating - min

45 Hz

### Rated voltage AC

690 V

### Class

Class C gL/gG

### Fuse type

C14G

### Utilization category

gG (cable protection/equipment protection)

### Fuse indicator

Other

### Watt losses

1.15 W

### Connection

Ferrule end x ferrule end

### Construction size

14 mm x 51 mm

### Fuse shape

## Resources

### Catalogs

CA134002EN

[eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

[Bussmann series complete full line catalog no. 1007](#)

### Compliance information

[CE C08G, C08M, etc cylindrical fuselinks](#)

[UKCA C08G, C08M, etc cylindrical fuselinks](#)

### Technical data sheets

[720115 Cylindrical fuses](#)

Cylindrical

Voltage type

AC

Suitable for

CH14 Modular fuse holder

Material

Ceramic

Mounting method

14 x 51 mm CH Modular fuse holder

Release characteristic

Other

Quantity

10

Voltage rating

690 V



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)