

# Eaton C22G63S

Catalog Number: C22G63S

Eaton Bussmann series low voltage 22 x 58 mm cylindrical/ferrule fuse, rated at 690 Volts AC, 63 Amps, 80 kA Breaking capacity, class gG/gL, with striker, compatible with a CH22 Modular fuse holder



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series low voltage cylindrical fuse	C22G63S
	<b>Model Code</b>
	CYL FUSE >STR >22 x 58 63A GG 690V AC
<b>UPC</b>	<b>EAN</b>
051712668514	5027590495530
<b>Product Length/Depth</b>	<b>Product Height</b>
58 mm	22 mm
<b>Product Width</b>	<b>Product Weight</b>
22 mm	56.1 g
<b>Warranty</b>	<b>Compliances</b>
1 year limited	RoHS Compliant CE Marked
<b>Certifications</b>	
IEC 60269	

## Product specifications

### Current type

AC

### Suitable for

CH22 Modular fuse holder

### Mounting method

22 x 58 mm CH Modular fuse holder

### Release characteristic

Other

### Amperage Rating

63 A

### Frequency rating - max

62 Hz

### Fuse type

C22G

### Fitted with:

Striker

### Fuse size

22 x 58 mm

### Voltage rating

690 V

### Fuse indicator

Top fuse status indicator

### Special features

Striker

### Construction size

22 mm x 58 mm

### Rated voltage AC

690 V

### Connection

Ferrule end x ferrule end

### Quantity

10

### Material

Ceramic

## Resources

### Catalogs

Bussmann series complete full line catalog no. 1007

### Compliance information

UKCA C08G, C08M, etc cylindrical fuselinks

CE C08G, C08M, etc cylindrical fuselinks

### Technical data sheets

720115 Cylindrical fuses

Utilization category

gG (cable protection/equipment protection)

Watt losses

6.9 W

Type

Fuse

Fuse shape

Cylindrical

Breaking capacity

80 kA

Frequency rating - min

45 Hz

Class

Class C gL/gG

Application

for industrial applications  
for general purpose use

Voltage type

AC



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)