

Eaton FWK-15A20F

Catalog Number: FWK-15A20F

Eaton Bussmann series high speed traction fuse, 700 Vac/dc, 15A, 50 kAIC, Fuse, Class aR

General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed traction fuse	FWK-15A20F
	UPC
	051712570596
EAN	Product Length/Depth
5027590499910	127 mm
Product Height	Product Width
20.5 mm	20.5 mm
Product Weight	Warranty
235 g	Not Applicable
Compliances	
CE Marked	



Product specifications

Rated voltage DC

750 V

Interrupt rating

50 kA at 750 Vdc

Current type

DC

Release characteristic

Other

Amperage Rating

15 A

Frequency rating - max

62 Hz

Fuse type

FWK-A20F

With striker

No

Fuse size

20 x 127 mm

Voltage rating

750 V

Fuse indicator

Other

Construction size

Other

Clearing (I2T)

240 at 750 Vdc

Color

None

Material

Ceramic

Mounting dimension

Other

Utilization category

gL/gG (cable protection/equipment protection)

Watt losses

Resources

Catalogs

[IEC high speed fuse links](#)

[Traction fuse-links](#)

[FWK-15A20F~Eaton Bussmann series high speed traction fuse](#)

[Bussmann series complete full line catalog no. 1007](#)

Compliance information

[CE Traction fuses and holders](#)

[UKCA Traction fuses and holders](#)

Specifications and datasheets

[Eaton Specification Sheet - FWK-15A20F](#)

5 W

Type

Fuse

Fuse shape

Cylindrical

Breaking capacity

50 kA

Frequency rating - min

45 Hz

Class

Class gG

Pre arc (I₂T)

100

Application

traction

Voltage type

DC

Packaging type

Standard



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia