

Eaton FWP-16G10F

Catalog Number: FWP-16G10F

Eaton Bussmann series FWP high speed fuse, 690 V, 16A, 200 kAIC, Non Indicating, High speed fuse, Ferrule end X ferrule end



General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed cylindrical fuse	FWP-16G10F
	UPC
	051712689410
EAN	Product Length/Depth
5027590500241	38 mm
Product Height	Product Width
10 mm	10 mm
Product Weight	Warranty
7.7 g	No warranty
Compliances	Certifications
CE Marked	UL Recognized
RoHS Compliant	IEC Rated

Product specifications

Fuse indicator

Other

Interrupt rating

200 kAIC

Construction size

10 x 38 mm

10 mm x 38 mm

Clearing (I₂T)

150

Connection

Ferrule end x ferrule end

Material

Ceramic

Release characteristic

Other

Amperage Rating

15 A

Frequency rating - max

62 Hz

Utilization category

gR (general purpose semiconductor protection)

Watt losses

4.27 W

Fuse type

FWP-G10F

Accessories

CHM modular fuse holder

Type

High speed fuse

Fuse shape

Cylindrical

Breaking capacity

200 kA

Fuse size

10 x 38 mm

Resources

Catalogs

IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

Compliance information

CE High-speed, cylindrical gR fuse-links

UKCA High-speed, cylindrical gR fuse-links

Technical data sheets

10467 10 x 38 mm gR cylindrical fuselinks

Frequency rating - min

45 Hz

Class

Class gR

Pre arc (I2T)

17

Voltage rating

500 V

Application

Semiconductor, DC Common bus, DC drives, Power converters/rectifiers

Voltage type

AC

Packaging type

Standard



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)