

Eaton FWP-700A

Catalog Number: FWP-700A

Eaton Bussmann series FWP high speed fuse, 250 Vac/dc, 700A, 200 kAIC Vac, 50 kAIC at 700 Vdc, None, High speed fuse, Blade end X blade end, Stud

General specifications



Product Name	Catalog Number
Eaton Bussmann series high speed cylindrical fuse	FWP-700A
	UPC
	051712796057
EAN	Product Length/Depth
5027590021838	56 mm
Product Height	Product Width
53 mm	180 mm
Product Weight	Warranty
588 g	Not Applicable
Compliances	Certifications
CE Marked	UL Recognized
RoHS Compliant	CSA Certified

Product specifications

Rated voltage DC

700 V

Interrupt rating

50 kAIC at 700 Vdc

200 kAIC Vac

200 kAIC

Center-to-center distance of connections

134.95 mm

Insulated metal gripping lugs (IMGL)

No

Current type

AC/DC

Mounting method

Stud

Amperage Rating

6 A

Fuse type

FWP-A

Fuse system (according to IEC 60269)

Other

Rated switching capacity

200 A

Voltage rating

700 Vac, 700 Vdc (UL)

Fuse indicator

Non Indicating

Construction size

Other

Clearing (I²T)

300000 at 700 V

Rated voltage AC

700 V

Color

None

Connection

Blade end x blade end

Resources

Catalogs

IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

Technical data sheets

FWP NA bolted fuse-links

Mounting dimension

Other

Utilization category

aR (accompanied semiconductor protection)

Watt losses

122 W

Type

High speed fuse

Fuse shape

Cylindrical, center bolted tags

Breaking capacity

200 kA

Class

Class aR

Pre arc (I²T)

54000

Application

Semiconductor, DC Common bus, DC drives, Power converters/rectifiers

Voltage type

AC

Packaging type

Standard



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)