

Eaton GBB-25-R

Catalog Number: GBB-25-R

Eaton GBB Series Very fast-acting fuse 25A, 250 Vac, 125 Vdc, GBB-25-R

General specifications

Product Name	Catalog Number
Eaton Bussmann series very fast-acting fuse	GBB-25-R
	UPC
	051712538701
EAN	Product Length/Depth
5027590246804	1.25 in
Product Height	Product Width
0.25 in	0.25 in
Product Weight	Compliances
0.006 lb	RoHS Compliant
	CE Marked



Product specifications

Resistance

0.00252 ohms DC cold

Fuse indicator

Non-indicating

Interrupt rating

200 AIC at 250 Vac

200 AIC at 125 Vac/dc

Type

Electronic

Connection

Ferrule end x ferrule end

Response time

2 min at 150%, 6 sec at 250%

Quantity

5

Material

Ceramic tube

Nickel-plated brass end cap construction

Voltage rating

250 Vac, 125 Vdc

Application

Electronic circuits

Amperage Rating

25 A

Voltage drop

0.0610 mV typical

Resources

PEP Eco-passport

EATO-00034-V01.01-EN

Specifications and datasheets

Eaton GBB ceramic tube fuses data sheet

Eaton Specification Sheet - GBB-25-R



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)