

Eaton GBB-4-R

Catalog Number: GBB-4-R

Eaton GBB Series Very fast-acting fuse 4A, 250 Vac, 125 Vdc, GBB-4-R

General specifications

Product Name	Catalog Number
Eaton Bussmann series very fast-acting fuse	GBB-4-R
	UPC
	051712549936
EAN	Product Length/Depth
5027590246705	1.25 in
Product Height	Product Width
0.25 in	0.25 in
Product Weight	Compliances
0.006 lb	CE Marked
	RoHS Compliant



Product specifications

Resistance

0.03175 ohms DC cold

Fuse indicator

Non-indicating

Interrupt rating

200 AIC at 250 Vac

10 kAIC at 125 Vac/dc

Type

Electronic

Connection

Ferrule end x ferrule end

Response time

2 min at 150%, 1 sec at 250%

Quantity

5

Material

Ceramic tube

Nickel-plated brass end cap construction

Voltage rating

250 Vac, 125 Vdc

Application

Electronic circuits

Amperage Rating

4 A

Voltage drop

0.1778 mV typical

Resources

PEP Eco-passport

EATO-00034-V01.01-EN

Specifications and datasheets

Eaton Specification Sheet - GBB-4-R

Eaton GBB ceramic tube fuses data sheet



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)