

# Eaton GBB-5-R

Catalog Number: GBB-5-R

Eaton GBB Series Very fast-acting fuse 5A, 250 Vac, 125 Vdc, GBB-5-R

## General specifications

Product Name	Catalog Number
Eaton Bussmann series very fast-acting fuse	GBB-5-R
	UPC
	051712549943
EAN	Product Length/Depth
5027590246712	1.25 in
Product Height	Product Width
0.25 in	0.25 in
Product Weight	Compliances
0.006 lb	CE Marked
	RoHS Compliant



## Product specifications

### Resistance

0.02125 ohms DC cold

### Fuse indicator

Non-indicating

### Interrupt rating

200 AIC at 250 Vac

10 kAIC at 125 Vac/dc

### Type

Electronic

### Connection

Ferrule end x ferrule end

### Response time

2 min at 150%, 1 sec at 250%

### Quantity

5

### Material

Nickel-plated brass end cap construction

Ceramic tube

### Voltage rating

250 Vac, 125 Vdc

### Application

Electronic circuits

### Amperage Rating

5 A

### Voltage drop

0.1217 mV typical

## Resources

### PEP Eco-passport

EATO-00034-V01.01-EN

### Specifications and datasheets

Eaton GBB ceramic tube fuses data sheet

Eaton Specification Sheet - GBB-5-R



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)