

# Eaton GDA-160MA

Catalog Number: GDA-160MA

Eaton GDA Series Fast-acting fuse 0.160A, 250 Vac, 32 Vdc (self certified), GDA-160MA

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series GDA fast-acting fuse	GDA-160MA
	UPC
	051712431194
<b>Product Length/Depth</b>	<b>Product Height</b>
20 mm	5 mm
<b>Product Width</b>	<b>Product Weight</b>
5 mm	1 g
<b>Compliances</b>	<b>Certifications</b>
CCC Marked	VDE
CE Marked	
	<b>Catalog Notes</b>
	High breaking capacity



## Product specifications

### Fuse indicator

Non-indicating

### Interrupt rating

1.5 kAIC at 250 Vac

### Connection

Ferrule end x ferrule end

### Quantity

5

### Material

Ceramic tube

Silver-plated endcap construction

### Melting (I<sub>2</sub>T)

Typical: 0.008 A

### Amperage Rating

0.160A

### Voltage drop

1600 mV typical

### Frequency rating - max

50 Hz

### Resistance

8.5 ohms DC cold

### Type

Electronic

### Frequency rating - min

50 Hz

### Voltage rating

250 Vac, 32 Vdc (self certified)

### Application

Electronic circuits

## Resources

### Specifications and datasheets

[Eaton Specification Sheet - GDA-160MA](#)

[Eaton GDA fast-acting fuse data sheet](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)