

Specifications



Photo is representative



Eaton OPM-1038SW

Eaton Bussmann series Optima fuse holders, 30 A (UL/CSA), 32 A (IEC), Three-pole, 100 kA, #10-18 AWG solid, #8-18 AWG stranded, 100 kAIC, Thermoplastic, 600 V (UL/CSA), 660 V (IEC)

General specifications

PRODUCT NAME	Eaton Bussmann series Optima fuse holders
CATALOG NUMBER	OPM-1038SW
UPC	051712797214
PRODUCT LENGTH/DEPTH	1.76 in
PRODUCT HEIGHT	5.72 in
PRODUCT WIDTH	3.74 in
PRODUCT WEIGHT	0.8 lb
WARRANTY	Not Applicable
COMPLIANCES	RoHS Compliant CE Marked
CERTIFICATIONS	CSA Certified IEC Rated UL Recognized



Powering Business Worldwide

Electrical rating

AMPERAGE RATING	30A (UL/CSA)
INTERRUPT RATING	100 kAIC
SHORT-CIRCUIT RATING	100 kA
VOLTAGE RATING	600 V (UL/CSA), 660 V (IEC)

General information

CONNECTION	#8-18 AWG stranded #10-18 AWG solid
-------------------	--

Physical details

MATERIAL	Thermoplastic
NUMBER OF POLES	Three-pole

Resources

CATALOGS	Bussmann series full line catalog 1007, section 8 fuse blocks and holders
MULTIMEDIA	Bussmann series Fuseology
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - OPM-1038SW
TECHNICAL DATA SHEETS	Bussmann series OPM-1038 switch fuse holder no. 1103 OPM-1038SW-OPTIMA MODULE W/SWITCH
TECHNICAL SERVICE BULLETINS	Datasheet - FNQ-30

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

