

# Eaton CESD4233

Catalog Number: CESD4233

Eaton Crouse-Hinds series Arktite CESD receptacle, 30A/60A, Through feed, 2-wire, 3-pole, Brass or hard-drawn copper contacts, Style 2, 3 HP, Feraloy iron, Single-phase, Spring door, 1-1/4", Delay action circuit breaking, 120-240/480 Vac

## General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series Arktite CESD receptacle	CESD4233
	UPC
	782274128108
Product Length/Depth	Product Height
7.25 in	13.5 in
Product Width	Product Weight
9.63 in	20.06 lb

## Certifications and compliances

### Area classification

Hazardous/Classified Locations

### Standards type

NEC/CEC

### NEC hazardous rating

Class I, Division 1

Class I, Division 2

## Product specifications

### Trade size

1-1/4"

### Grounding style

Style 2

### Configuration

Two-wire, three-pole

### Phase

Single-phase

### Horsepower

3 hp

### Amperage Rating

30A/60A

### Voltage rating

120-240 Vac/480 Vac

### Receptacle style

Spring door

### Back box style

Through feed

### Material

Feraloy iron alloy

### Contact material

Brass

Hand-drawn copper

### Type

Delayed action circuit breaking

## Resources

### Catalogs

[Arktite CES and CPH Explosionproof Receptacles and Plugs catalog page](#)

### Certification reports

[Arktite CES and CPH Explosionproof Receptacles and Plugs UL certification](#)

[Arktite CES and CPH Explosionproof Receptacles and Plugs Canadian certification](#)

Specifications and datasheets

Eaton Specification Sheet - CESD4233

---



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)