

# Eaton DBR56742 WT60 3

Catalog Number: DBR56742 WT60 3

Eaton Crouse-Hinds series Arktite DBR interlocked receptacle, 60A, 60A circuit breaker, Three-wire, four-pole, Brass contacts, With breaker, Style 2, Cutler-Hammer, Copper-free aluminum, Spring door, 1-1/2", 600 Vac

## General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series Arktite DBR interlocked receptacle	DBR56742 WT60 3
	UPC
	782274278254
Product Length/Depth	Product Height
7.25 in	22.75 in
Product Width	Product Weight
8.13 in	32 lb

## Certifications and compliances

### Area classification

Hazardous/Classified Locations

### Standards type

NEC/CEC

### NEC hazardous rating

Class II, Division 1

Class II, Division 2

Class III

### NEMA Rating

3

9

12

## Product specifications

### Enclosure type

With breaker

### Receptacle style

Spring door

### Amperage Rating

60A

### Grounding style

Style 2

### Configuration

Three-wire, four-pole

### Voltage rating

600 Vac

### Trade size

1-1/2"

### Circuit breaker amperage

60A

### Manufacturer

Cutler-Hammer

### Material

Copper-free aluminum

### Contact material

Brass

## Resources

### Catalogs

[Arktite DBR Dust-Ignitionproof Interlock Receptacles catalog page](#)

### Certification reports

[Arktite DBR Dust-Ignitionproof Interlock Receptacles with Enclosed Circuit Breakers UL certification](#)

### Installation instructions

[IF 1181 - DBR Interlock Receptacle](#)

### Specifications and datasheets

[Eaton Specification Sheet - DBR56742 WT60 3](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)