

Eaton EBMBB FD W60360

Catalog Number: EBMBB FD W60360

Eaton Crouse-Hinds series EBM disconnect switch, 60A, With switch, Non-fused, 7.5 HP/20 HP/40 HP/60 HP, Copper-free aluminum, Polyphase, 200-600 Vac/250 Vdc

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series EBM disconnect switch	EBMBB FD W60360
	UPC
	782274508115
Product Length/Depth	Product Height
14.46 in	26.9 in
Product Width	Product Weight
10.25 in	101 lb



Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

NEMA Rating

3

3R

4

7

9

12

Product specifications

Enclosure type

With switch

Fusing

Non-fused

Amperage Rating

60A

Phase

Polyphase

Voltage rating

200-600 Vac / 250 Vdc

Horsepower

7.50 hp/20 hp/40 hp/60 hp

Material

Copper-free aluminum

Resources

3D models

[SP3D Design Package - EBM Explosionproof Disconnect Switches](#)

Catalogs

[EBM Series Explosionproof Disconnect Switches catalog page](#)

Certification reports

[EBM Explosionproof Disconnect Switches UL certification](#)

[EBM Explosionproof Disconnect Switches Canadian certification](#)

Installation instructions

[IF 1149 - Wiring](#)

[IF 1616 - Flange Gasket Replacement Kit](#)

Specifications and datasheets

[Eaton Specification Sheet - EBMBB FD W60360](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)