

# Eaton FSQC2430

Catalog Number: FSQC2430

Eaton Crouse-Hinds series Arktite FSQC interlocked receptacle with switch, 30A, Through feed, Three-wire, four-pole, Brass contacts, Copper-free aluminum, Spring door, 3/4", Three-pole switch, 120-600 Vac

## General specifications

| Product Name                                                                       | Catalog Number      |
|------------------------------------------------------------------------------------|---------------------|
| Eaton Crouse-Hinds series Arktite FSQC FSQC2430 interlocked receptacle with switch | UPC<br>782274189888 |
| Product Length/Depth                                                               | Product Height      |
| 4.75 in                                                                            | 10 in               |
| Product Width                                                                      | Product Weight      |
| 5.75 in                                                                            | 5.59 lb             |



## Certifications and compliances

### Area classification

Hazardous/Classified Locations

### Standards type

NEC/CEC

### NEC hazardous rating

Class I, Division 1

Class I, Zone 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

### NEMA Rating

3

7

9

12

## Product specifications

### Amperage Rating

30A

### Trade size

3/4"

### Configuration

Three-wire, four-pole

### Receptacle style

Spring door

### Back box style

Through feed

### Voltage rating

120-600 Vac

### Material

Copper-free aluminum

### Contact material

Brass

### Type

Three-pole switch

## Resources

### 3D CAD drawing package

[Eaton Crouse-Hinds FSQC2430 3D drawing](#)

### 3D models

[SP3D Design Package - Arktite FSQC Explosionproof Interlocked Receptacles](#)

### Catalogs

[Arktite FSQC Explosionproof Interlock Receptacles catalog page](#)

### Certification reports

[Arktite FSQC Explosionproof Interlock Receptacles UL certification](#)

[Arktite FSQC Explosionproof Interlock Receptacles Canadian certification](#)

### Installation instructions

[IF 748 - FSQ Receptacle Switch Replacement](#)

[IF 1363 - FSQ 30 and 60 Amp Interlocked Receptacle and Switch](#)

[IF 1429A - FSQC - Replacing Collar Assembly](#)

[IF 926 - FSQ Interlocked Receptacle and Switch](#)

IF 83 - FSQ Interlocked Receptacle and Switch - Class I, Group B

Hazardous (Classified) Locations

Specifications and datasheets

Eaton Specification Sheet - FSQC2430



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://Eaton.com/socialmedia)