

Eaton TMC3-050-0

Catalog Number: TMC3-050-0

Eaton Crouse-Hinds series TMC3 cable gland, 0.452" - 0.660" armor min./max., Armoured and non-armoured, Aluminum, 0.50-0.78" outer sheath min./max., Industrial protection, 1/2" NPT

General specifications



Photo is representative

Product Name	Catalog Number
Eaton Crouse-Hinds series TMC3 cable gland	TMC3-050-0
	UPC
	662276887978
Product Length/Depth	Product Height
3.3 in	1.38 in
Product Width	Product Weight
1.38 in	0.25 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

IECEX/ATEX

NEC hazardous rating

Class II, Division 1

Class III

NEMA Rating

4X

Ingress protection (IP) ratings

IP66

Product specifications

Protection type

Industrial

Gland type

Armoured and non-armoured

Cable type

MC

MC-HL

TECK

TC

TC-ER

TC-ER-HL

ITC

ITC-ER

ITC-HL

PLTC

PLTC-ER

ACIC

Material

Aluminum

Thread Size

1/2"

Thread type

NPT

Armor (min/max)

0.452" - 0.660"

Cable range (min/max)

0.55" - 0.78"

Outer sheath (min/max)

0.50-0.78"

Resources

Brochures

[Crouse-Hinds series TMC3 Armored Gland brochure](#)

Catalogs

[Crouse-Hinds series TMC3 Armored and Non-armored Cable Glands catalog page](#)

Certification reports

TMC3 Armored Gland Canadian certification (Class and Division)

TMC3 Armored Gland Canadian certification (Zones)

TMC3 Armored Gland UL certification (Class and Division)

TMC3 Armored Gland UL certification (Zones)

TMC3 Armored Gland ATEX/IECEX certification

Installation instructions

IF 1890 - TMC3 Cable Gland

Specifications and datasheets

Eaton Specification Sheet - TMC3-050-0



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia