

# Eaton TMCX10402

Catalog Number: TMCX10402

Eaton Crouse-Hinds series TMCX cable gland,Metal-cladcorrugated,TECK armoured and tray cable,Armoured barrier and non-armoured barrier, Aluminum, Outer Sheath:3.58-4.28", 4" NPT,Armor Range:3.50-4.02"

## General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series TMCX cable gland	TMCX10402
UPC	782274414768
Product Length/Depth	Product Height
9.94 in	5.88 in
Product Width	Product Weight
5.88 in	11.95 lb

## Certifications and compliances

### Area classification

Hazardous/Classified Locations

### Standards type

NEC/CEC

### NEC hazardous rating

Class I, Division 1

Class II, Division 1

Class III

### NEMA Rating

4

## Product specifications

### Protection type

Explosion-proof

### Cable type

Metal-clad with interlocked or continuously welded corrugated armoured

TECK armoured

Tray cable

### Gland type

Armoured Barrier and Non-armoured Barrier

### Material

Aluminum

### Thread Size

4"

### Thread type

NPT

### Armor (min/max)

3.50-4.02"

### Outer sheath (min/max)

3.58-4.28"

## Resources

### Catalogs

[Crouse-Hinds series TM CX catalog page](#)

### Certification reports

[TM CX Explosionproof Armoured Barrier Gland UL certification](#)

### Installation instructions

[IF 1184 - TM CX Terminator Cable Fittings](#)

### Specifications and datasheets

[Eaton Specification Sheet - TM CX10402](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)