

Eaton 1MM420RRLBCPS

Catalog Number: 1MM420RRLBCPS

Eaton resi meter stack, SS meter guides, Multiple metering, 200A, AI, Bus: 800A, Horn bypass, NEMA 3R, Four-jaw, 4, Single-phase in/single-phase out, CCV2_X, CCVH2_X, CVS2_XMM, CV2_XMM, CVH2_XMM, Ringless, 120/240V



Photo is representative

General specifications

Product Name	Catalog Number
Eaton residential meter stack	1MM420RRLBCPS
UPC	Product Length/Depth
786685525822	13.5 in
Product Height	Product Width
64.5 in	7.01 in
Product Weight	Warranty
102 lb	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
Certifications	Catalog Notes
UL Listed	CPS approved, For indoor applications where a top endwall with knockouts is needed, order (1) of MM12N1WLK. 1MM units do not come with 5th jaw.

defaultTaxonomyAttributeLabel

Special features

SS meter guides

Type

Multiple metering

Amperage Rating

200A

Bus material

Aluminum

Bus Rating

800 A

Bypass

Horn

Number of jaws

Four-jaw

Number of sockets

4

Phase

Single-phase in, single-phase out

Security

Ringless

Voltage rating

120/240 V

Utility approvals

TX : City Public Service of San Antonio (CPSB)

Enclosure

NEMA 3R

Interrupt rating

Depends on selected main circuit breaker

Secondary circuit breaker

CCV2_X, CCVH2_X, CVS2_XMM, CV2_XMM, CVH2_XMM

Resources

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Drawings

Dimensional Drawing - METER MODULES, DIMENSIONS, 200A, MM, TMP

Specifications and datasheets

Eaton Specification Sheet - 1MM420RRLBCPS



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)