

Eaton CH30B3200L

Catalog Number: CH30B3200L

Eaton CH main breaker loadcenter, Standard, Main breaker, 200 A, L, Copper, NEMA 1, Metallic, 10 kAIC, CC, 30 Circuits, 30 Spaces, Four-wire, Three-phase, #2/0 AWG-300 kcmil, Top/bottom



Photo is representative

General specifications

Product Name	Catalog Number
Eaton CH main breaker loadcenter	CH30B3200L
UPC	Product Length/Depth
782113097961	39 in
Product Height	Product Width
3.88 in	14.31 in
Product Weight	Warranty
26 lb	Limited lifetime
Certifications	Catalog Notes
UL 50	Furnished with hub closure plates.
UL 67	

[Special features](#)

Standard

[Type](#)

Main breaker

[Amperage Rating](#)

200 A

[Bus material](#)

Copper

[Main circuit breaker](#)

CC

[Number of circuits](#)

30

[Number of spaces](#)

30

[Phase](#)

Three-phase

[Wire size](#)

#2/0 AWG-300 kcmil

[Feed type](#)

Top/bottom

[Box size](#)

L

[Enclosure](#)

NEMA 1

[Enclosure material](#)

Metallic

[Interrupt rating](#)

10 kAIC

[Number of wires](#)

4

[Brochures](#)

Type CH Circuit Breakers and Loadcenters

Loadcenters and Circuit Breakers

[Catalogs](#)

Eaton's Volume 1—Residential and Light Commercial

[Drawings](#)

Dimensional Drawing - CH 3/4 LOADCENTER, CC MAIN BREAKER, INDOOR NEMA 1, 120/240 VAC, 3 PHASE

[Installation instructions](#)

Cutler-Hammer Type CH and BR Loadcenters - Instructions

[Multimedia](#)

AFCI Educational Video

[Specifications and datasheets](#)

Eaton Specification Sheet - CH30B3200L



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)