

EXTREME ENVIRONMENTS ENCLOSURE



INDUSTRY STANDARDS

304SS Models:
 UL 508A Recognized; Type 3R, 4, 4X File No. E61997
 cUL Recognized per CSA C22.2 No 94; Type 3R, 4, 4X File No. E61997

316LSS Models:
 UL 508A Recognized; Type 12*, 13*, 3R, 4, 4X File No. E61997
 cUL Recognized per CSA C22.2 No 94; Type 12*, 3R*, 4, 4X File No. E61997
 * Ratings 12 and 13 only apply with silicone gasket installed. If the silicone gasket is replaced with EPDM gasket, Type 12 and 13 ratings do not apply.

UL and cUL Classified to IEC 60529, IP66, IP69; File No. E503705

NEMA/EEMAC Type 3R, 4, 4X - 304SS
 NEMA/EEMAC Type 12, 13, 3R, 4, 4X - 316LSS
 ISO 20653, IP69k
 IEC 60529, IP66, IP69
 Meets NEMA Type 3RX requirements

APPLICATION

Padlocking handle, lift off, lockable door. Available standard in 304SS and White Painted 304SS with zinc plated internal components and EPDM replacement gasket. 316LSS models have stainless steel internal components and silicone replacement gasket. Gasket is removable, replaceable, and available for sale as a UL Listed field install kit. Gaskets are interchangeable among the Extreme Enclosures of the same size.

This product utilizes the same back panel as A4SW3 for easy enclosure performance improvements for your next project with minimal to no design changes to layout.

SPECIFICATIONS

- 14 gauge Type 304 or 316L stainless steel bodies and doors
- Seams continuously welded and ground smooth
- EPDM gasket - Temperature range: -50 to 120C (-58 to 248F)
- Silicone gasket - Temperature range: -60 to 250C (-76 to 482F)
- Single-point latching on models less than 24-inches tall
- Three-point latching on models 24-inches or taller
- Door easily removed by loosening set screws
- Data pocket is high-impact thermoplastic
- Collar studs provided for mounting optional panels
- Exterior Hardware made of corrosion resistant 316 stainless steel
- Bonding provision on door; grounding stud on body

FINISH

- Door, sides, top and bottom have smooth #4 brushed finish
- Painted enclosures use graffiti-resistant, cleanable, white paint

ACCESSORIES

Handle is electropolished
 Panels for Type 3R, 4, 4X, 12 and 13 Enclosures
 Swing-Out Panel Kit
 Stainless Steel Window Kits
 H2Omit Vent Drains, Type 4X
 H2Omit Thermoelectric Dehumidifier

BULLETIN: WXD

Standard Product **304SS**

Catalog Number	AxBxC in./mm	Material	Gasket Standard	Steel Panel	Conductive Panel	Stainless Panel	Panel Size Dx E in./mm	H in./mm	G in./mm	Data Pocket
XD161206E1PTSS4	16.00 x 12.00 x 6.00 406 x 305 x 152	304SS	EPDM	A16P12	A16P12G	A16P12SS6	13.00 x 9.00 330 x 229	17.25 438	9.50 241	None
XD161208E1PTSS4	16.00 x 12.00 x 8.00 406 x 305 x 203	304SS	EPDM	A16P12	A16P12G	A16P12SS6	13.00 x 9.00 330 x 229	17.25 438	9.50 241	None
XD161606E1PTSS4	16.00 x 16.00 x 6.00 406 x 406 x 152	304SS	EPDM	A16P16	A16P16G	A16P16SS6	13.00 x 13.00 330 x 330	17.25 438	10.00 254	Small
XD162006E1PTSS4	16.00 x 20.00 x 6.00 406 x 508 x 152	304SS	EPDM	A20P16	A20P16G	A20P16SS6	13.00 x 17.00 330 x 432	17.25 438	14.00 356	Small
XD201606E1PTSS4	20.00 x 16.00 x 6.00 508 x 406 x 152	304SS	EPDM	A20P16	A20P16G	A20P16SS6	17.00 x 13.00 432 x 330	21.25 540	10.00 254	Small
XD201608E1PTSS4	20.00 x 16.00 x 8.00 508 x 406 x 203	304SS	EPDM	A20P16	A20P16G	A20P16SS6	17.00 x 13.00 432 x 330	21.25 540	10.00 254	Small
XD201610E1PTSS4	20.00 x 16.00 x 10.00 508 x 406 x 254	304SS	EPDM	A20P16	A20P16G	A20P16SS6	17.00 x 13.00 432 x 330	21.25 540	10.00 254	Small
XD202006E1PTSS4	20.00 x 20.00 x 6.00 508 x 508 x 152	304SS	EPDM	A20P20	A20P20G	A20P20SS6	17.00 x 17.00 432 x 432	21.25 540	14.00 356	Small
XD202008E1PTSS4	20.00 x 20.00 x 8.00 508 x 508 x 203	304SS	EPDM	A20P20	A20P20G	A20P20SS6	17.00 x 17.00 432 x 432	21.25 540	14.00 356	Small
XD202408E1PTSS4	20.00 x 24.00 x 8.00 508 x 610 x 203	304SS	EPDM	A24P20	A24P20G	A24P20SS6	7.00 x 21.00 432 x 533	21.25 540	18.00 457	Small
XD241608E3PTSS4	24.00 x 16.00 x 8.00 610 x 406 x 203	304SS	EPDM	A24P16	A24P16G	A24P16SS6	21.00 x 13.00 533 x 330	25.25 641	10.00 254	Small
XD242006E3PTSS4	24.00 x 20.00 x 6.00 610 x 508 x 152	304SS	EPDM	A24P20	A24P20G	A24P20SS6	21.00 x 17.00 533 x 432	25.25 641	14.00 356	Small
XD242008E3PTSS4	24.00 x 20.00 x 8.00 610 x 508 x 203	304SS	EPDM	A24P20	A24P20G	A24P20SS6	21.00 x 17.00 533 x 432	25.25 641	14.00 356	Small
XD242010E3PTSS4	24.00 x 20.00 x 10.00 610 x 508 x 254	304SS	EPDM	A24P20	A24P20G	A24P20SS6	21.00 x 17.00 533 x 432	25.25 641	14.00 356	Small
XD242408E3PTSS4	24.00 x 24.00 x 8.00 610 x 610 x 203	304SS	EPDM	A24P24	A24P24G	A24P24SS6	21.00 x 21.00 533 x 533	25.25 641	18.00 457	Small
XD242410E3PTSS4	24.00 x 24.00 x 10.00 610 x 610 x 254	304SS	EPDM	A24P24	A24P24G	A24P24SS6	21.00 x 21.00 533 x 533	25.25 641	18.00 457	Small
XD242412E3PTSS4	24.00 x 24.00 x 12.00 610 x 610 x 305	304SS	EPDM	A24P24	A24P24G	A24P24SS6	21.00 x 21.00 533 x 533	25.25 641	18.00 457	Small
XD302408E3PTSS4	30.00 x 24.00 x 8.00 762 x 610 x 203	304SS	EPDM	A30P24	A30P24G	A30P24SS6	27.00 x 21.00 686 x 533	31.25 794	18.00 457	Large
XD302412E3PTSS4	30.00 x 24.00 x 12.00 762 x 610 x 305	304SS	EPDM	A30P24	A30P24G	A30P24SS6	27.00 x 21.00 686 x 533	31.25 794	18.00 457	Large
XD303008E3PTSS4	30.00 x 30.00 x 8.00 762 x 762 x 203	304SS	EPDM	A30P30	A30P30G	A30P30SS6	27.00 x 27.00 686 x 686	31.25 794	24.00 610	Large
XD303012E3PTSS4	30.00 x 30.00 x 12.00 762 x 762 x 305	304SS	EPDM	A30P30	A30P30G	A30P30SS6	27.00 x 27.00 686 x 686	31.25 794	24.00 610	Large
XD362408E3PTSS4	36.00 x 24.00 x 8.00 914 x 610 x 203	304SS	EPDM	A36P24	A36P24G	A36P24SS6	33.00 x 21.00 838 x 533	37.25 946	18.00 457	Large
XD363008E3PTSS4	36.00 x 30.00 x 8.00 914 x 762 x 203	304SS	EPDM	A36P30	A36P30G	A36P30SS6	33.00 x 27.00 838 x 686	37.25 946	24.00 610	Large
XD363010E3PTSS4	36.00 x 30.00 x 10.00 914 x 762 x 254	304SS	EPDM	A36P30	A36P30G	A36P30SS6	33.00 x 27.00 838 x 686	37.25 946	24.00 610	Large
XD363012E3PTSS4	36.00 x 30.00 x 12.00 914 x 762 x 305	304SS	EPDM	A36P30	A36P30G	A36P30SS6	33.00 x 27.00 838 x 686	37.25 946	24.00 610	Large
XD363612E3PTSS4	36.00 x 36.00 x 12.00 914 x 914 x 305	304SS	EPDM	A36P36	A36P36G	A36P36SS6	33.00 x 33.00 838 x 838	37.25 946	30.00 762	Large
XD423010E3PTSS4	42.00 x 30.00 x 10.00 1067 x 762 x 254	304SS	EPDM	A42P30	A42P30G	A42P30SS6	39.00 x 27.00 991 x 686	43.25 1099	24.00 610	Large
XD423608E3PTSS4	42.00 x 36.00 x 8.00 1067 x 914 x 203	304SS	EPDM	A42P36	A42P36G	A42P36SS6	39.00 x 33.00 991 x 838	43.25 1099	30.00 762	Large
XD423612E3PTSS4	42.00 x 36.00 x 12.00 1067 x 914 x 305	304SS	EPDM	A42P36	A42P36G	A42P36SS6	39.00 x 33.00 991 x 838	43.25 1099	30.00 762	Large
XD483608E3PTSS4	48.00 x 36.00 x 8.00 1219 x 914 x 203	304SS	EPDM	A48P36	A48P36G	A48P36SS6	45.00 x 33.00 1143 x 838	49.25 1251	30.00 762	Large
XD483610E3PTSS4	48.00 x 36.00 x 10.00 1219 x 914 x 254	304SS	EPDM	A48P36	A48P36G	A48P36SS6	45.00 x 33.00 1143 x 838	49.25 1251	30.00 762	Large
XD483612E3PTSS4	48.00 x 36.00 x 12.00 1219 x 914 x 305	304SS	EPDM	A48P36	A48P36G	A48P36SS6	45.00 x 33.00 1143 x 838	49.25 1251	30.00 762	Large
XD483616E3PTSS4	48.00 x 36.00 x 16.00 1219 x 914 x 406	304SS	EPDM	A48P36	A48P36G	A48P36SS6	45.00 x 33.00 1143 x 838	49.25 1251	30.00 762	Large
XD603612E3PTSS4	60.00 x 36.00 x 12.00 1524 x 914 x 305	304SS	EPDM	A60P36	A60P36G	A60P36SS6	57.00 x 33.00 1448 x 838	61.25 1556	30.00 762	Large
XD603616E3PTSS4	60.00 x 36.00 x 16.00 1524 x 914 x 406	304SS	EPDM	A60P36	A60P36G	A60P36SS6	57.00 x 33.00 1448 x 838	61.25 1556	30.00 762	Large

Purchase panels separately. Optional stainless steel, composite and aluminum panels are available for most sizes.

Catalog numbers XD161206E1PTSS4 and XD161208E1PTSS4 do not include a data pocket.

Standard Product 316SS


Catalog Number	AxBxC in./mm	Material	Gasket Standard	Steel Panel	Conductive Panel	Stainless Panel	Panel Size DxH in./mm	H in./mm	G in./mm	Data Pocket
XD161206S1PTSS6	16.00 x 12.00 x 6.00 406 x 305 x 152	316LSS	Silicone	A16P12	A16P12G	A16P12SS6	13.00 x 9.00 330 x 229	17.25 348	9.50 241	None
XD161208S1PTSS6	16.00 x 12.00 x 8.00 406 x 305 x 203	316LSS	Silicone	A16P12	A16P12G	A16P12SS6	13.00 x 9.00 330 x 229	17.25 348	9.50 241	None
XD161606S1PTSS6	16.00 x 16.00 x 6.00 406 x 406 x 152	316LSS	Silicone	A16P16	A16P16G	A16P16SS6	13.00 x 13.00 330 x 330	17.25 438	10.00 254	Small
XD162006S1PTSS6	16.00 x 20.00 x 6.00 406 x 508 x 152	316LSS	Silicone	A20P16	A20P16G	A20P16SS6	13.00 x 17.00 330 x 432	17.25 438	14.00 356	Small
XD201606S1PTSS6	20.00 x 16.00 x 6.00 508 x 406 x 152	316LSS	Silicone	A20P16	A20P16G	A20P16SS6	17.00 x 13.00 432 x 330	21.25 540	10.00 254	Small
XD201608S1PTSS6	20.00 x 16.00 x 8.00 508 x 406 x 203	316LSS	Silicone	A20P16	A20P16G	A20P16SS6	17.00 x 13.00 432 x 330	21.25 540	10.00 254	Small
XD201610S1PTSS6	20.00 x 16.00 x 10.00 508 x 406 x 254	316LSS	Silicone	A20P16	A20P16G	A20P16SS6	17.00 x 13.00 432 x 330	21.25 540	10.00 254	Small
XD202006S1PTSS6	20.00 x 20.00 x 6.00 508 x 508 x 152	316LSS	Silicone	A20P20	A20P20G	A20P20SS6	17.00 x 17.00 432 x 432	21.25 540	14.00 356	Small
XD202008S1PTSS6	20.00 x 20.00 x 8.00 508 x 508 x 203	316LSS	Silicone	A20P20	A20P20G	A20P20SS6	17.00 x 17.00 432 x 432	21.25 540	14.00 356	Small
XD202408S1PTSS6	20.00 x 24.00 x 8.00 508 x 610 x 203	316LSS	Silicone	A24P20	A24P20G	A24P20SS6	7.00 x 21.00 432 x 533	21.25 540	18.00 457	Small
XD241608S3PTSS6	24.00 x 16.00 x 8.00 610 x 406 x 203	316LSS	Silicone	A24P16	A24P16G	A24P16SS6	21.00 x 13.00 533 x 330	25.25 641	10.00 254	Small
XD242006S3PTSS6	24.00 x 20.00 x 6.00 610 x 508 x 152	316LSS	Silicone	A24P20	A24P20G	A24P20SS6	21.00 x 17.00 533 x 432	25.25 641	14.00 356	Small
XD242008S3PTSS6	24.00 x 20.00 x 8.00 610 x 508 x 203	316LSS	Silicone	A24P20	A24P20G	A24P20SS6	21.00 x 17.00 533 x 432	25.25 641	14.00 356	Small
XD242010S3PTSS6	24.00 x 20.00 x 10.00 610 x 508 x 254	316LSS	Silicone	A24P20	A24P20G	A24P20SS6	21.00 x 17.00 533 x 432	25.25 641	14.00 356	Small
XD242408S3PTSS6	24.00 x 24.00 x 8.00 610 x 610 x 203	316LSS	Silicone	A24P24	A24P24G	A24P24SS6	21.00 x 21.00 533 x 533	25.25 641	18.00 457	Small
XD242410S3PTSS6	24.00 x 24.00 x 10.00 610 x 610 x 254	316LSS	Silicone	A24P24	A24P24G	A24P24SS6	21.00 x 21.00 533 x 533	25.25 641	18.00 457	Small
XD242412S3PTSS6	24.00 x 24.00 x 12.00 610 x 610 x 305	316LSS	Silicone	A24P24	A24P24G	A24P24SS6	21.00 x 21.00 533 x 533	25.25 641	18.00 457	Small
XD302408S3PTSS6	30.00 x 24.00 x 8.00 762 x 610 x 203	316LSS	Silicone	A30P24	A30P24G	A30P24SS6	27.00 x 21.00 686 x 533	31.25 794	18.00 457	Large
XD302412S3PTSS6	30.00 x 24.00 x 12.00 762 x 610 x 305	316LSS	Silicone	A30P24	A30P24G	A30P24SS6	27.00 x 21.00 686 x 533	31.25 794	18.00 457	Large
XD303008S3PTSS6	30.00 x 30.00 x 8.00 762 x 762 x 203	316LSS	Silicone	A30P30	A30P30G	A30P30SS6	27.00 x 27.00 686 x 686	31.25 794	24.00 610	Large
XD303012S3PTSS6	30.00 x 30.00 x 12.00 762 x 762 x 305	316LSS	Silicone	A30P30	A30P30G	A30P30SS6	27.00 x 27.00 686 x 686	31.25 794	24.00 610	Large
XD362408S3PTSS6	36.00 x 24.00 x 8.00 914 x 610 x 203	316LSS	Silicone	A36P24	A36P24G	A36P24SS6	33.00 x 21.00 838 x 533	37.25 946	18.00 457	Large
XD363008S3PTSS6	36.00 x 30.00 x 8.00 914 x 762 x 203	316LSS	Silicone	A36P30	A36P30G	A36P30SS	33.00 x 27.00 838 x 686	37.25 946	24.00 610	Large
XD363010S3PTSS6	36.00 x 30.00 x 10.00 914 x 762 x 254	316LSS	Silicone	A36P30	A36P30G	A36P30SS	33.00 x 27.00 838 x 686	37.25 946	24.00 610	Large
XD363012S3PTSS6	36.00 x 30.00 x 12.00 914 x 762 x 305	316LSS	Silicone	A36P30	A36P30G	A36P30SS	33.00 x 27.00 838 x 686	37.25 946	24.00 610	Large
XD363612S3PTSS6	36.00 x 36.00 x 12.00 914 x 914 x 305	316LSS	Silicone	A36P36	A36P36G	A36P36SS6	33.00 x 33.00 838 x 838	37.25 946	30.00 762	Large
XD423010S3PTSS6	42.00 x 30.00 x 10.00 1067 x 762 x 254	316LSS	Silicone	A42P30	A42P30G	A42P30SS6	39.00 x 27.00 991 x 686	43.25 1099	24.00 610	Large
XD423608S3PTSS6	42.00 x 36.00 x 8.00 1067 x 914 x 203	316LSS	Silicone	A42P36	A42P36G	A42P36SS6	39.00 x 33.00 991 x 838	43.25 1099	30.00 762	Large
XD423612S3PTSS6	42.00 x 36.00 x 12.00 1067 x 914 x 305	316LSS	Silicone	A42P36	A42P36G	A42P36SS6	39.00 x 33.00 991 x 838	43.25 1099	30.00 762	Large
XD483608S3PTSS6	48.00 x 36.00 x 8.00 1219 x 914 x 203	316LSS	Silicone	A48P36	A48P36G	A48P36SS6	45.00 x 33.00 1143 x 838	49.25 1251	30.00 762	Large
XD483610S3PTSS6	48.00 x 36.00 x 10.00 1219 x 914 x 254	316SS	Silicone	A48P36	A48P36G	A48P36SS6	45.00 x 33.00 1143 x 838	49.25 1251	30.00 762	Large
XD483612S3PTSS6	48.00 x 36.00 x 12.00 1219 x 914 x 305	316LSS	Silicone	A48P36	A48P36G	A48P36SS6	45.00 x 33.00 1143 x 838	49.25 1251	30.00 762	Large
XD483616S3PTSS6	48.00 x 36.00 x 16.00 1219 x 914 x 406	316LSS	Silicone	A48P36	A48P36G	A48P36SS6	45.00 x 33.00 1143 x 838	49.25 1251	30.00 762	Large
XD603612S3PTSS6	60.00 x 36.00 x 12.00 1524 x 914 x 305	316LSS	Silicone	A60P36	A60P36G	A60P36SS6	57.00 x 33.00 1448 x 838	61.25 1556	30.00 762	Large
XD603616S3PTSS6	60.00 x 36.00 x 16.00 1524 x 914 x 406	316LSS	Silicone	A60P36	A60P36G	A60P36SS6	57.00 x 33.00 1448 x 838	61.25 1556	30.00 762	Large

Purchase panels separately. Optional stainless steel, composite and aluminum panels are available for most sizes.

Catalog numbers XD161206E1PTSS6 and XD161208E1PTSS6 do not include a data pocket.

Standard Product **304SS Painted White**

Catalog Number	AxBxC in./mm	Material	Gasket Standard	Steel Panel	Conductive Panel	Stainless Panel	Panel Size DxE in./mm	H in./mm	G in./mm	Data Pocket
XD242010E3PTSSW	24.00 x 20.00 x 10.00 610 x 508 x 254	304SS Painted White	EPDM	A24P20	A24P20G	A24P20SS	21.00 x 17.00 533 x 432	25.25 641	14.00 356	Small
XD242408E3PTSSW	24.00 x 24.00 x 8.00 610 x 610 x 203	304SS Painted White	EPDM	A24P24	A24P24G	A24P24SS	21.00 x 21.00 533 x 533	25.25 641	18.00 457	Small
XD242410E3PTSSW	24.00 x 24.00 x 10.00 610 x 610 x 254	304SS Painted White	EPDM	A24P24	A24P24G	A24P24SS	21.00 x 21.00 533 x 533	25.25 641	18.00 457	Small
XD242412E3PTSSW	24.00 x 24.00 x 12.00 610 x 610 x 305	304SS Painted White	EPDM	A24P24	A24P24G	A24P24SS	21.00 x 21.00 533 x 533	25.25 641	18.00 457	Small
XD302408E3PTSSW	30.00 x 24.00 x 8.00 762 x 610 x 203	304SS Painted White	EPDM	A30P24	A30P24G	A30P24SS	27.00 x 21.00 686 x 533	31.25 794	18.00 457	Large
XD302412E3PTSSW	30.00 x 24.00 x 12.00 762 x 610 x 305	304SS Painted White	EPDM	A30P24	A30P24G	A30P24SS	27.00 x 21.00 686 x 533	31.25 794	18.00 457	Large
XD303008E3PTSSW	30.00 x 30.00 x 8.00 762 x 762 x 203	304SS Painted White	EPDM	A30P30	A30P30G	A30P30SS	27.00 x 27.00 686 x 686	31.25 794	24.00 610	Large
XD303012E3PTSSW	30.00 x 30.00 x 12.00 762 x 762 x 305	304SS Painted White	EPDM	A30P30	A30P30G	A30P30SS	27.00 x 27.00 686 x 686	31.25 794	24.00 610	Large
XD363008E3PTSSW	36.00 x 30.00 x 8.00 914 x 762 x 203	304SS Painted White	EPDM	A36P30	A36P30G	A36P30SS	33.00 x 27.00 838 x 686	37.25 946	24.00 610	Large
XD363012E3PTSSW	36.00 x 30.00 x 12.00 914 x 762 x 305	304SS Painted White	EPDM	A36P30	A36P30G	A36P30SS	33.00 x 27.00 838 x 686	37.25 946	24.00 610	Large
XD363612E3PTSSW	36.00 x 36.00 x 12.00 914 x 914 x 305	304SS Painted White	EPDM	A36P36	A36P36G	A36P36SS	33.00 x 33.00 838 x 838	37.25 946	30.00 762	Large
XD423612E3PTSSW	42.00 x 36.00 x 12.00 1067 x 914 x 305	304SS Painted White	EPDM	A42P36	A42P36G	A42P36SS	39.00 x 33.00 991 x 838	43.25 1099	30.00 762	Large
XD483612E3PTSSW	48.00 x 36.00 x 12.00 1219 x 914 x 305	304SS Painted White	EPDM	A48P36	A48P36G	A48P36SS	45.00 x 33.00 1143 x 838	49.25 1251	30.00 762	Large
XD483616E3PTSSW	48.00 x 36.00 x 16.00 1219 x 914 x 406	304SS Painted White	EPDM	A48P36	A48P36G	A48P36SS	45.00 x 33.00 1143 x 838	49.25 1251	30.00 762	Large
XD603612E3PTSSW	60.00 x 36.00 x 12.00 1524 x 914 x 305	304SS Painted White	EPDM	A60P36	A60P36G	A60P36SS	57.00 x 33.00 1448 x 838	61.25 1556	30.00 762	Large



EXTREME ENVIRONMENTS ENCLOSURE GASKET REPLACEMENT KIT EPDM



INDUSTRY STANDARDS

UL 508A Recognized; Type 3R, 4, 4X File No. E61997
 cUL Recognized per CSA C22.2 No 94; Type 3R, 4, 4X File No. E61997
 UL and cUL Classified to IEC 60529, IP66, IP69; File No. E503705

NEMA/EEMAC Type 3R, 4, 4X
 ISO 20653, IP69k
 IEC 60529, IP66, IP69
 Meets NEMA Type 3RX requirements

APPLICATION

This is replacement gasket for WXD bulletin Extreme Environments Enclosures. The gasket is easily removed and replaced if damaged. EPDM material is great for most industrial and outdoor applications with a temperature range of -50 to 120C (-58 to 248F)

BULLETIN: WXD

Catalog Number	Length in./mm	Fits Enclosure Size HxW (inch)	Material	Color
XDGSKTKIT56E	46.14 1172	16x12	EPDM	Black
XDGSKTKIT64E	54.13 1375	16x16	EPDM	Black
XDGSKTKIT72E	62.13 1578	16x20	EPDM	Black
XDGSKTKIT80E	70.16 1782	20x20	EPDM	Black
XDGSKTKIT88E	78.15 1985	20x24, 24x16	EPDM	Black
XDGSKTKIT96E	86.14 2188	24x24	EPDM	Black
XDGSKTKIT108E	98.15 2493	30x24	EPDM	Black
XDGSKTKIT120E	110.16 2798	30x30, 36x24	EPDM	Black
XDGSKTKIT132E	122.13 3102	36x30	EPDM	Black
XDGSKTKIT144E	134.13 3407	36x36, 42x30	EPDM	Black
XDGSKTKIT156E	146.14 3712	42x36	EPDM	Black
XDGSKTKIT168E	158.15 4017	48x36	EPDM	Black
XDGSKTKIT192E	182.13 4626	60x36	EPDM	Black

EPDM - Ethylene Propylene Diene Monomer

EXTREME ENVIRONMENTS ENCLOSURE GASKET REPLACEMENT KIT SILICONE



INDUSTRY STANDARDS

UL 508A Recognized; Type 12, 13, 3R, 4, 4X File No. E61997
 cUL Recognized per CSA C22.2 No 94; Type 12, 13, 3R, 4, 4X File No. E61997
 UL and cUL Classified to IEC 60529, IP66, IP69; File No. E503705

NEMA/EEMAC Type 12, 13, 3R, 4, 4X
 ISO 20653, IP69k
 IEC 60529, IP66, IP69
 Meets NEMA Type 3RX requirements

APPLICATION

This is replacement gasket for WXD bulletin Extreme Environments Enclosures. The gasket is easily removed and replaced if damaged. Silicone material is great for most industrial and outdoor applications with a temperature range of -60 to 250C (-76 to 482F)

BULLETIN: WXD

Catalog Number	Length in./mm	Fits Enclosure Size HxW (inch)	Material	Color
XDGSKTKIT56S	46.14 1172	16x12	Silicone	Orange
XDGSKTKIT64S	54.13 1375	16x16	Silicone	Orange
XDGSKTKIT72S	62.13 1578	16x20	Silicone	Orange
XDGSKTKIT80S	70.16 1782	20x20	Silicone	Orange
XDGSKTKIT88S	78.15 1985	20x24, 24x16	Silicone	Orange
XDGSKTKIT96S	86.14 2188	24x24	Silicone	Orange
XDGSKTKIT108S	98.15 2493	30x24	Silicone	Orange
XDGSKTKIT120S	110.16 2798	30x30, 36x24	Silicone	Orange
XDGSKTKIT132S	122.13 3102	36x30	Silicone	Orange
XDGSKTKIT144S	134.13 3407	36x36, 42x30	Silicone	Orange
XDGSKTKIT156S	146.14 3712	42x36	Silicone	Orange
XDGSKTKIT168S	158.15 4017	48x36	Silicone	Orange
XDGSKTKIT192S	182.13 4626	60x36	Silicone	Orange