# Tool Pouches, Carriers, Belts & Suspenders

Just as Klein offers a variety of tools designed for specific needs, Klein offers a variety of tool pouches, carriers, belts, and suspenders that suit virtually every preference and need.





For Professionals... Since 1857™

0

#### **7-Pocket Tool Pouch**

- Black leather construction.
- Riveted to assure long life.
- Heavy-duty chain tape thong securely fastened with a rivet.

Cat.	Pockets	Specialty	Belt	Belt	Overall	Weight
No.	(Total Number)	Add-Ons	Connection	Width	Size	(lbs.)
5166	7	chain tape thong	tunnel	2-1/4" (57 mm)	7" x 9-1/2" (178 mm x 241 mm)	.92

### **8-Pocket Tool Pouch**

- Black leather construction.
- Roomy pouch for electricians and maintenance workers.
- Riveted and stitched for extra durability.
- Heavy-duty chain tape thong securely fastened with a rivet.
- Stainless steel clip holder accepts most tape clips up to 1-1/4" wide.

Cat.	Pockets	Specialty	Belt	Belt	Overall	Weight
No.	(Total Number)	Add-Ons	Connection	Width	Size	(Ibs.)
5178	8	knife snap, chain tape thong, metal tape measure holder	tunnel	2-1/2" (64 mm)	11" x 10" (279 mm x 254 mm)	1.03



5178		
------	--	--

#### **Single-Pocket Tool Pouch**

- Leather construction.
- Perfect for carrying pliers and other tools in the hip pocket.
- Prevents wear and tearing of clothes, discomfort, and possible injury.

Pockets (Total Number)

• Riveted to assure long life.



Weight (lbs.)

.23

Leather construction.	1
Soft, pliable	l
cushion-leather gussets	

allow expansion to 3-1/4" (83 mm).

**Strap-Leather Bag** 

• Ventilating eyelet in bottom.



Cat. No.	Belt Connection	Belt Capacity	Length	Width	Depth	Weight (lbs.)
5140K	latigo thongs	up to 3" (76 mm) wide	7" (178 mm)	9" (229 mm)	3-1/4" (83 mm)	.65

#### **3-Pocket Utility Pouch**

• Leather construction.

1

Cat. No.

5111

- Features 1" (25 mm) reinforced gusset.
- Has 2" (51 mm) outside pockets.
- Riveted for extra durability.

Cat.	Pockets	Belt	Belt	Overall	Weight
No.	(Total Number)	Connection	Width	Size	(Ibs.)
5145	3	tunnel	1" (25 mm)	5-1/4" x 7" (133 mm x 178 mm)	.46



All dimensions are in inches and (millimeters) unless otherwise specified.

Overall Size

4-1/2" x 7" (114 mm x 178 mm)

#### www.kleintools.com

#### **4-Pocket Tool Pouch**

Leather construction.

Pouches, Carriers,

& Suspenders

elts

• Riveted and stitched for extra durability.

- IE	
	5119

#### Belt Connection Overall Size Weight (lbs.) Cat. No. Pockets (Total Number) Specialty Add-Ons Belt Width 6-1/2" x 8-1/2" (165 mm x 216 mm) 5119 4 knife snap slotted 2" (51 mm) .39

### **5-Pocket Tool Pouches**

- Cat. No. 5125 is constructed of #4 canvas. • leather back, pockets and loops.
- Cat. No. 5125L is constructed of leather.
- General-purpose pouches.
- Heavy-duty chain tape thong securely • fastened with a rivet.
- Riveted and stitched for extra durability.





5125L

Weight (lbs.)

.47

Cat. No.	Pockets (Total Number)	Specialty Add-Ons	Belt Connection	Belt Width	Overall Size	Weight (Ibs.)
5125	5	leather tape thong	loops	2-1/4" (57 mm)	7-1/2" x 8-1/2" (191 mm x 216 mm)	.63
5125L	5	leather tape thong	loops	2-1/4" (57 mm)	7-1/2" x 8-1/2" (191 mm x 216 mm)	.75

#### **5-Pocket Tool Pouch**

- Leather construction.
- Riveted to assure long life.



#### Leather **Back Pocket Pouch**

- Leather construction. Stitched and riveted to assure
- long life.
- Snap loop option for belt.

Cat. No.

5481

• Six pockets, including scissors pocket on back flap.

Belt Connection

snap loop



Cat.	Specialty	Belt	Belt	Overall	Weight
No.	Add-Ons	Connection	Width	Size	(Ibs.)
5126	knife snap	slotted	2" (51 mm)	6" x 8-3/4" (152 mm x 222 mm)	.74

### **6-Pocket Tool Pouches**

• Leather construction.

Riveted to assure long life.

Cat. No.	Pockets (Total Number)	Specialty Add-Ons	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5127	6	knife snap	slotted	2" (51 mm)	7" x 10" (178 mm x 254 mm)	.79
5127T	6	knife snap	tunnel	2-1/2" (64 mm)	7" x 10" (178 mm x 254 mm)	.87



Belt Width

up to 2" (51 mm)

Overall

10" H x 5-3/4"W x 2-1/2"D (254 mm x 146 mm x 64 mm)

Size



All dimensions are in inches and (millimeters) unless otherwise specified.

#### 8-Pocket Extra-Capacity Tool Pouch

- Leather construction.
- Extra-capacity multi-purpose pouch.
- Stitched and riveted.

Cat. No.	Pockets	Specialty	Belt	Belt	Overall	Weight
	(Total Number)	Add-Ons	Connection	Width	Size	(Ibs.)
5162T	8	knife snap, leather tape thong	tunnel	3" (76 mm)	8-1/2" x 10-3/4" (216 mm x 273 mm)	1.71



#### **8-Pocket Tool Pouches**

- Leather construction.
- Riveted to assure long life.

Cat. No.	Pockets (Total Number)	Specialty Add-Ons	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5164	8	knife snap	slotted	2" (51 mm)	6-3/4" x 9-3/4" (171 mm x 248 mm)	1.16
5164T	8	knife snap	tunnel	2-1/2" (64 mm)	6-3/4" x 9-3/4" (171 mm x 248 mm)	1.21







**10-Pocket Tool Pouch** 

- Leather construction.
- Riveted and stitched.

Cat.	Pockets	Specialty	Belt	Belt	Overall	Weight
No.	(Total Number)	Add-Ons	Connection	Width	Size	(Ibs.)
5165	10	knife snap	slotted	2" (51 mm)	10" x 10" (254 mm x 254 mm)	1.26





#### **10-Pocket Tool Pouch**

- Leather construction.
- Versatile pouch favored by many telephone installers.
- Riveted throughout to assure long life.
- Ten separate compartments with places for a wide variety of pliers, screwdrivers, and other tools.
- Slotted-leather tape thong allows easy removal of 1" (25 mm) I.D. tape rolls.

Cat.	Pockets	Specialty	Belt	Belt	Overall	Weight
No.	(Total Number)	Add-Ons	Connection	Width	Size	(Ibs.)
5190	10	leather tape thong	slotted	1-3/4" (44 mm)	6" x 8-3/4" (152 mm x 222 mm)	.75



OUGNES.

All dimensions are in inches and (millimeters) unless otherwise specified.

#### **11-Pocket Tool Pouch**

- Leather construction.
- Multi-pocketed pouch made for electricians and other professionals.
- Riveted and stitched.
- Stainless steel clip holder accepts most tape clips up to 1-1/4" (32 mm) wide.
- Heavy-duty chain tape thong securely fastened with a rivet.

Cat.	Pockets	Specialty	Belt	Belt	Overall	Weight
No.	(Total Number)	Add-Ons	Connection	Width	Size	(lbs.)
5167	11	knife snap, chain tape thong, metal tape measure holder	slotted	2-3/4" (70 mm)	10" x 10-1/2" (254 mm x 267 mm)	1.43

#### **Back Pocket Pouch**

- Four pockets, including two open pockets on the front for longer tools such as screwdrivers.
- Cordura<sup>®</sup> ballistic nylon, a high-performance fabric resistant to abrasions, tears and scuffs.
- Stitched and riveted to assure long life.
- Snap loop option for belt.





5167



Pouches, Carriers,

elts & Suspenders

Cat. No.	Belt Connection	Belt Width	Length	Width	Depth	Weight
5482	snap loop	up to 2" (51 mm)	9-7/8" (251 mm)	5" (127 mm)	2" (51 mm)	.26 lbs. (0.12 kg)
Cordura®	is a registered trader	nark of INVISTA for	durable fabrics.			,

#### **All-Purpose Bag**

- Soft, pliable cushion leather construction.
- Bag is ideal for carrying loose tools and small parts.
   Adjustable belt strap for
  - Adjustable belt strap for attaching to belts.



#### **Leather Bolt Bag**

- Split-leather construction.
- Bolt bag with bull-pin loop on each side.



42247

Cat. No.	Belt Connection	Belt Capacity	Length	Width	Depth	Weight (lbs.)	Cat. No.	Belt Connection	Belt Capacity	Length	Width	Depth	Weight (lbs.)
5146	belt strap	up to 3" (76 mm) wide	9" (229 mm)	8" (203 mm)	3" (76 mm)	.60	42247	tunnel	up to 3" (76 mm) wide	5" (127 mm)	8-1/2" (216 mm)	8-1/2" (216 mm)	.75

#### **Canvas Utility Bag**

- Heavy No. 8 natural canvas.
- Includes interior pocket (Cat Nos. 5141P and 5142P).
- Inside bottom is reinforced with cushion leather & ventilating eyelet.
- Metal snaps provided on loops for easy attachment to belts up to 3" (76 mm) wide.
- Top edge reinforced with 1/4" (6 mm) rope.

Cat. No.	Belt Connection	Belt Capacity	Length	Width	Depth	Weight
5141P	loops	up to 3" (76 mm) wide	10" (254 mm)	12" (305 mm)	5" (127 mm)	.88 lbs. (0.40 kg)
5142	loops	up to 3" (76 mm) wide	9" (229 mm)	10" (254 mm)	8" x 3" (203 mm x 76 mm)	.60 lbs. (0.27 kg)
5142P	loops	up to 3" (76 mm) wide	9" (229 mm)	10" (254 mm)	8" x 3" (203 mm x 76 mm)	.65 (0.29 kg)





All dimensions are in inches and (millimeters) unless otherwise specified.

#### **Nut & Bolt Pouch**

- Includes interior pocket.
- Top sides of pouch reinforced with leather to maintain shape of pouch opening.
- Inside bottom is reinforced with leather and ventilating eyelet.
- Metal snaps provided on loops for easy attachment to belts up to 3" (76 mm) wide.
- Top edge reinforced with 1/4" (6 mm) rope.

Cat. No.	Interior Pockets	Color	Length	Width	Depth	Weight
51A	1	black	9" (229 mm)	10" (254 mm)	3.5" (90 mm)	1 lbs. (0.45 kg)

#### Water-Repellent Canvas Pouches

- One-piece tan 12-oz. water-repellent mildew resistant canvas.
- Top edge reinforced with 1/4" (6 mm) rope.

Cat. No.	Belt Connection	Belt Capacity	Length	Width	Top Diameter	Weight
5179	loops	up to 4-1/2" (114 mm) wide	7-1/2" (191 mm)	3-1/2" (89 mm)	7" (178 mm)	.30 lbs. (0.14 kg)
5179S	snap	up to 4-1/2" (114 mm) wide	7-1/2" (191 mm)	3-1/2" (89 mm)	7" (178 mm)	.30 lbs. (0.14 kg)





#### Bull-Pin and Bolt Bags

- No. 4 canvas or split-leather, with double bottom.
- Bolt bag with bull-pin loop on each side.



5416TCP



Cat. No.	Belt Connection	Belt Capacity	Length	Width	Depth	Weight
Canvas						
5416	loops	up to 3" (76 mm) wide	5" (127 mm)	9" (229 mm)	10" (254 mm)	.85 lbs. (0.30 kg)
5416T	tunnel	up to 3" (76 mm) wide	5" (127 mm)	9" (229 mm)	10" (254 mm)	.90 lbs. (0.4 kg)
Canvas -	- Top Closin	g				
5416TC	tunnel	up to 3" (76 mm) wide	5" (127 mm)	9" (229 mm)	10" (254 mm)	.87 lbs. (0.39 kg)
5416TCP	tunnel	up to 3" (76 mm) wide	5" (127 mm)	9" (229 mm)	12" (305 mm)	1 lbs. (0.45 kg)
Leather						
5416L	tunnel	up to 3" (76 mm) wide	5" (127 mm)	9" (229 mm)	10" (254 mm)	1.10 lbs. (0.14 kg)

#### Canvas Electrode Bag

- Made of tough No. 4 canvas.
- Heat-resistant, hard leather bottom.
- Web loop for sliding over belt.





Cat. No.	Diameter	Front Depth	Back Depth	Weight (Ibs.)	
5471	2-1/2" (64 mm)	12" (305 mm)	15-1/2" (394 mm)	.25	

All dimensions are in inches and (millimeters) unless otherwise specified.

#### **6-Pocket Nail/Screw and Tool Pouch**

Split-leather construction.

6

Cat. No.

42241

Heavy hammer-loops on both sides, allowing for convenient use by 

Specialty Add-Ons

2 hammer

Belt Connection

tunnel

Belt Widtl

3" (76 mm) Overall Size

11" x 11-3/4"

(279 mm x 298 mm)

Weight (lbs.)

.86

right- or left-handed workers.

Pockets (Total Num<u>ber</u>)

Riveted and stitched for extra durability.



42241

42242

## **Tool Combination Aprons**

loops

#### **One-Piece Nail/Screw and Tool Pouch Apron**

- Split-leather construction.
- Versatile, roomy double-pouch apron for construction workers, carpenters, and other professionals.
- Riveted and stitched for extra durability.
- Four slots for punches or nail sets.
- Two heavy-duty hammer loops.
- Double-pouch design allows unrestricted leg movement.
- Apron is reinforced throughout with rivets.
- The large pockets and nail/bolt pockets have rolled-over, doubled edges for long wear.
- Heavy-duty 2" (51 mm) wide polypropylene web belt has rugged metal buckle.

Cat. No.	Pockets (Total Number)	Size Adjustable	Weight (lbs.)
42242	10	32" – 48" (813 mm – 1219 mm)	1.81

#### **Nail/Screw and Tool Pouch Combinations**

- Split-leather construction.
- Large pockets have rolled-over doubled edges for extra-long life.
- All pouches slide along belt for convenient working position.
- Left- and right-hand nail-and-tool pouches.
- Heavy-duty 2" (51 mm) wide polypropylene web belt has rugged metal buckle.
- Tape-rule holder for 20' (6 m) and 25' (7.5 m) tape measures with belt clips.
- Heavy hammer loops.



Cat. No.	Description	Weight (lbs.)
42244	complete combination: belt (Cat. No. 5225 mm), left-hand (Cat. No. 42246 mm) and right-hand (Cat. No. 42245 mm) nail-and-tool pouches, and tape-rule holder (Cat. No. 5195 mm)	2.02
42245	right-hand nail-and-tool pouch only. Tunnel loop fits any belt up to 3" (76 mm) width.	.70
42246	left-hand nail-and-tool pouch only. Tunnel loop fits any belt up to 3" (76 mm) width.	.72
5225	poly-web belt only. Adjustable from 32" (813 mm) to 48" (1219 mm). Tunnel loop fits any belt up to 3" (76 mm) width.	.42
5195	tape-rule holder only for 20' and 25' tapes.	.18

146

All dimensions are in inches and (millimeters) unless otherwise specified.

www.kleintools.com

AWARNING: The tool belt is not an occupational protective belt.



Pouches, Carriers,

Suspenders

c7) Q 

### **Tool Combination Aprons**

#### **Electrician's Tool Apron**



Cat No.	Size	Fits Waist Sizes	Weight
42200	M/L	32" - 46" (813 mm - 1,168 mm)	.86 lbs. (0.39 kg)
42201	XL/2XL	38" - 54" (965 mm - 1,372 mm)	.93 lbs. (0.42 kg)

### **Tool Holders**

#### Scissors Holder – Tunnel

- Leather construction.
- Designed for Klein electrician's scissors (Cat. Nos. 2100-5 or 2100-7, 2100-8, 2100-9), and Cat. No. 44200 cable-splicer's knife.

Cat. No. Belt Connection Belt Width

up to 2" (50.8)

Medium

tunnel

**Scissors** and

**Knife Holders** 

• Leather construction.

extra durability.

Specially designed to hold a pair

of Klein electrician's scissors (Cat. Nos. 2100-5 or 2100-7, 2100-8, 2100-9), and Cat. No. 44200 cable-splicer's knife. Riveted and stitched for

**Cable-Splicer's** 

5100M

 Riveted and stitched for extra durability.



3.2

5187

5187T

#### Scissors Holder – Tunnel

- Leather construction.
- Designed to hold Klein electrician's scissors, Cat. Nos. 2100-5 and 2100-7.
- Riveted to assure long life.



		1000 million for the second se	
0000	0000		0000

Belts & 2

Ð



Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5101	tunnel loop	up to 1-1/2" (38 mm)	2" x 7" (51 mm x 178 mm)	.11

Lineman's	Knife	Holder

- Leather construction.
- Designed for Klein skinning knives Cat. Nos. 1570-3, 1570-3LR, and 1560-3.
- Riveted to assure long life.



TI	
5163	
	5163

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5187	slotted	up to 2-1/4" (57 mm)	2" x 7-1/4" (51 mm x 184 mm)	.11
5187T	tunnel	up_to 2-1/4" (57 mm)	2" x 7-1/4" (51 mm x 184 mm)	.13

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5163	slotted	up to 2" (51 mm)	3-1/2" x 9-3/8" (89 mm x 238 mm)	.21

All dimensions are in inches and (millimeters) unless otherwise specified.

#### www.kleintools.com

## **Tool Holders**

#### **Knife Holder**

- Leather construction.
- Designed for utility knives and Klein Cat. Nos. 44100 and 44105.
- Corners riveted and stitched for extra durability.

		2
	-	-
	1	
	1	
		0

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5185	slotted	up to 2-1/2" (64 mm)	2-5/8" x 8-1/4" (67 mm x 210 mm)	.11

#### **Cable-Splicer's Knife Holders**

- Leather construction.
- Designed to hold Cat. No. 44200 cable-splicer's knife.
- Riveted and stitched for extra durability.

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5188	slotted	up to 2-1/4" (57 mm)	2-1/8" x 7-3/4" (54 mm x 197 mm)	.08
5188T	tunnel	up to 2-1/4" (57 mm)	2-1/8" x 7-1/4" (54 mm x 184 mm)	.11



5185



#### **Pliers Holders – Open Bottom**

- Leather construction.
- Long-nose pliers may protrude through opening at bottom.
- Riveted to assure long life.
- Cat. No. 5107-6 holds 6" (152 mm) or 7" (178 mm) long-nose or diagonal-cutting pliers.
  - Cat. No. 5107-9 holds 8" (203 mm) or 9" (229 mm) long-nose or diagonal-cutting pliers.



		5107-6
--	--	--------

5118C

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5107-6	slotted	up to 2" (51 mm)	3-1/2" x 8-1/2" (89 mm x 216 mm	.17
5107-9	slotted	up to 2" (51 mm)	3-3/4" x 11" (95 mm x 279 mm	.26 )

#### **Pliers, Folding Rule,** Screwdriver, and **Wrench Holder**

- Leather construction.
- No exposed rivets in back.
- Riveted to assure long life.
- Pockets for 7" (178 mm), 8" (203 mm), and 9" (229 mm) side-cutting pliers, most screwdrivers, 6' (1.8 m) folding rules, and open-end wrenches from 9/16" to 13/16" (14 mm to 21 mm).
- Nickel plated alloy snap.

Cat.	Pockets	Belt	Belt	Overall	Weight
No.	(Total Number)	Connection	Width	Size	(lbs.)
5118C	4	slotted	up to 2" (51 mm)	6-1/2" x 11" (165 mm x 279 mm)	.78

#### Pliers Holder -**Closed Bottom**

- Leather construction.
- Nose of pliers does not protrude from closed bottom.
- Bottom is vented to prevent collection of dirt or water.
- Riveted to assure long life.
- Holds 7" (178 mm), 8" (203 mm). and 9" (229 mm) side-cutting pliers.

Cat. No.	Belt	Belt	Overall	Weight
	Connection	Width	Size	(lbs.)
5112	slotted	up to 2" (51 mm)	3-1/4" x 11" (83 mm x 279 mm)	.21

#### Pliers, Rule, and Screwdriver Holders

- Leather construction.
- Three pockets for pliers, folding rule, and screwdriver.
- S5118PRS has a two-way knife snap.
- Riveted to assure long life. •
- Pockets for 7" (178 mm), 8" (203 mm) and 9" (229 mm) side-cutting pliers, most screwdrivers, 6' (1.8 m) folding rules, and open-end wrenches from 9/16" to 13/16" (14 mm to 21 mm).



5118PRS

5112

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (Ibs.)
5118PRS	slotted	up to 2" (51 mm)	6-3/4" x 10" (171 mm x 254 mm)	.49
S5118PRS	slotted	up to 2" (51 mm)	6-3/4" x 10" (171 mm x 254 mm)	.56



### **Tool Holders**

#### 4 and 5 Pocket Pouches **Lineman's Pouches**

- Black leather construction with double leather back for durability.
- Rivet hole for belt connection.
- Riveted to assure long life.
- Includes knife snap, pockets for pliers, most screwdrivers, 6' (1.8 m) folding rule and open-ended wrenches.





5118P4

5118P5

Cat. No.	Pockets (Total No.)	Belt Connection	Approx. Overall Size	Weight (Ibs.)
5118P4	4	rivet hole	8" x 11" (203 mm x 279 mm)	.91
5118P5	5	rivet hole	10" x 11" (254 mm x 279 mm)	1.13
-				

#### **Pliers and Folding Rule Holders**

- Leather construction.
- Riveted to assure long life.
- Pockets for 7" (178 mm), 8" (203 mm) and 9" (229 mm) side-cutting pliers and 6' (1.8 m) folding rule.

Cat. No.	Pockets (Total Number)	Belt Connection	Belt Width	Overall Size	Weight (Ibs.)
5118R	2	slotted	up to 2" (51 mm)	4-3/4" x 8" (121 mm x 203 mm)	.43
5118RT	2	tunnel	up to 3-3/4" (95 mm)	4-1/2" x 12-1/2" (114 mm x 318 mm)	.50





#### **Pliers and Screwdriver Holder**

- Leather construction.
- Riveted to assure long life.
- Pockets for 7" (178 mm), 8" (203 mm) and 9" (229 mm) and most screwdriver sizes.

Cat. No.	Pockets (Total Number)	Belt Connection	Belt Width	Overall Size	Weight (Ibs.)
5118S	2	slotted	up to 2" (51 mm)	4-1/4" x 10-3/4" (108 mm x 273 mm)	.35



5118S

#### **Hammer Holders**

- Leather construction.
- Heavy-metal hammer loop riveted to panel.
- Riveted and stitched for extra durability.
- Holds Klein<sup>®</sup> hammers except lineman's and mining/specialty hammers.

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5456	slotted	up to 2-1/2" (64 mm)	4-5/16" x 7-7/8" (110 mm x 200 mm)	.33
5456T	tunnel	up to 4" (102 mm)	4-5/16" x 10" (110 mm x 254 mm)	.42
5456TS	tunnel	up to 4" (102 mm)	4-5/16" x 10" (110 mm x 254 mm)	.42



#### **Flashlight Holder**

- Leather construction. • Designed for a standard
- two-cell flashlight.
- Riveted to assure long life.



	ra <sup>®</sup> Ballis ight Holds	stic Nylon er	
exception abrasio Metal b up to 2	a <sup>®</sup> ballistic nylo onal resistance ns,punctures ar elt clipattaches " (51 m) wide. snap closure.	to nd tears.	1106
Cat. No.	Applicable Model	Dimensions H x W x D	Weight (oz.)
1106	X35	9" x 2.75" x 1.88" (22.9 cm x 6.99 cm x 4	3.4 I.78 cm)

Cordura<sup>®</sup> is a registered trademark of INVISTA for durable fabrics.

	Connection	Width	Size	(lbs.)
5129	slotted	up to 2-1/4" (44 mm)	3" x 9-1/2" (76 mm x 241 mm)	.22

Bel

#### **Tape-Rule Holders**

• Leather construction.

Cat. No. Beli

- Cut-out sides for easy access to tape.
- Slotted for attaching to belts up to 2-1/2" (63 mm) wide.
- Riveted to assure long life.



Description	Overall Size	Weight (lbs.)
small	4" x 6" (102 mm x 152 mm)	.16
medium	4-1/2" x 7" (114 mm x 178 mm)	.18
large	5" x 7" (127 mm x 178 mm)	.21
	small medium	small         4" x 6" (102 mm x 152 mm)           medium         4-1/2" x 7" (114 mm x 178 mm)

Nom rapo halo olizing dalao			
Tape Measure	Cat No.	Description	
	5194	small leather pouch	
93116	5707	nylon tape measure clip/holder	
93025, 93125	5195	medium leather pouch	
93225, 93275	5707	nylon tape measure clip/holder	
	5196	large leather pouch	
93430	5707	nylon tape measure clip/holder	
	5712	nylon pouch	

Klein Tape-Rule Sizing Guide



5195

5459T

#### **Erection Wrench Holder**

- Cotton web tunnel loop and leather construction.
- Holds two erection wrenches.
- Riveted to assure long life.
- Holds erection wrenches and adjustable head construction wrench Cat. No. 3239.

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5461T	cotton web tunnel	up to 2" (51 mm)	6" x 10" (152 mm x 254 mm)	.26





3-1/4" x 12-1/4"

(83 mm x 311 mm)

.32

### **Erection Wrench** Holders

- Leather construction. Has tool slots for
- two erection wrenches. Tunnel loop on Cat. No.
- 5459T is riveted to assure long life. • Holds erection wrenches
- and adjustable head construction wrench Cat. No. 3239.

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (Ibs.)
5460	slotted	up to 2" (51 mm)	6" x 8-1/2" (152 mm x 216 mm)	.19
5459T	tunnel	up to 3-1/2" (89 mm) or to slide over D-rings, buckles, and other accessories	6" x 9-1/2" (152 mm x 241 mm)	.32

5460

Pouches, Carriers,

elts & Suspenders



Cat. No.

5417

5417T

tunnel

up to 3-1/2"

(89 mm)

## **Tool Holders**

#### **Tie-Wire Reel Pad**

- Worn on the belt under the Klein<sup>®</sup> tie-wire reel (Cat. No. 27400)
- Made of 3/16" (5 mm) thick rigging leather.
- Slots accommodate belts up to 2" (51 mm) wide.
- Underside has a sponge-rubber pad to minimize hip fatigue.



**Connecting Bar Holder** with Lock Collar Lock Collar fits Klein<sup>®</sup> 7/8" (22 mm) connecting Bars (Cat. Nos. 3246 & 3248) Leather construction. Tunnel loop allows for weight distribution on belt. Fits belts up to 3-1/2" (89 mm) wide.

5459SLVR tunnel loop

S

27450

Cat. No.	Length	Width	Weight (lbs.)	
27450	7" (178 mm)	7" (178 mm)	.300	
The using weak and improve where because during the using holds along available				

Tie-wire reel and ironworker's heavy-duty tie-wire belts also available.



 $\triangle$  WARNING: Lock collar should ONLY be used on Klein 7/8" connecting bars Lock collar must be installed on connecting bar before using holder.

# Selts & Pouches, Carr Ŧ

**Tape Thong** 

- Leather strap with fiber bar.
- Fits all standard electrical tape rolls.

Cat. No.	Belt Connection	Length	Weight (lbs.)
5130	slotted	12" (305 mm)	.03

#### **Two-Way Snap**

Leather construction.

	type rivets for tachment to b			•
Cat. No.	Belt Connection	Length	Weight (Ibs.)	
5131	screw rivets	4-1/2" (114 mm)	.10	5131

## **Tool Guards**



Klein guard for your edged tools.

 Made of 1/16" (1.6 mm) vulcanized hard fiber, securely riveted and equipped with adjustable web straps to hold the tool.

Cat. No.	Description	Weight (lbs.)
5509	axe guard	.22

nap Loop	)			
Leather const	ruction.			
Designed for	tools with h	nang holes.		1
Loop with sna				
adjustable wro	,	0		1000
or other tool v	with hang h	ole.		
Riveted to ass	sure long lif	e.		1
				100
Cat. Belt Io. Connectio	Belt n Width	Overall Size	Weight (lbs.)	2

No.	Connection	Width	Size	(lbs.)	Ca
5458	slides on	up to 4" (102 mm)	1-1/2" x 8-1/2" (38 mm x 216 mm)	.15	1

5458

5130

#### **Splitting-Knife Guards**





5574L

Cat. No.	Description	Weight (lbs.)
5574L	leather splitting or chipping-knife guard. Fits Klein knife, Cat. No. 1515-1	.13
5574S	leather splitting or chipping-knife guard. Fits Klein knife, Cat. No. 1515-S	.05

www.kleintools.com

### Tradesman Pro<sup>™</sup>

#### Tradesman Pro™ Organizer – Electrician's Tool Belt



- 26 pockets for easy tool storage.
- Wide open pockets for tools, drills and spare parts.
- Removable pouches allow you to carry only the tools needed.
- Handles for easy carrying.
- Loop tape measure holder.
- Padded belt with mesh interior is breathable and comfortable.
- Rugged leather belt ends.
- Attachments for Tradesman Pro<sup>™</sup> padded suspenders (Cat. No. 55400).

Cat. No.	Size	Weight
55427	31" – 34" (787 mm – 864 mm)	4.15 lbs. (1.88 kg)
55428	35" – 39" (889 mm – 991 mm)	4.16 lbs. (1.89 kg)
55429	40" – 44" (1016 mm – 1118 mm)	4.30 lbs. (1.95 kg)

**WARNING:** This is NOT an occupational protective belt. NOT for fall arrest or back support.



l Pouches, Carriers,

**Belts & Suspenders** 

#### **Padded Suspenders**

- Made of tear resistant Cordura<sup>®</sup>.
- Fully adjustable.
- Durable nylon web straps for long wear.
- Heavy duty padding for comfort.
- Easy snap hook fastening system.
- Designed for use with Tradesman Pro<sup>™</sup> Organizer electrician's tool belt (Cat. Nos. 55427, 55428, 55429).

Cat. No.	Size	Weight		
55400	one size fits most	.84 lbs. (.38 kg)		
Cordura <sup>®</sup> is a registered trademark of INVISTA for durable fabrics.				

**WARNING:** This is NOT an occupational protective belt. NOT for fall arrest or back support.

All dimensions are in inches and (millimeters) unless otherwise specified.

#### **Drill Pouch**

Cat. No.

5183

- Fits most impact and battery drills.
- Strap closure keeps drill in place.
- Pockets for tools and drill bits.

Size

• Compatible with belts up to 2" (51 mm) wide

one size fits most

Weight ..47 lbs. (.21 kg)

NEW!





152



Drill bit pocket

55400

www.kleintools.com

### Tradesman Pro<sup>™</sup>

### TRADESMAN PRO<sup>™</sup>

#### **Mobile Phone Holders**

- Cat No. 55460 Fits iPhone<sup>®</sup> 4 and 5, and similar sized phones.
- Cat No. 55461 Fits Samsung Galaxy S<sup>®</sup> 3 and 4, iPhone<sup>®</sup> 6 and similar sized phones.
- Metal clip for attaching to belts up to 2" wide.
- Magnetic flap closure.
- Constructed of 1680d ballistic weave.

Cat. No.	Width	Height	Depth	Weight
55460	3.00" (76 mm)	5.75" (146 mm)	1.50" (38 mm)	0.22 lbs. (0.10 kg)
55461	3.25" (84 mm)	5.875" (149 mm)	1.50" (38 mm)	0.26 lbs. (0.12 kg)

iPhone<sup>®</sup> is a registered trademark of Apple, Inc.

Galaxy S<sup>®</sup> is a registered trademark of Samsung Electronics Co., Ltd.





Carrying Cases

- Two layers of padding protect even delicate instruments.
- Heavy-duty zipper and rugged PVC coated polyester for durability.
- One interior and one exterior pocket for quick access and organization.
- Sturdy handle with box stitching for secure transportation and convenient hanging. Constructed of 1680d ballistic weave.
- Cat. Nos. 69406 and 69407 recommended for meters, testers, infrared guns and small tools.
- Cat. No. 69408 is recommended for meters, testers, borescopes, infrared guns and tools.

Cat. No.	Pockets	Width	Height	Depth	Weight
69406	1	4.50" (114 mm)	9.25" (235 mm)	2.25" (57 mm)	0.38 lbs. (0.17 kg)
69407	2	6.00" (152 mm)	10.25" (260 mm)	2.25" (57 mm)	0.53 lbs. (0.24 kg)
69408	2	7.00" (178 mm)	10.25" (260 mm)	2.25" (57 mm)	0.66 lbs. (0.30 kg)







#### **Hard Cases**

- Hard shell protects tools, meters, small parts and tech devices.
- Soft interior lining.
- Durable zipper closure.

Cat. No.	Width	Height	Depth	Weight
5184	6.5" (165 mm)	8.75" (222 mm)	2.25" (57 mm)	0.63 lbs. (0.29 kg)
5189	5.5" (140 mm)	10.25" (260 mm)	2.25" (57 mm)	0.63 lbs. (0.29 kg)





NEW!

Pouches, Carriers, Belts & Suspenders

### **PowerLine<sup>™</sup> Series**

#### Features:





#### **Tool Pouches**







5702





5718



5719

All dimensions are in inches and (millimeters) unless otherwise specified.

www.kleintools.com

### **PowerLine<sup>™</sup> Series**

#### **Closeable Pouch**

- Additional Feature:
- Closeable pouch helps protect supplies and tools.



Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5714	tunnel	up to 2-1/4" (57 mm)	7-1/2" x 6-3/4" (190 mm x 171 mm)	.24

#### **Tape Measure Holder**

#### Additional Features:

(44 mm) wide.

 Holds most tape measures with belt clips.

most tape clips up to 1-3/4"



Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5707	tunnel	up to 2-1/4" (57 mm)	4-1/8" x 3-3/4" (104 mm x 95 mm)	.10

#### **Tape Measure Pouch**

#### **Additional Features:**

- Holds most 35-foot (11 m) tape measures, fasteners, nails, or wire nuts.
- Two inside elastic loops fit screwdrivers, pencils, markers, etc.



				5712
Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5712	tunnel	up to 2-1/4" (57 mm)	8-1/4" x 4-1/2" (210 x 114 mm)	.24

#### **Utility Knife Holder**

#### **Additional Feature:**

 Holds standard utility knife or other small tools.



Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5716	tunnel	up to 2-1/4" (57 mm)	7-3/4" x 2-1/2" (197 mm x 64 mm)	.15

All dimensions are in inches and (millimeters) unless otherwise specified.



#### Hammer Holder

#### Additional Feature: Heavy-metal hammer loop riveted for additional strength.



5706

Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5706	tunnel	up to 2-1/4" (57 mm)	4-1/8" x 5" (105 mm x 127 mm)	.19

#### **Multi-Purpose Holder**

#### Additional Feature:

 Holds a flashlight, cellular phone.





Cat. No.	Belt Connection	Belt Width	Overall Size	Weight(lbs.)
5708	tunnel	up to 2-1/4" (57 mm)	3-1/4" x 8-1/2" (83 mm x 216 mm)	.13

#### **Flashlight Holder**

#### **Additional Feature:**

- Accommodates most "D" cell size battery flashlights up to 1-7/8" (48 mm) in diameter.
- Heavy-duty, 1-1/2" (38 mm) wide nylon webbing for extra strength.



Cat. No.	Belt Connection	Belt Width	Overall Size	Weight (lbs.)
5713	tunnel	up to 2-1/4" (57 mm)	4-1/4" x 2-3/8" (108 mm x 60 mm)	.06

#### **Adjustable Web Work Belt**

#### **Additional Feature:**

- Heavy-duty, 2" (51 mm) wide nylon webbing for extra strength.
- Accommodates tunnel loop and slotted tool pouches and holders.
- Rugged metal buckle for quick release and adjustment.



**WARNING:** This is NOT an occupational protective belt. NOT for fall arrest or back support.

Cat. No.	Size	Width	Weight (lbs.)
5705	one size fits up to 54" waist	2" (51 mm)	.56



### **PowerLine<sup>™</sup> Series**

PowerL

#### **Padded Tool Belts**

#### Additional Features:

- 5" (17 mm) cushioned pad for stability and comfort.
- Tapered front for comfort while bending.
- Heavy-duty 2" (51 mm) wide nylon web belt with rugged metal buckle.



Cat. No.	Size	Width	Weight (lbs.)
5704M	32" – 36" (813 mm – 914 mm)	2" (51 mm)	.95
5704L	36" – 40" (914 mm – 1016 mm)	2" (51 mm)	1.00
5704XL	40" – 44" (1016 mm – 1118 mm)	2" (51 mm)	1.05

#### **Padded Suspenders**

#### Additional Features:

- Fully adjustable length front & back.
- Heavy-duty, 1-1/2" (38 mm) wide nylon web strap for extra strength and long wear.
- Convenient fastening system features genuine VELCRO<sup>®</sup> brand touch fasteners.
- Heavy-duty padding for user comfort.

Cat. 5717



No.	Size	Weight (lbs.)
	one size fits most	.84

Velcro® is a registered trademark of Velcro Industries B.V.



Pouches, Carriers,

**Belts & Suspenders** 

#### **4-Piece Combo Sets**

#### Set consists of the following pieces:

- 8-Pocket Tool Pouch (Cat. No. 5701).
- 3-Pocket Utility Pouch (Cat. No. 5703).
- Hammer Holder (Cat. No. 5706).
- Padded Tool Belt (Cat. No. 5704).



Cat. No.	Size	Width of Belt	Weight (lbs.)
5709M	32" – 36" (813 mm – 914 mm)	2" (51 mm)	2.71
5709L	36" – 40" (914 mm – 1016 mm)	2" (51 mm)	2.77
5709XL	40" – 44" (1016 mm – 1118 mm)	2" (51 mm)	2.80

### **4-Piece Electrician's Combo Sets**

#### Set consists of the following pieces:

- 8-Pocket Tool Pouch (Cat. No. 5718).
- 19-Pocket Tool Pouch (Cat. No. 5719).
- Hammer Holder (Cat. No. 5706).
- Padded Tool Belt (Cat. No. 5704).



5710M

Cat. No.	Size	Width of Belt	Weight (lbs.)
5710M	32" – 36" (813 mm – 914 mm)	2" (51 mm)	2.75
5710L	36" – 40" (914 mm – 1016 mm)	2" (51 mm)	2.80
5710XL	40" – 44" (1016 mm – 1118 mm)	2⁼ (51 mm)	3.05

All dimensions are in inches and (millimeters) unless otherwise specified.

**WARNING:** This is NOT an occupational protective belt.

AWARNING: NOT for fall arrest or back support.

### **Tool Belts**

#### **Lightweight Tool Belt**

- Leather construction.
- Designed to carry lightweight tool pouches.

Cat. No.	Size	Width	Weight (lbs.)
5201	33" – 45" (838 mm – 1143 mm)	1" (25 mm)	.30



#### **General-Purpose Belts**

**Lightweight Utility Belt** • Strong, lightweight polypropylene web.

- Strong, heavy-duty leather.
- Removable single-tongue buckle held by two heavy-duty snaps.

Cat. No.	Size	Width	Weight (lbs.)
5202M	32" – 40" (813 mm – 1016 mm)	1-1/2" (38 mm)	.40
5202L	38" – 46" (965 mm – 1168 mm)	1-1/2" (38 mm)	.45
5202XL	46" – 54" (1168 mm – 1372 mm)	1-1/2" (38 mm)	.50

# NOT 5202L

100

Belts & S

epuedsn

Pouches, Carr

Cat. No. Color Width Weight (lbs.) Size 5204 blue one size fits all 2" (51 mm) .20



- Fits waist sizes up to 48" (1219 mm).
- Accommodates tunnel loop and slotted tool pouches and holders.

• Quickly adjusts for waist sizes through 52" (1321 mm). • Accepts tunnel-loop and slotted pouches and holders. • Tough, molded, non-metallic, slide-action buckle provides single-handed, quick release and adjustment.

- 2" (51 mm) wide polypropylene webbing.
- Rugged metal buckle for quick release and easy adjustment.
- Corrosion resistant hardware.

Cat. No.	Size	Width	Weight (lbs.)
5225	48" (1219 mm)	2" (51 mm)	.60

#### **Heavy-Duty Embossed Tool Belts**

- Strong, heavy-duty leather.
- Equipped with a double-tongue buckle.

Cat. No.	Size	Width	Weight (lbs.)
5415S	32" – 40" (813 mm – 1016 mm)	2" (51 mm)	.63
5415	36" – 44" (914 mm – 1118 mm)	2" (51 mm)	.64
5415L	40" – 48" (1016 mm – 1219 mm)	2" (51 mm)	.64
5415XL	44" – 52" (1118 mm – 1321 mm)	2" (51 mm)	.65



All dimensions are in inches and (millimeters) unless otherwise specified.

AWARNING: This is NOT an occupational protective belt.

AWARNING: NOT for fall arrest or back support.



5204

5225

5415

## **Tool Belts**

#### **Cotton/Polyester Blend Tool Belt** w/Ouick-Release Buckle

- NOT an occupational protective belt. ONLY use as a tool belt.
- Features a forged, guick-release buckle for emergency situations where the user has to quickly disengage the belt (for example, when
- working over water or in grain elevators). Must be worn over the user's harness and clothing so it will drop free when released.
- Belt is made of a mildew-resistant blend of cotton/polyester webbing for comfort and strength.

30" - 44" (762 mm -1118 mm)

38" - 58" (965 mm - 1473 mm)



#### **Designed for Quick Release**

- 1. Pull free end of release strap to disengage other end from retainer.
- 3. Disengaged clasp allows belt to separate.



2. Pulling action rotates

## **Ironworker's Heavy-Duty Tie-Wire Belts**

1.53

1.67

Weight (lbs.)

#### **Ironworker's Heavy-Duty Tie-Wire Belts**

- Leather construction.
- Rugged 2" (51 mm) wide belt.

Size

- · Has separate reel-strap with its own buckle that lets you quickly and conveniently put on or take off a Klein® tie-wire reel and optional pad without removing the belt or your tool pouch.
- Strong double-tongue buckle with keeper.
- Embossed basket-weave pattern.



+LEIA	
EST. 1857	
20019	

Pouches, Carriers,

Suspenders

<u>م</u> 6

--

Cat. No.

5425M

5425XL

Cat. No.	Waist Size	Belt Size Range	Width	Weight (lbs.)
5420S	36" (914 mm)	32" – 40" (813 mm – 1016 mm)	2" (51 mm)	.85
5420	40" (1016 mm)	36" – 44" (914 mm – 1118 mm)	2" (51 mm)	.95
5420L	44" (1118 mm)	40" – 48" (1016 mm – 1219 mm)	2" (51 mm)	1.05
5420XL	48" (1219 mm)	44" – 52" (1118 mm – 1321 mm)	2" (51 mm)	1.15

Tie-wire reel and tie-wire pad also available.

### Sets

#### **10 Pocket Tool Pouch and Belt Set**

- Combines the popular Cat. No. 5165, leather 10 pocket pouch, and Cat. No. 5202, general purpose leather belt, into one item.
- Belt is embossed to guide cutting and reduce size from large to medium. • Belt fits 32" to 46" waist sizes (813 mm - 1,168 mm) and is 1-1/2" (38 mm) wide.
- Four large capacity utility pockets, two pliers pockets, four screwdriver loops and knife snap.
- Pouch is riveted and stitched to assure long life.
- Top grain leather construction.

Cat. No.	Belt Width	Overall Size	Pockets	Size	Specialty Add-Ons	Weight (Ibs.)
55210	1-1/2" (38 mm)	10" x 10" (254 mm x 254 mm)	10	32" - 46" (813 mm - 1168 mm)	knife snap	1.2



153

All dimensions are in inches and (millimeters) unless otherwise specified.

AWARNING: This is NOT an occupational protective belt

**WARNING:** NOT for fall arrest or back support.

### **Suspenders**

#### **Suspenders**

- Clips and slides are nickel-plated for corrosion resistance.
- Extra-strong belt clips have alligator teeth for added gripping power.
- One size fits all.

Cat. No.	Color	Strap Width	Leather-Back Strap Spreader	Weight (lbs.)		
Nylon-We	Nylon-Web Suspenders					
60210B	blue	2" (51 mm)	adjustable	.63		
Elastic-Back Suspenders						
60223B	blue	2" (51 mm)	non-adjustable	.60		



Pouches, Carriers, Belts & Suspenders

### **Suspender Accessories**

#### **Leather Cushion Belt Pads**

- Deluxe leather pad is 4" (102 mm) wide.
- Thick leather back with four snap-open straps
- for easy attachment to any belt up to 2" (51 mm) wide.
  Sponge-padded leather liner has rounded edges,
- and is permanently stitched to the back.
- Durable and comfortable pad to wear for prolonged work periods.
- When sizing a belt to accommodate this pad, add 2" (51 mm) to 4" (102 mm) to the belt waist size.

Cat. No.	Length	Width	Weight (lbs.)
87904	22" (559 mm)	4" (102 mm)	.99
87906	30" (762 mm)	4" (102 mm)	1.04



87904





All dimensions are in inches and (millimeters) unless otherwise specified.

AWARNING: NOT for fall arrest or back support.