


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

NOTES:


1. VISIT OUR ON-LINE CATALOG AT WWW.PANDUIT.COM FOR A LIST OF CURRENT PARTS APPLICABLE FOR USE WITH THIS PRODUCT AND INSTRUCTION SHEET 1A-CD-0004.
2. DIMENSIONS IN PARENTHESES ARE METRIC [mm].
3. CAN BE USED WITH ANY 19" CEA STANDARD PANEL.
4. PARTS SUPPLIED:
 - 12RU DUAL HINGE NEMA 4/4X/12 ENCLOSURE
 - QUARTER TURN SLOTTED LATCHES ARE INCLUDED PROVIDING ACCESS CONTROL TO THE ENCLOSURE.
 - ACCOMODATIONS FOR AN OPTIONAL AIR CONDITIONER.
 - INSTALLED FRONT AND REAR CAGE NUT RAILS IN OPTIMIZED POSITIONS FOR EQUIPMENT MOUNTING.
 - INSTALLED FIBER ENCLOSURE (96 FIBER CAPACITY)
 - INSTALLED (2) 48-PORT PATCH PANELS
 - INSTALLED CABLE MANAGEMENT
 - INSTALLED DOOR GROUND WHIPS, EQUIPMENT GROUND WHIPS
 - INSTALLED GROUND BAR
 - INFRASTRUCTURE GROUND CABLE
 - 10" LONG DIN RAIL MOUNTING PROVISION
 - CABLE/FIBER/POWER PENETRATION RECOMMENDATION TEMPLATE
 - INSTRUCTIONS FOR CABLE ROUTING AND MANAGEMENT
5. CENTER HINGED SECTION
MAXIMUM LOAD RATING: 250 LBS [113.4 kg].
6. MAXIMUM EQUIPMENT DEPTH: 22.35" [567.7 mm].
IF NO THIRD CABLE TRUNK IS UTILIZED,
25.64" [651.2 mm] IS AVAILABLE.




SHIPPING LENGTH	44" (1117.6 mm)
SHIPPING WIDTH	44" (1117.6 mm)
SHIPPING HEIGHT	35" (889 mm)
SHIPPING WEIGHT	184 lbs. (83.5 kg.)
ENCLOSURE WEIGHT	141 lbs. (64 kg.)

TITLE ZDF242430-6 PRECONFIGURED 24" INDUSTRIAL DISTRIBUTION FRAME					
ITEM REVISION NAME 00155LAF/01					
DATASET FILE NAME 00155LAF_DC-01A					
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]					
.x ± .1 [2.54] .xxx ± .015 [0.38] .xx ± .03 [0.76] ANGLES ± 5°					
MATERIAL: MATERIAL: DOOR: 16 GA. 316 STAINLESS STEEL CENTER AND WALL SECTION: 14 GA. 316 STAINLESS STEEL FINISH: STAINLESS STEEL IS PROVIDED WITH A SMOOTH-GRAIN FINISH					
DRAWING NUMBER: 00155LAF_DC					
DRAWN BY JBO	DATE 02/08/17	CHK DAJP	SCALE NONE	SHT 1 OF 4	SIZE A

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
01A	3/21/25	JKU/JBO	DAJP	LF	FIBER ENCLOSURE UPDATE	011906
00A	02/08/17	JBO	DAJP	SVASH	RELEASED	00155LAF



Front View




Rear View

- RU 12 PANDUIT RGRB19CN GROUND BAR
RU 11 CUSTOMER SWITCH – “B”
RU 9-10 PANDUIT CPPL48WBLY 48 PORT PATCH PANEL

RU 8 open
RU 7 CUSTOMER SWITCH – “A”
RU 5-6 PANDUIT CPPL48WBLY 48 PORT PATCH PANEL




RU 4 PANDUIT FRE1UBL FIBER RACK MOUNT ENCLOSURE
RU 2-3 CUSTOMER UPS

RU 1 open


TITLE				
ZDF242430-6 PRECONFIGURED 24” INDUSTRIAL DISTRIBUTION FRAME				
CUSTOMER DRAWING				
ITEM REVISION NAME			PANDUIT	
00155LAF/01				
DATASET FILE NAME			MATERIAL:	
00155LAF_DC-01A			SEE SHEET 1 NOTES	
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]			DRAWING NUMBER:	
.x ± .1 [2.54] .xxx ± .015 [0.38] .xx ± .03 [0.76] ANGLES ± 5 °			00155LAF_DC	
			THIRD ANGLE PROJECTION	
DRAWN BY	DATE	CHK	SCALE	SIZE
JB0	02/08/17	DAJP	NONE	A
SHT 2 OF 4				

--	--	--	--	--	SEE SHEET 1 FOR REVISION CONTROL	--
REV	DATE	BY	CHK	APR	DESCRIPTION	ECN

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.




FRONT VIEW
SHOWING BACK PANEL


TITLE		ZDF242430-6 PRECONFIGURED 24" INDUSTRIAL DISTRIBUTION FRAME	
ITEM REVISION NAME		CUSTOMER DRAWING	
00155LAF/01			
DATASET FILE NAME			
00155LAF_DC-01A		MATERIAL:	
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]		SEE SHEET 1 NOTES	
.x ± .1 [2.54] .xxx ± .015 [0.38]		DRAWING NUMBER:	
.xx ± .03 [0.76] ANGLES ± 5 °			
		00155LAF_DC	
THIRD ANGLE PROJECTION			
DRAWN BY	DATE	CHK	SCALE
JB0	02/08/17	DAJP	NONE
SHT 3 OF 4		SIZE	
		A	

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
--	--	--	--	--	SEE SHEET 1 FOR REVISION CONTROL	--


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



OPTIONAL HOFFMAN
T20 MODEL AIR CONDITIONER



ISOMETRIC VIEW SHOWING
OPTIONAL AIR CONDITIONER



TITLE				ZDF242430-6 PRECONFIGURED 24" INDUSTRIAL DISTRIBUTION FRAME			
ITEM REVISION NAME				CUSTOMER DRAWING			
00155LAF/01				PANDUIT			
DATASET FILE NAME				00155LAF_DC-01A			
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]				MATERIAL:			
.x ± .1 [2.54] .xx ± .03 [0.76]				SEE SHEET 1 NOTES			
.xxx ± .015 [0.38] ANGLES ± 5 °				DRAWING NUMBER:			
THIRD ANGLE PROJECTION				00155LAF_DC			
DRAWN BY	DATE	CHK	SCALE	SIZE			
JB0	02/08/17	DAJP	NONE	A			

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
--	--	--	--	--	SEE SHEET 1 FOR REVISION CONTROL	--