



Part Number : [1301070032](#)

Product Description : Super-Safeway
Assembled Rubber Stringlight 200W 12/3
SOOW 1.52m (5.0') Lead with Guard 3.04m
(10.0'), Overall Length 30.48m (100.0')

Series Number : 130107

Status : Active

Product Category : Lamps and Lights

Engineering Number : 310323



Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Reviewed per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Not Reviewed per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
--------	--------

Category	Lamps and Lights
Series	130107
Description	Super-Safeway Assembled Rubber Stringlight 200W 12/3 SOOW 1.52m (5.0') Lead with Guard 3.04m (10.0'), Overall Length 30.48m (100.0')
NEMA Configuration	NEMA 5-20
NEMA Rating	Rain Tight
Product Family	Stringlights
Product Name	Super-Safeway
Type	String Lights
UPC	78678879856

Agency

CSA	LR85374
-----	---------

Electrical

Lamp Wattage - Maximum	200W
Lumens	2000
On/Off Switch	No
Voltage (Fixture) - Maximum	120VAC 60 HZ

Physical

Bulb Type	Incandescent
Cord Length - Primary	3.04m (10.0')
Cord Length - Secondary	N/A
Cord Type - Primary	12/3 SOOW
Depth	46.48mm (1.830")
Duty	Industrial
Guard Included	Yes
Guard Type	Steel
Height	101.60mm (4.000")
Lamp Type	A21
Length	30.48m (100.0')
Material - Guard	#8 Gauge Zinc-plated Steel

Mounting Style	Stringer
Outlet	None
Packaging Type	Carton
Socket Construction	Assembled

This document was generated on Oct 11, 2023