



Part Number : 1301360038

Product Description : Super-Safeway Multi-Tap (3) NEMA 5-15 Outlet Box with Buss Bars, 15.24m (50.0') Cord Length, 12/3 SOOW Cord, NEMA 5-15 Plug

Series Number : 130136

Status : Active

Product Category : Power Distribution

Engineering Number : 31593B123



Product Environment Compliance

Compliance

| | |
|--------------------|--------------|
| China RoHS | Not Reviewed |
| EU ELV | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC | Not Reviewed |
| EU RoHS | Not Reviewed |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|----------|--------------------|
| Status | Active |
| Category | Power Distribution |

| | |
|--------------------|---|
| Series | 130136 |
| Description | Super-Safeway Multi-Tap (3) NEMA 5-15 Outlet Box with Buss Bars, 15.24m (50.0') Cord Length, 12/3 SOOW Cord, NEMA 5-15 Plug |
| Enclosure Rating | N/A |
| NEMA Configuration | NEMA 5-15 |
| Product Family | Outlet Boxes |
| Product Name | Super-Safeway |
| Type | Multi-Tap and Strip Cordset |
| UPC | 78678879631 |

Agency

| | |
|-----|--------|
| CSA | LR6837 |
|-----|--------|

Electrical

| | |
|-------------------------------|-------|
| Current - Maximum per Contact | 15.0A |
| GFCI | No |
| GFCI Reset | N/A |
| Ground Continuity Monitor | No |
| Open Neutral Relay | N/A |
| Voltage - Maximum | 120V |

Physical

| | |
|-----------------------|-----------------|
| Cord Diameter | 15.24mm (.600") |
| Cord Grip Body Size | Double C-Clamp |
| Cord Length | 15.24m (50.0') |
| Cord Type | 12/3 SOOW |
| Feed-Thru | No |
| Flip Lid | No |
| Material - Housing | Rubber |
| Mounting Style | Portable |
| Number of Receptacles | 3 |
| Packaging Type | Carton |
| Receptacle Type | Triple |

This document was generated on Oct 11, 2023