



Part Number : [1300980086](#)

Product Description : MAX-LOC Strain Relief Cord-Sealing Grip, 1/2" NPT, Straight Male with O-Ring, Cable Diameter 12.70-14.27mm (.500-.562")

Series Number : 130098

Status : Active

Product Category : Cable Grips

Engineering Number : 5532W



---

## Documents & Resources

### Drawings

[Drawing 1300980086\\_sd.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Contained per D(2022)9120-DC (17 Jan 2023)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

## Part Details

### General

Status	Active
Category	Cable Grips
Series	130098
Description	MAX-LOC Strain Relief Cord-Sealing Grip, 1/2" NPT, Straight Male with O-Ring, Cable Diameter 12.70-14.27mm (.500-.562")
NEMA Rating	NEMA 6P
Product Family	Strain-Relief Cord Grips
Product Name	MAX-LOC
Type	Strain Relief Grip
UPC	78678855532

### Agency

CSA	LR32159
UL	E76954

### Physical

Approximate Break Strength	N/A
Bale Length	N/A
Body Style	Straight
Cable Diameter	12.70-14.27mm (.500-.562")
Color - Grommet	Black
Eye Type	N/A
Gender	Male
Material - Body	Nylon
Material - Grip	N/A
Mesh Length	N/A
Net Weight	15.000/g
Number of Holes	1
O-Ring	Yes

---

Thread Size	1/2" NPT
-------------	----------

---

**Use with Part(s)**

Description	Part Number
MAX-LOC Lock Nut 1/2" NPT	<a href="/content/molex/molex-dot-com/us/en/products/product-page.html/1300990143.html">/content/molex/molex-dot-com/us/en/products/product-page.html/1300990143.html</a>
MAX-LOC O-Ring, 1/2" NPT	<a href="/content/molex/molex-dot-com/us/en/products/product-page.html/1301800314.html">/content/molex/molex-dot-com/us/en/products/product-page.html/1301800314.html</a>

---

This document was generated on Oct 11, 2023

---