



**Part Number :** [1301460129](#)  
**Product Description :** Watertite Extreme  
Receptacle with Single Flip Coverplate, 2  
Pole/3 Wire, NEMA 5-15, 125V  
**Series Number :** 130146  
**Status :** Active  
**Product Category :** Wiring Devices  
**Engineering Number :** 60W47



---

## Documents & Resources

- Drawings**  
[Drawing 1301460129\\_sd.pdf](#)
- 3D Models and Design Files**  
[3D Model 1301460129\\_stp.zip](#)

---

## Product Environment Compliance

### Compliance

|                    |                                                  |
|--------------------|--------------------------------------------------|
| GADSL/IMDS         | Not Relevant                                     |
| China RoHS         | Not Reviewed per SJ/T 11365-2006                 |
| EU ELV             | Not Relevant                                     |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21                  |
| REACH SVHC         | Not Reviewed per D(2023)3788-DC<br>(14 Jun 2023) |
| EU RoHS            | Not Reviewed per EU 2015/863                     |

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration

- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

---

### Part Details

#### General

|                    |                                                                                          |
|--------------------|------------------------------------------------------------------------------------------|
| Status             | Active                                                                                   |
| Category           | Wiring Devices                                                                           |
| Series             | 130146                                                                                   |
| Description        | Watertite Extreme Receptacle with Single Flip Coverplate, 2 Pole/3 Wire, NEMA 5-15, 125V |
| IP Rating          | IP67                                                                                     |
| NEMA Configuration | NEMA 5-15                                                                                |
| Product Family     | Watertite Extreme Wet-Location Wiring Solutions                                          |
| Product Name       | Watertite Extreme                                                                        |
| Specialty          | N/A                                                                                      |
| Type               | Receptacle                                                                               |
| UPC                | 78678871402                                                                              |

#### Agency

|     |        |
|-----|--------|
| CSA | LR6837 |
| UL  | E68122 |

#### Electrical

|                               |       |
|-------------------------------|-------|
| Current - Maximum per Contact | 15.0A |
| GFCI                          | No    |
| Voltage - Maximum             | 125V  |

#### Physical

|           |        |
|-----------|--------|
| Cord Type | N/A    |
| Flange    | No     |
| Flip Lid  | Yes    |
| Gender    | Female |
| Length    | N/A    |

|                   |               |
|-------------------|---------------|
| Lighted Connector | No            |
| Locking Blade     | No            |
| Net Weight        | 12.440/g      |
| Poles             | 2-pole/3-wire |
| Receptacle Type   | Single        |

---

This document was generated on Oct 11, 2023