



Part Number : [1200990013](#)

Product Description : PROFIBUS Receptacle, 5 Poles, Male (Straight) to Lead, 1.0m (3.28') Length

Series Number : 120099

Status : Active

Product Category : Circular Industrial Connectors

Engineering Number : BR5U76PP4M0103



Documents & Resources

Drawings

[Drawing 1200990013_sd.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Contains Lead per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant with Exemption 6(c) per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Part Details

General

Status	Active
Category	Circular Industrial Connectors
Series	120099
Description	PROFIBUS Receptacle, 5 Poles, Male (Straight) to Lead, 1.0m (3.28') Length
IP Rating	IP67
NEMA Rating	NEMA 6
Product Family	PROFIBUS Solutions
Product Name	PROFIBUS Data Line
Type	Single Ended (pigtail)
UPC	78678850806

Electrical

Current - Maximum per Contact	4.0A
Voltage - Maximum	250V

Physical

Coupling Type	External Thread
Gender	Male
Keyway	Single
Length	1.0m
Material - Component	Nickel-plated Brass
Mounting Thread Size	M16
Orientation	Straight
Panel Mount	Back
Poles	5
Temperature Range - Operating	-20° to +80°C
Wire/Cable Type	N/A
Wire Size (AWG)	N/A

Solder Process Data

Lead-Free Process Capability	N/A
------------------------------	-----

Mates With / Use With

Mates with Part(s)

Description	Part Number
PROFIBUS Receptacles	<u>120099</u>

This document was generated on Oct 11, 2023